

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
1102	13.25		12.37		4.72			1102	10.24						1102
1101			28.82			40.47	2-34.17	1101		13.82	66.06	39.08		5-36.82	1101
1100	13.26		12.35	28.84		40.44	2-34.25	1100	10.26		66.10	39.04		5-36.98	1100
1099	13.27			28.85	4.71	40.41	2-34.33	1099		13.83	66.13	39.01	2.87	5-37.15	1099
1098			12.34	28.86		40.37	2-34.42	1098	10.27		66.15	38.98		5-37.33	1098
1097	13.28		12.33	28.87		40.34	2-34.49	1097		13.84	66.18	38.95		5-37.50	1097
1096	13.29		12.32	28.89		40.31	2-34.58	1096			66.20	38.92		5-37.67	1096
1095			12.31	28.90		40.27	2-34.66	1095	10.28	13.85	66.23	38.89		5-37.83	1095
1094	13.30		12.30	28.91		40.24	2-34.75	1094			66.26	38.86	2.86	5-38.02	1094
1093	13.31		12.29	28.92		40.20	2-34.82	1093	10.29	13.86	66.28	38.83		5-38.18	1093
1092			12.28	28.94	4.70	40.17	2-34.89	1092			66.31	38.80		5-38.35	1092
1091	13.32		12.27	28.95		40.14	2-34.99	1091	10.31	13.88	66.33	38.77		5-38.52	1091
1090	13.33		12.26	28.96		40.11	2-35.07	1090			66.36	38.74		5-38.70	1090
1089	13.34		12.25	28.98	4.69	40.08	2-35.16	1089		13.89	66.39	38.71		5-38.87	1089
1088			12.24	28.99		40.04	2-35.23	1088	10.32		66.41	38.67		5-39.03	1088
1087	13.35		12.23	29.00		40.01	2-35.32	1087		13.90	66.44	38.64		5-39.21	1087
1086	13.36		12.22	29.01		39.97	2-35.39	1086	10.33		66.46	38.61		5-39.38	1086
1085			12.21	29.03		39.94	2-35.49	1085		13.91	66.49	38.58	2.85	5-39.55	1085
1084	13.37		12.20	29.04		39.91	2-35.56	1084	10.34		66.51	38.55		5-39.73	1084
1083	13.38		12.19	29.05		39.87	2-35.64	1083			66.54	38.52		5-39.90	1083
1082			12.18	29.06	4.68	39.84	2-35.73	1082	10.36	13.93	66.57	38.49		5-40.06	1082
1081	13.39		12.17	29.08		39.81	2-35.82	1081			66.59	38.46	2.84	5-40.25	1081
1080	13.40	1.37	12.16	29.09		39.78	2-35.89	1080		13.94	66.63	38.43		5-40.41	1080
1079			12.15	29.10	4.67	39.74	2-35.98	1079	10.37		66.66	38.40		5-40.58	1079
1078	13.41		12.14	29.11		39.71	2-36.06	1078		13.95	66.68	38.37		5-40.76	1078
1077	13.42		12.13	29.13		39.67	2-36.14	1077	10.38		66.71	38.34		5-40.93	1077
1076			12.12	29.14	4.66	39.64	2-36.23	1076		13.96	66.74	38.30		5-41.10	1076
1075	13.43		12.11	29.15		39.61	2-36.32	1075	10.40		66.76	38.27		5-41.28	1075
1074	13.44		12.10	29.16		39.58	2-36.39	1074		13.98	66.79	38.24		5-41.44	1074
1073			12.09	29.18		39.54	2-36.48	1073	10.41		66.81	38.21		5-41.61	1073
1072	13.45		12.08	29.19		39.51	2-36.56	1072		13.99	66.84	38.18	2.83	5-41.79	1072
1071	13.46		12.07	29.20		39.48	2-36.64	1071			66.86	38.15		5-41.96	1071
1070			12.06	29.22		39.45	2-36.72	1070	10.42	14.00	66.89	38.12		5-42.14	1070
1069	13.47		12.05	29.23	4.65	39.41	2-36.81	1069			66.92	38.09		5-42.31	1069
1068	13.48		12.04	29.24		39.37	2-36.89	1068	10.43	14.01	66.94	38.06		5-42.47	1068
1067		1.36	12.03	29.25		39.34	2-36.98	1067			66.97	38.03	2.82	5-42.66	1067
1066	13.49		12.02	29.27	4.64	39.31	2-37.05	1066	10.45	14.02	66.99	38.00		5-42.82	1066
1065	13.50		12.01	29.28		39.28	2-37.14	1065			67.03	37.97		5-43.00	1065
1064			12.00	29.29		39.24	2-37.22	1064	10.46	14.04	67.06	37.93		5-43.17	1064
1063	13.51		11.99	29.30		39.21	2-37.31	1063			67.09	37.90		5-43.35	1063
1062	13.52		11.98	29.32		39.18	2-37.39	1062		14.05	67.11	37.87		5-43.52	1062
1061			11.97	29.33		39.15	2-37.47	1061	10.47		67.14	37.84		5-43.69	1061
1060	13.53		11.96	29.34		39.11	2-37.55	1060		14.06	67.16	37.82		5-43.87	1060
1059	13.54		11.95	29.35	4.63	39.08	2-37.64	1059	10.48		67.19	37.78		5-44.03	1059
1058	13.55		11.94	29.37		39.04	2-37.72	1058		14.07	67.21	37.75	2.81	5-44.21	1058
1057			11.93	29.38		39.01	2-37.81	1057	10.50		67.24	37.72		5-44.38	1057
1056	13.56			29.39	4.62	38.98	2-37.88	1056		14.09	67.27	37.69		5-44.56	1056
1055	13.57		11.91	29.41		38.95	2-37.97	1055	10.51		67.29	37.66		5-44.73	1055
1054		1.35		29.42		38.91	2-38.06	1054		14.10	67.32	37.63	2.80	5-44.91	1054
1053	13.58		11.89	29.43		38.88	2-38.14	1053			67.36	37.60		5-45.08	1053
1052	13.59			29.44		38.84	2-38.23	1052	10.52	14.11	67.38	37.57		5-45.26	1052
1051			11.87	29.46		38.81	2-38.30	1051			67.41	37.53		5-45.43	1051
1050	13.60			29.47		38.78	2-38.39	1050	10.53	14.12	67.44	37.50		5-45.61	1050
1049	13.61		11.85	29.48	4.61	38.74	2-38.47	1049			67.46	37.47		5-45.77	1049
1048				29.49		38.71	2-38.56	1048	10.55	14.14	67.49	37.44		5-45.95	1048
1047	13.62		11.83	29.51		38.68	2-38.64	1047			67.51	37.41		5-46.12	1047
1046	13.63			29.52	4.60	38.65	2-38.72	1046	10.56	14.15	67.54	37.38		5-46.30	1046
1045			11.81	29.53		38.61	2-38.81	1045			67.56	37.35	2.79	5-46.47	1045
1044	13.64			29.54		38.58	2-38.89	1044	10.57	14.16	67.59	37.32		5-46.65	1044
1043	13.65		11.79	29.56		38.54	2-38.98	1043			67.62	37.29		5-46.83	1043
1042				29.57		38.51	2-39.05	1042		14.17	67.66	37.26		5-47.00	1042
1041	13.66		11.77	29.58		38.48	2-39.14	1041	10.58		67.68	37.23		5-47.18	1041
1040	13.67			29.60	4.59	38.45	2-39.23	1040		14.18	67.71	37.20	2.78	5-47.35	1040
1039	13.68		11.75	29.61		38.41	2-39.31	1039	10.60		67.73	37.16		5-47.53	1039
1038				29.62		38.38	2-39.39	1038		14.20	67.76	37.13		5-47.69	1038
1037	13.69		11.73	29.63		38.35	2-39.48	1037	10.61		67.79	37.10		5-47.87	1037
1036	13.70			29.65	4.58	38.31	2-39.56	1036		14.21	67.81	37.07		5-48.06	1036
1035			11.71	29.66		38.28	2-39.64	1035	10.62		67.84	37.04		5-48.22	1035
1034	13.71			29.67		38.24	2-39.73	1034		14.22	67.86	37.01		5-48.40	1034

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
1033	13.72		11.69	29.68	4.57	38.21	2-39.82	1033			67.89	36.98		5-48.57	1033
1032				29.70		38.18	2-39.91	1032	10.63	14.23	67.91	36.95		5-48.75	1032
1031	13.73		11.68	29.71		38.15	2-39.98	1031			67.95	36.92	2.77	5-48.93	1031
1030	13.74		11.67	29.72		38.12	2-40.07	1030	10.65	14.25	67.98	36.89		5-49.10	1030
1029		1.34	11.66	29.73		38.08	2-40.14	1029			68.01	36.86		5-49.28	1029
1028	13.75		11.65	29.75		38.04	2-40.24	1028	10.66	14.26	68.03	36.83		5-49.46	1028
1027	13.76		11.64	29.76	4.56	38.01	2-40.33	1027			68.06	36.79	2.76	5-49.63	1027
1026	13.77		11.63	29.77		37.98	2-40.41	1026	10.67	14.27	68.08	36.76		5-49.81	1026
1025			11.62	29.78		37.95	2-40.49	1025			68.11	36.73		5-49.99	1025
1024	13.78		11.61	29.80		37.91	2-40.58	1024	10.69	14.28	68.13	36.70		5-50.16	1024
1023	13.79		11.60	29.81	4.55	37.88	2-40.66	1023			68.16	36.67		5-50.34	1023
1022			11.59	29.82		37.85	2-40.75	1022		14.29	68.20	36.64		5-50.52	1022
1021	13.80		11.58	29.84		37.82	2-40.83	1021	10.70		68.23	36.61		5-50.68	1021
1020	13.81		11.57	29.85		37.78	2-40.91	1020		14.31	68.25	36.58		5-50.86	1020
1019			11.56	29.86		37.75	2-41.00	1019	10.71		68.28	36.55		5-51.05	1019
1018	13.82		11.55	29.87		37.71	2-41.08	1018		14.32	68.30	36.52	2.75	5-51.21	1018
1017	13.83		11.54	29.90	4.54	37.68	2-41.17	1017	10.72		68.33	36.49		5-51.39	1017
1016		1.33	11.53	29.91		37.65	2-41.26	1016		14.33	68.36	36.46		5-51.57	1016
1015	13.84		11.52	29.92		37.62	2-41.35	1015	10.74		68.38	36.43		5-51.75	1015
1014	13.85		11.51	29.94	4.53	37.58	2-41.42	1014		14.34	68.42	36.39	2.74	5-51.92	1014
1013	13.86		11.50	29.95		37.55	2-41.51	1013	10.75		68.45	36.36		5-52.10	1013
1012			11.49	29.96		37.51	2-41.60	1012		14.36	68.47	36.33		5-52.28	1012
1011	13.87		11.48	29.97		37.48	2-41.68	1011		14.37	68.50	36.30		5-52.46	1011
1010	13.88		11.47	29.99		37.45	2-41.76	1010	10.76		68.52	36.27		5-52.63	1010
1009			11.46	30.00		37.41	2-41.86	1009		14.38	68.55	36.24		5-52.81	1009
1008	13.89		11.45	30.01		37.38	2-41.93	1008	10.77		68.58	36.21		5-52.99	1008
1007	13.90		11.44	30.03	4.52	37.35	2-42.01	1007		14.39	68.60	36.17		5-53.17	1007
1006			11.43	30.04		37.32	2-42.11	1006	10.79		68.63	36.14		5-53.34	1006
1005	13.91		11.42	30.05		37.28	2-42.20	1005		14.41	68.67	36.11	2.73	5-53.52	1005
1004	13.92		11.41	30.06	4.51	37.25	2-42.27	1004	10.80		68.69	36.08		5-53.70	1004
1003	13.93		11.40	30.08		37.21	2-42.37	1003		14.42	68.72	36.06		5-53.88	1003
1002			11.39	30.09		37.18	2-42.45	1002	10.81		68.74	36.02		5-54.06	1002
1001	13.94		11.38	30.10	4.50	37.15	2-42.52	1001		14.43	68.77	35.99		5-54.23	1001
1000	13.95		11.37	30.11		37.12	2-42.62	1000	10.82		68.80	35.96	2.72	5-54.41	1000
999			11.36	30.13		37.08	2-42.70	999		14.44	68.82	35.93		5-54.59	999
998	13.96		11.35	30.14		37.05	2-42.80	998			68.86	35.90		5-54.77	998
997	13.97		11.34	30.15		37.01	2-42.88	997	10.84	14.45	68.89	35.87		5-54.95	997
996			11.33	30.16		36.98	2-42.97	996			68.91	35.84		5-55.13	996
995	13.98		11.32	30.18		36.95	2-43.06	995	10.85	14.47	68.94	35.80		5-55.31	995
994	13.99		11.31	30.19	4.49	36.91	2-43.13	994			68.96	35.77		5-55.48	994
993	14.00		11.30	30.20		36.88	2-43.22	993	10.86	14.48	68.99	35.74		5-55.66	993
992			11.29	30.22		36.85	2-43.31	992			69.02	35.71	2.71	5-55.84	992
991	14.01	1.32	11.28	30.23	4.48	36.82	2-43.39	991	10.87	14.49	69.06	35.68		5-56.02	991
990	14.02		11.27	30.24		36.78	2-43.48	990			69.08	35.65		5-56.20	990
989			11.26	30.25		36.75	2-43.57	989	10.89	14.50	69.11	35.62		5-56.38	989
988	14.03		11.25	30.27		36.71	2-43.64	988			69.13	35.59		5-56.56	988
987	14.04		11.24	30.28		36.68	2-43.74	987	10.90	14.52	69.16	35.55	2.70	5-56.74	987
986			11.23	30.30		36.65	2-43.82	986			69.18	35.52		5-56.92	986
985	14.05		11.22	30.32	4.47	36.62	2-43.91	985		14.53	69.21	35.49		5-57.10	985
984	14.06		11.21	30.33		36.58	2-44.00	984	10.91		69.25	35.47		5-57.27	984
983	14.07		11.20	30.34		36.55	2-44.09	983		14.54	69.28	35.44		5-57.45	983
982			11.19	30.35		36.51	2-44.18	982	10.93		69.30	35.40		5-57.63	982
981	14.08		11.18	30.37	4.46	36.48	2-44.25	981		14.55	69.33	35.37		5-57.81	981
980	14.09		11.17	30.38		36.45	2-44.34	980	10.94		69.35	35.34		5-57.99	980
979			11.16	30.39		36.41	2-44.43	979		14.57	69.38	35.31		5-58.17	979
978	14.10	1.31	11.15	30.41		36.38	2-44.52	978	10.95		69.41	35.28	2.69	5-58.35	978
977	14.11			30.42		36.35	2-44.61	977		14.58	69.44	35.25		5-58.53	977
976	14.12		11.13	30.43		36.32	2-44.69	976	10.96		69.47	35.22		5-58.71	976
975				30.44	4.45	36.28	2-44.78	975		14.59	69.50	35.18		5-58.89	975
974	14.13		11.11	30.46		36.25	2-44.87	974	10.98		69.52	35.15	2.68	5-59.07	974
973	14.14			30.47		36.21	2-44.95	973		14.60	69.55	35.12		5-59.26	973
972			11.09	30.48	4.44	36.18	2-45.04	972		14.61	69.57	35.09		5-59.44	972
971	14.15			30.49		36.15	2-45.12	971	10.99		69.61	35.06		5-59.62	971
970	14.16		11.07	30.51		36.12	2-45.21	970		14.63	69.64	35.03		5-59.80	970
969				30.52		36.08	2-45.30	969	11.00		69.66	35.00		5-59.98	969
968	14.17		11.05	30.53		36.04	2-45.39	968		14.64	69.69	34.97		6-00.16	968
967	14.18			30.54		36.01	2-45.48	967	11.01		69.72	34.93		6-00.34	967
966	14.19	1.30	11.03	30.56		35.98	2-45.55	966		14.65	69.74	34.90		6-00.52	966
965				30.57	4.43	35.95	2-45.64	965	11.03		69.78	34.87	2.67	6-00.70	965

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
964	14.20		11.01	30.58		35.91	2-45.73	964		14.66	69.81	34.84		6-00.88	964
963	14.21			30.61		35.88	2-45.82	963	11.04		69.83	34.81		6-01.07	963
962			10.99	30.62	4.42	35.85	2-45.91	962		14.68	69.86	34.78		6-01.25	962
961	14.22			30.63		35.82	2-46.00	961	11.05		69.88	34.75	2.66	6-01.43	961
960	14.23		10.97	30.65		35.78	2-46.09	960		14.69	69.91	34.72		6-01.61	960
959	14.24			30.66	4.41	35.75	2-46.16	959	11.06		69.95	34.69		6-01.79	959
958			10.95	30.67		35.71	2-46.25	958		14.70	69.98	34.66		6-01.97	958
957	14.25			30.68		35.68	2-46.34	957			70.00	34.63		6-02.16	957
956	14.26		10.93	30.70		35.65	2-46.43	956	11.08	14.71	70.03	34.60		6-02.34	956
955				30.71		35.62	2-46.52	955			70.05	34.56		6-02.52	955
954	14.27		10.91	30.72		35.58	2-46.61	954	11.09	14.72	70.08	34.53		6-02.71	954
953	14.28			30.73	4.40	35.54	2-46.70	953			70.12	34.50		6-02.89	953
952	14.29		10.89	30.75		35.51	2-46.78	952	11.10	14.74	70.14	34.47	2.65	6-03.07	952
951				30.76		35.48	2-46.87	951			70.17	34.44		6-03.25	951
950	14.30		10.87	30.77		35.45	2-46.95	950	11.11	14.75	70.20	34.41		6-03.43	950
949	14.31			30.78	4.39	35.42	2-47.04	949			70.22	34.38		6-03.61	949
948			10.85	30.80		35.38	2-47.13	948	11.13	14.76	70.26	34.34	2.64	6-03.79	948
947	14.32			30.81		35.35	2-47.22	947		14.77	70.29	34.31		6-03.99	947
946	14.33		10.83	30.82		35.31	2-47.31	946	11.14		70.31	34.28		6-04.17	946
945	14.34			30.85		35.28	2-47.40	945		14.79	70.34	34.25		6-04.35	945
944			10.82	30.86		35.25	2-47.49	944	11.15		70.36	34.22		6-04.53	944
943	14.35		10.81	30.87	4.38	35.21	2-47.57	943		14.80	70.39	34.19		6-04.71	943
942	14.36			30.89		35.18	2-47.66	942			70.43	34.16		6-04.90	942
941	14.37	1.29	10.79	30.90		35.15	2-47.74	941	11.17	14.81	70.46	34.13		6-05.08	941
940				30.91	4.37	35.12	2-47.83	940			70.48	34.09		6-05.26	940
939	14.38		10.77	30.92		35.08	2-47.92	939	11.18	14.82	70.51	34.06	2.63	6-05.44	939
938	14.39			30.94		35.05	2-48.01	938			70.53	34.03		6-05.63	938
937			10.75	30.95		35.01	2-48.10	937	11.19	14.84	70.57	34.00		6-05.82	937
936	14.40			30.96		34.98	2-48.19	936			70.60	33.97		6-06.00	936
935	14.41		10.73	30.97		34.95	2-48.28	935	11.20	14.85	70.62	33.94	2.62	6-06.18	935
934	14.42			30.99	4.36	34.92	2-48.37	934			70.65	33.91		6-06.37	934
933			10.71	31.00		34.88	2-48.46	933	11.22	14.86	70.68	33.88		6-06.55	933
932	14.43			31.01		34.84	2-48.55	932			70.71	33.84		6-06.73	932
931	14.44		10.69	31.03		34.81	2-48.64	931	11.23	14.87	70.74	33.81		6-06.92	931
930				31.04	4.35	34.78	2-48.73	930			70.77	33.78		6-07.10	930
929	14.45		10.67	31.06		34.75	2-48.82	929	11.24	14.88	70.79	33.75		6-07.28	929
928	14.46	1.28		31.08		34.71	2-48.89	928		14.90	70.82	33.72		6-07.47	928
927	14.48			31.09		34.68	2-48.98	927	11.25		70.86	33.69		6-07.66	927
926			10.64	31.10		34.64	2-49.07	926		14.91	70.88	33.66	2.61	6-07.84	926
925	14.49			31.11		34.61	2-49.16	925	11.27		70.91	33.63		6-08.02	925
924	14.50		10.62	31.13	4.34	34.58	2-49.25	924		14.92	70.93	33.60		6-08.21	924
923	14.51			31.14		34.55	2-49.34	923			70.96	33.57		6-08.39	923
922			10.60	31.15		34.51	2-49.43	922	11.28	14.93	71.00	33.54	2.60	6-08.59	922
921	14.52			31.16	4.33	34.48	2-49.52	921			71.03	33.51		6-08.77	921
920	14.53		10.58	31.18		34.45	2-49.61	920	11.29	14.95	71.05	33.47		6-08.95	920
919				31.19		34.41	2-49.69	919			71.08	33.44		6-09.14	919
918	14.54		10.56	31.20	4.32	34.38	2-49.78	918	11.30	14.96	71.12	33.41		6-09.32	918
917	14.55			31.21		34.34	2-49.87	917			71.14	33.38		6-09.50	917
916	14.56			31.23		34.31	2-49.96	916	11.32	14.97	71.17	33.35		6-09.69	916
915			10.53	31.25		34.28	2-50.05	915			71.19	33.32		6-09.88	915
914	14.57			31.27		34.25	2-50.14	914	11.33	14.98	71.22	33.29		6-10.07	914
913	14.58		10.51	31.28		34.21	2-50.23	913			71.26	33.25	2.59	6-10.25	913
912	14.59			31.29	4.31	34.18	2-50.32	912	11.34	15.00	71.28	33.22		6-10.44	912
911			10.49	31.30		34.14	2-50.41	911		15.01	71.31	33.19		6-10.62	911
910	14.60			31.32		34.11	2-50.50	910	11.35		71.34	33.16		6-10.80	910
909	14.61		10.47	31.33		34.08	2-50.59	909		15.02	71.38	33.13	2.58	6-11.00	909
908				31.34	4.30	34.05	2-50.68	908	11.37		71.40	33.10		6-11.18	908
907	14.62		10.45	31.35		34.01	2-50.76	907		15.03	71.43	33.07		6-11.37	907
906	14.63			31.37		33.97	2-50.85	906	11.38		71.45	33.04		6-11.55	906
905	14.64		10.43	31.38		33.94	2-50.96	905		15.04	71.48	33.00		6-11.74	905
904				31.39		33.91	2-51.04	904	11.39		71.52	32.97		6-11.92	904
903	14.65	1.27	10.41	31.40		33.88	2-51.13	903		15.06	71.54	32.94		6-12.12	903
902	14.66			31.43	4.29	33.84	2-51.22	902	11.40		71.57	32.91		6-12.30	902
901	14.67		10.39	31.44		33.81	2-51.31	901		15.07	71.60	32.88		6-12.49	901
900				31.46		33.78	2-51.40	900	11.42		71.63	32.85	2.57	6-12.67	900
899	14.68		10.37	31.47	4.28	33.74	2-51.49	899		15.08	71.66	32.82		6-12.87	899
898	14.69			31.48		33.71	2-51.58	898			71.69	32.78		6-13.05	898
897	14.70		10.35	31.49		33.68	2-51.67	897	11.43	15.09	71.71	32.75		6-13.24	897
896				31.51		33.64	2-51.76	896		15.11	71.75	32.72	2.56	6-13.43	896

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
895	14.71		10.33	31.52		33.61	2-51.85	895	11.44		71.78	32.69		6-13.61	895
894	14.72		10.32	31.53		33.58	2-51.94	894		15.12	71.80	32.66		6-13.81	894
893			10.31	31.54	4.27	33.55	2-52.03	893	11.46		71.83	32.63		6-13.99	893
892	14.73		10.30	31.56		33.51	2-52.12	892		15.13	71.87	32.60		6-14.18	892
891	14.74	1.26	10.29	31.57		33.47	2-52.20	891	11.47		71.89	32.57		6-14.36	891
890	14.75		10.28	31.59	4.26	33.44	2-52.31	890		15.14	71.92	32.53		6-14.55	890
889			10.27	31.61		33.41	2-52.40	889	11.48		71.95	32.50		6-14.75	889
888	14.76		10.26	31.62		33.38	2-52.48	888		15.15	71.98	32.47		6-14.93	888
887	14.77		10.25	31.63	4.25	33.34	2-52.57	887	11.49		72.01	32.44	2.55	6-15.12	887
886	14.78		10.24	31.65		33.31	2-52.66	886		15.17	72.04	32.41		6-15.31	886
885			10.23	31.66		33.27	2-52.75	885	11.51		72.06	32.38		6-15.49	885
884	14.79		10.22	31.67		33.24	2-52.84	884		15.18	72.10	32.35		6-15.69	884
883	14.80		10.21	31.68		33.21	2-52.93	883	11.52	15.19	72.13	32.31	2.54	6-15.87	883
882	14.81		10.20	31.70		33.18	2-53.02	882			72.15	32.28		6-16.06	882
881			10.19	31.71		33.14	2-53.12	881	11.53	15.20	72.18	32.25		6-16.25	881
880	14.82		10.18	31.72	4.24	33.10	2-53.21	880			72.22	32.22		6-16.44	880
879	14.83	1.25	10.17	31.75		33.07	2-53.30	879	11.54	15.22	72.24	32.19		6-16.63	879
878	14.84		10.16	31.76		33.04	2-53.39	878			72.27	32.16		6-16.82	878
877			10.15	31.77	4.23	33.01	2-53.48	877	11.56	15.23	72.30	32.13		6-17.02	877
876	14.85		10.14	31.78		32.97	2-53.57	876			72.33	32.10		6-17.20	876
875	14.86		10.13	31.80		32.94	2-53.66	875	11.57	15.24	72.36	32.06	2.53	6-17.39	875
874	14.87		10.12	31.81		32.91	2-53.76	874			72.39	32.03		6-17.58	874
873			10.11	31.82		32.87	2-53.85	873	11.58	15.25	72.41	32.00		6-17.76	873
872	14.88		10.10	31.84		32.84	2-53.94	872			72.45	31.97		6-17.96	872
871	14.89		10.09	31.85	4.22	32.81	2-54.03	871	11.59	15.27	72.48	31.94		6-18.15	871
870	14.90		10.08	31.86		32.77	2-54.12	870		15.28	72.50	31.91	2.52	6-18.34	870
869			10.07	31.89		32.74	2-54.21	869	11.61		72.53	31.88		6-18.52	869
868	14.91		10.06	31.90	4.21	32.71	2-54.31	868		15.29	72.57	31.85		6-18.72	868
867	14.92		10.05	31.91		32.67	2-54.40	867	11.62		72.59	31.81		6-18.91	867
866	14.93		10.04	31.92		32.64	2-54.49	866		15.30	72.62	31.78		6-19.10	866
865			10.03	31.94		32.60	2-54.57	865	11.63		72.66	31.75		6-19.30	865
864	14.94		10.02	31.95		32.57	2-54.66	864		15.31	72.68	31.72		6-19.48	864
863	14.95		10.01	31.96		32.54	2-54.77	863			72.71	31.69		6-19.67	863
862	14.96		10.00	31.97	4.20	32.51	2-54.85	862	11.64	15.33	72.74	31.66	2.51	6-19.86	862
861				31.99		32.47	2-54.94	861			72.78	31.63		6-20.06	861
860	14.97		9.98	32.00		32.44	2-55.03	860	11.66	15.34	72.80	31.59		6-20.25	860
859	14.98			32.02	4.19	32.40	2-55.12	859		15.35	72.83	31.56		6-20.44	859
858	14.99		9.96	32.04		32.37	2-55.22	858	11.67		72.87	31.53	2.50	6-20.62	858
857				32.05		32.34	2-55.31	857		15.36	72.89	31.50		6-20.82	857
856	15.00		9.94	32.06		32.31	2-55.40	856	11.68		72.92	31.47		6-21.01	856
855	15.01	1.24		32.08		32.27	2-55.49	855		15.38	72.94	31.44		6-21.20	855
854	15.02		9.92	32.09		32.24	2-55.59	854	11.70		72.98	31.41		6-21.40	854
853				32.10	4.18	32.20	2-55.68	853		15.39	73.01	31.38		6-21.59	853
852	15.03		9.90	32.11		32.17	2-55.77	852	11.71		73.03	31.34		6-21.78	852
851	15.04			32.13		32.14	2-55.86	851		15.40	73.07	31.31		6-21.98	851
850	15.05		9.88	32.15	4.17	32.11	2-55.96	850	11.72	15.41	73.10	31.28		6-22.17	850
849				32.16		32.07	2-56.05	849			73.13	31.25	2.49	6-22.35	849
848	15.06		9.86	32.18		32.03	2-56.14	848	11.73	15.42	73.15	31.22		6-22.54	848
847	15.07			32.19		32.00	2-56.23	847			73.19	31.19		6-22.74	847
846	15.08		9.85	32.20	4.16	31.97	2-56.33	846	11.75	15.44	73.22	31.16		6-22.93	846
845			9.84	32.21		31.94	2-56.42	845			73.24	31.12	2.48	6-23.12	845
844	15.09		9.83	32.23		31.90	2-56.51	844	11.76	15.45	73.28	31.09		6-23.32	844
843	15.10		9.82	32.24		31.87	2-56.60	843			73.31	31.06		6-23.51	843
842	15.11	1.23	9.81	32.25		31.83	2-56.70	842	11.77	15.46	73.33	31.03		6-23.70	842
841			9.80	32.28		31.80	2-56.79	841			73.37	31.00		6-23.90	841
840	15.12		9.79	32.29	4.15	31.77	2-56.88	840	11.78	15.47	73.40	30.97		6-24.09	840
839	15.13		9.78	32.30		31.74	2-56.98	839		15.49	73.42	30.94		6-24.28	839
838	15.14		9.77	32.32		31.70	2-57.07	838	11.80		73.45	30.90		6-24.48	838
837			9.76	32.33	4.14	31.67	2-57.16	837		15.50	73.49	30.87		6-24.67	837
836	15.15		9.75	32.34		31.63	2-57.25	836	11.81		73.51	30.84	2.47	6-24.86	836
835	15.16		9.74	32.35		31.60	2-57.35	835		15.51	73.54	30.81		6-25.06	835
834	15.17		9.73	32.37		31.57	2-57.44	834	11.82		73.58	30.77		6-25.25	834
833			9.72	32.39		31.53	2-57.53	833		15.52	73.60	30.74		6-25.44	833
832	15.18		9.71	32.40		31.50	2-57.63	832	11.83		73.63	30.71	2.46	6-25.64	832
831	15.19		9.70	32.42	4.13	31.46	2-57.72	831		15.54	73.67	30.68		6-25.84	831
830	15.20	1.22	9.69	32.43		31.43	2-57.81	830	11.85	15.55	73.70	30.65		6-26.04	830
829			9.68	32.44		31.40	2-57.91	829			73.72	30.62		6-26.23	829
828	15.21		9.67	32.46	4.12	31.37	2-58.00	828	11.86	15.56	73.76	30.59		6-26.42	828
827	15.22		9.66	32.47		31.33	2-58.09	827			73.79	30.55		6-26.62	827

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
826	15.23		9.65	32.48		31.30	2-58.19	826	11.87	15.57	73.81	30.52		6-26.81	826
825	15.24		9.64	32.49		31.26	2-58.28	825			73.85	30.49		6-27.00	825
824			9.63	32.52		31.23	2-58.38	824	11.88	15.58	73.88	30.46	2.45	6-27.20	824
823	15.25		9.62	32.53		31.20	2-58.47	823			73.90	30.43		6-27.39	823
822	15.26		9.61	32.54	4.11	31.16	2-58.56	822	11.90	15.60	73.94	30.40		6-27.60	822
821	15.27		9.60	32.56		31.13	2-58.66	821		15.61	73.97	30.37		6-27.79	821
820			9.59	32.57		31.10	2-58.75	820	11.91		73.99	30.34	2.44	6-27.98	820
819	15.28		9.58	32.58	4.10	31.06	2-58.84	819		15.62	74.03	30.30		6-28.18	819
818	15.29		9.57	32.59		31.03	2-58.95	818	11.92		74.06	30.27		6-28.37	818
817	15.30		9.56	32.62		31.00	2-59.03	817		15.63	74.08	30.24		6-28.58	817
816			9.55	32.63		30.96	2-59.14	816	11.93		74.12	30.21		6-28.77	816
815	15.31		9.54	32.64		30.93	2-59.23	815		15.65	74.15	30.18		6-28.96	815
814	15.32		9.53	32.66		30.90	2-59.31	814	11.95		74.18	30.15		6-29.16	814
813	15.33		9.52	32.67	4.09	30.86	2-59.42	813		15.66	74.21	30.12		6-29.35	813
812			9.51	32.68		30.83	2-59.51	812	11.96	15.67	74.24	30.08		6-29.56	812
811	15.34		9.50	32.70		30.79	2-59.61	811			74.27	30.05	2.43	6-29.75	811
810	15.35		9.49	32.71	4.08	30.76	2-59.70	810	11.97	15.68	74.30	30.02		6-29.94	810
809	15.36		9.48	32.73		30.73	2-59.79	809			74.33	29.99		6-30.14	809
808	15.37		9.47	32.75		30.70	2-59.89	808	11.99	15.70	74.36	29.96		6-30.34	808
807			9.46	32.76	4.07	30.66	2-59.98	807			74.40	29.92	2.42	6-30.54	807
806	15.38	1.21	9.45	32.77		30.63	3-00.08	806	12.00	15.71	74.42	29.89		6-30.73	806
805	15.39		9.44	32.78		30.59	3-00.17	805		15.72	74.45	29.86		6-30.93	805
804	15.40		9.43	32.80		30.56	3-00.27	804	12.01		74.49	29.83		6-31.13	804
803			9.42	32.81		30.53	3-00.36	803		15.73	74.51	29.80		6-31.32	803
802	15.41		9.41	32.83		30.50	3-00.45	802	12.02		74.54	29.77		6-31.53	802
801	15.42		9.40	32.85	4.06	30.46	3-00.55	801		15.74	74.58	29.73		6-31.72	801
800	15.43		9.39	32.86		30.42	3-00.64	800	12.04		74.60	29.70		6-31.91	800
799	15.44		9.38	32.87		30.39	3-00.74	799		15.76	74.63	29.67	2.41	6-32.12	799
798			9.37	32.89	4.05	30.36	3-00.83	798	12.05		74.67	29.64		6-32.31	798
797	15.45		9.36	32.90		30.33	3-00.93	797		15.77	74.69	29.61		6-32.51	797
796	15.46		9.35	32.91		30.29	3-01.02	796	12.06	15.78	74.73	29.58		6-32.71	796
795	15.47	1.20	9.34	32.94		30.26	3-01.12	795			74.76	29.55	2.40	6-32.91	795
794			9.33	32.95		30.22	3-01.21	794	12.07	15.79	74.78	29.51		6-33.11	794
793	15.48		9.32	32.96		30.19	3-01.32	793			74.82	29.48		6-33.31	793
792	15.49		9.31	32.97	4.04	30.16	3-01.40	792	12.09	15.81	74.85	29.45		6-33.50	792
791	15.50		9.30	32.99		30.13	3-01.51	791	12.10		74.88	29.42		6-33.71	791
790	15.51		9.29	33.00		30.09	3-01.60	790		15.82	74.91	29.39		6-33.90	790
789			9.28	33.01	4.03	30.05	3-01.70	789	12.11	15.83	74.94	29.36		6-34.11	789
788	15.52		9.27	33.04		30.02	3-01.79	788			74.98	29.33		6-34.30	788
787	15.53		9.26	33.05		29.99	3-01.89	787	12.12	15.84	75.00	29.30		6-34.50	787
786	15.54		9.25	33.06		29.96	3-01.98	786			75.03	29.26	2.39	6-34.70	786
785			9.24	33.08		29.92	3-02.08	785	12.14	15.85	75.07	29.23		6-34.90	785
784	15.55		9.23	33.09		29.89	3-02.17	784			75.10	29.19		6-35.10	784
783	15.56		9.22	33.10	4.02	29.85	3-02.27	783	12.15	15.87	75.12	29.16		6-35.30	783
782	15.57		9.21	33.11		29.82	3-02.36	782		15.88	75.16	29.13	2.38	6-35.50	782
781	15.58		9.20	33.14		29.79	3-02.46	781	12.16		75.19	29.10		6-35.70	781
780			9.19	33.15	4.01	29.76	3-02.55	780		15.89	75.23	29.07		6-35.90	780
779	15.59		9.18	33.16		29.72	3-02.65	779	12.17		75.25	29.04		6-36.10	779
778	15.60		9.17	33.18		29.68	3-02.75	778		15.90	75.28	29.01		6-36.30	778
777	15.61		9.16	33.19	4.00	29.65	3-02.84	777	12.19		75.32	28.98		6-36.50	777
776			9.15	33.20		29.62	3-02.95	776		15.92	75.34	28.94		6-36.70	776
775	15.62		9.14	33.23		29.59	3-03.04	775	12.20	15.93	75.37	28.91		6-36.90	775
774	15.63		9.13	33.24		29.55	3-03.14	774			75.41	28.88	2.37	6-37.11	774
773	15.64		9.12	33.25		29.52	3-03.23	773	12.21	15.94	75.43	28.85		6-37.30	773
772	15.65		9.11	33.27		29.48	3-03.33	772			75.47	28.82		6-37.51	772
771		1.19	9.10	33.28	3.99	29.45	3-03.43	771	12.23	15.95	75.50	28.79		6-37.70	771
770	15.66		9.09	33.29		29.42	3-03.52	770			75.52	28.76	2.36	6-37.91	770
769	15.67		9.08	33.32		29.39	3-03.62	769	12.24	15.97	75.56	28.72		6-38.11	769
768	15.68		9.07	33.33	3.98	29.35	3-03.71	768		15.98	75.59	28.69		6-38.31	768
767	15.69		9.06	33.34		29.31	3-03.81	767	12.25		75.63	28.66		6-38.51	767
766			9.05	33.35		29.28	3-03.91	766		15.99	75.65	28.62		6-38.72	766
765	15.70		9.04	33.37		29.25	3-04.00	765	12.26		75.68	28.59		6-38.91	765
764	15.71		9.03	33.38		29.22	3-04.11	764		16.00	75.72	28.56		6-39.12	764
763	15.72		9.02	33.40		29.18	3-04.19	763	12.28		75.74	28.53		6-39.32	763
762	15.73		9.01	33.42	3.97	29.15	3-04.30	762		16.01	75.78	28.50		6-39.52	762
761			9.00	33.43		29.11	3-04.40	761	12.29	16.03	75.81	28.47	2.35	6-39.72	761
760	15.74		8.99	33.44		29.08	3-04.49	760			75.85	28.44		6-39.93	760
759	15.75	1.18	8.98	33.45	3.96	29.05	3-04.59	759	12.30	16.04	75.87	28.41		6-40.12	759
758	15.76		8.97	33.47		29.02	3-04.69	758	12.31		75.90	28.37		6-40.33	758

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
757			8.96	33.49		28.98	3-04.78	757		16.05	75.94	28.34	2.34	6-40.54	757
756	15.77		8.95	33.51		28.94	3-04.88	756	12.33		75.96	28.31		6-40.74	756
755	15.79		8.94	33.52		28.91	3-04.98	755		16.06	76.00	28.28		6-40.94	755
754	15.80		8.93	33.53		28.88	3-05.07	754	12.34	16.08	76.03	28.24		6-41.14	754
753	15.81		8.92	33.54	3.95	28.85	3-05.18	753			76.05	28.21		6-41.35	753
752			8.91	33.56		28.81	3-05.28	752	12.35	16.09	76.09	28.18		6-41.55	752
751	15.82		8.90	33.58		28.78	3-05.37	751			76.12	28.15		6-41.76	751
750	15.83		8.89	33.59	3.94	28.74	3-05.47	750	12.36	16.10	76.16	28.12		6-41.95	750
749	15.84		8.88	33.61		28.71	3-05.57	749		16.11	76.18	28.09	2.33	6-42.16	749
748	15.85		8.87	33.62		28.68	3-05.66	748	12.38		76.22	28.05		6-42.37	748
747		1.17	8.86	33.63		28.64	3-05.76	747		16.13	76.25	28.02		6-42.57	747
746	15.86		8.85	33.64		28.61	3-05.86	746	12.39		76.27	27.99		6-42.78	746
745	15.87		8.84	33.67		28.57	3-05.97	745		16.14	76.31	27.96	2.32	6-42.99	745
744	15.88		8.83	33.68	3.93	28.54	3-06.06	744	12.40		76.34	27.93		6-43.19	744
743	15.89		8.82	33.70		28.51	3-06.16	743		16.15	76.38	27.90		6-43.38	743
742			8.81	33.71		28.47	3-06.26	742	12.41	16.16	76.40	27.87		6-43.59	742
741	15.90		8.80	33.72	3.92	28.44	3-06.35	741			76.44	27.84		6-43.80	741
740	15.91		8.79	33.75		28.41	3-06.45	740	12.43	16.17	76.47	27.80		6-44.00	740
739	15.92		8.78	33.76		28.37	3-06.55	739			76.50	27.77		6-44.21	739
738	15.93		8.77	33.77	3.91	28.34	3-06.65	738	12.44	16.19	76.53	27.74		6-44.42	738
737			8.76	33.78		28.31	3-06.74	737	12.45	16.20	76.56	27.70	2.31	6-44.62	737
736	15.94		8.75	33.80		28.27	3-06.85	736			76.60	27.67		6-44.83	736
735	15.95		8.74	33.81		28.24	3-06.95	735	12.47	16.21	76.62	27.64		6-45.03	735
734	15.96		8.73	33.83		28.20	3-07.05	734			76.66	27.61		6-45.24	734
733	15.97		8.72	33.85		28.17	3-07.14	733	12.48	16.22	76.69	27.58	2.30	6-45.45	733
732	15.98		8.71	33.86	3.90	28.14	3-07.24	732			76.73	27.55		6-45.65	732
731			8.70	33.87		28.10	3-07.34	731	12.49	16.24	76.75	27.52		6-45.86	731
730	15.99		8.69	33.89		28.07	3-07.44	730		16.25	76.79	27.48		6-46.07	730
729	16.00		8.68	33.91	3.89	28.04	3-07.55	729	12.50		76.82	27.45		6-46.27	729
728	16.01		8.67	33.92		28.00	3-07.64	728		16.26	76.85	27.42		6-46.48	728
727	16.02		8.66	33.94		27.97	3-07.74	727	12.52		76.88	27.38		6-46.68	727
726			8.65	33.95		27.93	3-07.84	726		16.27	76.91	27.35		6-46.89	726
725	16.03		8.64	33.96		27.90	3-07.94	725	12.53	16.28	76.95	27.32	2.29	6-47.10	725
724	16.04	1.16	8.63	33.99		27.87	3-08.04	724			76.97	27.29		6-47.30	724
723	16.05		8.62	34.00	3.88	27.83	3-08.13	723	12.54	16.30	77.01	27.26		6-47.51	723
722	16.06		8.61	34.01		27.80	3-08.23	722			77.04	27.23		6-47.72	722
721			8.60	34.02		27.76	3-08.34	721	12.55	16.31	77.08	27.20	2.28	6-47.93	721
720	16.07		8.59	34.04	3.87	27.73	3-08.44	720	12.57	16.32	77.10	27.16		6-48.14	720
719	16.08		8.58	34.05		27.70	3-08.54	719			77.14	27.13		6-48.35	719
718	16.09		8.57	34.07		27.67	3-08.64	718	12.58	16.33	77.17	27.10		6-48.55	718
717	16.10		8.56	34.09		27.63	3-08.74	717			77.21	27.06		6-48.76	717
716			8.55	34.10		27.59	3-08.83	716	12.59	16.35	77.23	27.03		6-48.97	716
715	16.11		8.54	34.11	3.86	27.56	3-08.93	715		16.36	77.27	27.00		6-49.17	715
714	16.12		8.53	34.13		27.53	3-09.04	714	12.60		77.30	26.97		6-49.39	714
713	16.13		8.52	34.15		27.50	3-09.14	713		16.37	77.32	26.94		6-49.60	713
712	16.14	1.15	8.51	34.16	3.85	27.46	3-09.24	712	12.62		77.36	26.91	2.27	6-49.80	712
711	16.15		8.50	34.18		27.43	3-09.34	711		16.38	77.39	26.88		6-50.01	711
710			8.49	34.19		27.39	3-09.44	710	12.63		77.43	26.85		6-50.23	710
709	16.16		8.48	34.20		27.36	3-09.55	709		16.40	77.45	26.81		6-50.43	709
708	16.17		8.47	34.23		27.33	3-09.64	708	12.64	16.41	77.49	26.78	2.26	6-50.64	708
707	16.18		8.46	34.24		27.30	3-09.74	707			77.52	26.75		6-50.85	707
706	16.19		8.44	34.25	3.84	27.26	3-09.84	706	12.65	16.42	77.56	26.71		6-51.07	706
705				34.26		27.22	3-09.94	705	12.67		77.58	26.68		6-51.27	705
704	16.20		8.42	34.29		27.19	3-10.04	704		16.43	77.62	26.65		6-51.48	704
703	16.21			34.30	3.83	27.16	3-10.15	703	12.68	16.44	77.65	26.62		6-51.68	703
702	16.22		8.40	34.32		27.13	3-10.25	702			77.69	26.59		6-51.90	702
701	16.23	1.14		34.33		27.09	3-10.35	701	12.69	16.46	77.71	26.56		6-52.11	701
700	16.24		8.38	34.34	3.82	27.06	3-10.45	700			77.75	26.53	2.25	6-52.32	700
699				34.37		27.02	3-10.55	699	12.70	16.47	77.78	26.49		6-52.54	699
698	16.25		8.36	34.38		26.99	3-10.66	698		16.48	77.82	26.46		6-52.74	698
697	16.26			34.39		26.96	3-10.76	697	12.72		77.84	26.43		6-52.95	697
696	16.27		8.34	34.40		26.92	3-10.86	696		16.49	77.88	26.39	2.24	6-53.17	696
695	16.28			34.42		26.89	3-10.96	695	12.73		77.91	26.36		6-53.37	695
694	16.29		8.32	34.44	3.81	26.85	3-11.06	694		16.51	77.95	26.33		6-53.59	694
693				34.45		26.82	3-11.16	693	12.74	16.52	77.97	26.30		6-53.80	693
692	16.30		8.30	34.47		26.79	3-11.25	692	12.76		78.01	26.27		6-54.02	692
691	16.31			34.48	3.80	26.75	3-11.36	691		16.53	78.04	26.24		6-54.22	691
690	16.32		8.28	34.51		26.72	3-11.46	690	12.77		78.08	26.21		6-54.43	690
689	16.33			34.52		26.69	3-11.56	689		16.54	78.12	26.17		6-54.65	689

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
688	16.34		8.26	34.53		26.65	3-11.66	688	12.78	16.56	78.14	26.14	2.23	6-54.86	688
687				34.54		26.62	3-11.76	687			78.18	26.11		6-55.07	687
686	16.35		8.24	34.56	3.79	26.58	3-11.87	686	12.79	16.57	78.21	26.07		6-55.28	686
685	16.36			34.58		26.55	3-11.98	685			78.25	26.04		6-55.50	685
684	16.37		8.22	34.59		26.52	3-12.08	684	12.81	16.58	78.27	26.01	2.22	6-55.71	684
683	16.38			34.61	3.78	26.48	3-12.18	683		16.59	78.31	25.98		6-55.92	683
682	16.39		8.20	34.62		26.45	3-12.29	682	12.82		78.34	25.95		6-56.13	682
681				34.64		26.41	3-12.39	681	12.83	16.60	78.37	25.92		6-56.35	681
680	16.40		8.18	34.66		26.38	3-12.49	680		16.62	78.40	25.88		6-56.56	680
679	16.41			34.67		26.35	3-12.59	679	12.84		78.44	25.85		6-56.78	679
678	16.42	1.13	8.16	34.68		26.32	3-12.69	678		16.63	78.47	25.82		6-56.99	678
677	16.43			34.70	3.77	26.28	3-12.80	677	12.86		78.50	25.79		6-57.20	677
676	16.44		8.14	34.72		26.24	3-12.90	676		16.64	78.53	25.76	2.21	6-57.42	676
675				34.73		26.21	3-13.00	675	12.87	16.65	78.57	25.72		6-57.63	675
674	16.45		8.12	34.75	3.76	26.18	3-13.10	674			78.60	25.69		6-57.85	674
673	16.46			34.76		26.15	3-13.20	673	12.88	16.67	78.63	25.66		6-58.06	673
672	16.47		8.10	34.78		26.11	3-13.31	672	12.89		78.67	25.62	2.20	6-58.27	672
671	16.48			34.80	3.75	26.08	3-13.41	671		16.68	78.70	25.59		6-58.49	671
670	16.49		8.08	34.81		26.04	3-13.52	670	12.91	16.69	78.74	25.56		6-58.71	670
669				34.82		26.01	3-13.62	669			78.76	25.53		6-58.91	669
668	16.50		8.06	34.85		25.98	3-13.73	668	12.92	16.70	78.80	25.50	2.19	6-59.13	668
667	16.51			34.86		25.94	3-13.83	667			78.83	25.47		6-59.35	667
666	16.52	1.12	8.04	34.87		25.91	3-13.93	666	12.93	16.71	78.87	25.44		6-59.57	666
665	16.53			34.88	3.74	25.87	3-14.03	665		16.73	78.89	25.40		6-59.78	665
664	16.54		8.02	34.91		25.84	3-14.13	664	12.94		78.93	25.37		7-00.00	664
663				34.92	3.73	25.81	3-14.24	663		16.74	78.97	25.34		7-00.22	663
662	16.55		8.00	34.94		25.77	3-14.35	662	12.96		79.00	25.30		7-00.44	662
661	16.56			34.95		25.74	3-14.45	661	12.97	16.75	79.04	25.27		7-00.64	661
660	16.57		7.98	34.96		25.71	3-14.55	660		16.76	79.06	25.24	2.18	7-00.86	660
659	16.58			34.99		25.67	3-14.66	659	12.98		79.10	25.21		7-01.08	659
658	16.59		7.96	35.00		25.63	3-14.76	658		16.78	79.13	25.18		7-01.30	658
657	16.60			35.01	3.72	25.60	3-14.86	657	13.00	16.79	79.17	25.14		7-01.52	657
656			7.94	35.02		25.57	3-14.97	656			79.20	25.11	2.17	7-01.72	656
655	16.61			35.05		25.54	3-15.08	655	13.01	16.80	79.23	25.08		7-01.94	655
654	16.62		7.92	35.06	3.71	25.50	3-15.18	654			79.27	25.05		7-02.16	654
653	16.63		7.91	35.07		25.47	3-15.28	653	13.02	16.81	79.30	25.02		7-02.38	653
652	16.64		7.90	35.09		25.43	3-15.38	652	13.03	16.83	79.33	24.98		7-02.60	652
651	16.65		7.89	35.11		25.40	3-15.50	651			79.36	24.95		7-02.82	651
650			7.88	35.13		25.37	3-15.60	650	13.05	16.84	79.40	24.92		7-03.04	650
649	16.66		7.87	35.14		25.33	3-15.70	649		16.85	79.44	24.88	2.16	7-03.26	649
648	16.67		7.86	35.15	3.70	25.30	3-15.80	648	13.06		79.46	24.85		7-03.48	648
647	16.68		7.85	35.18		25.26	3-15.90	647		16.86	79.50	24.82		7-03.70	647
646	16.69		7.84	35.19		25.23	3-16.02	646	13.07		79.53	24.79		7-03.90	646
645	16.70		7.83	35.20	3.69	25.20	3-16.12	645		16.87	79.57	24.76	2.15	7-04.12	645
644	16.71	1.11	7.82	35.21		25.16	3-16.22	644	13.08	16.89	79.61	24.73		7-04.34	644
643			7.81	35.24		25.13	3-16.34	643	13.10		79.63	24.69		7-04.56	643
642	16.72		7.80	35.25		25.10	3-16.44	642		16.90	79.67	24.66		7-04.78	642
641	16.73		7.79	35.26		25.06	3-16.54	641	13.11		79.70	24.63		7-05.00	641
640	16.74		7.78	35.29	3.68	25.03	3-16.64	640		16.91	79.74	24.60		7-05.23	640
639	16.75		7.77	35.30		24.99	3-16.76	639	13.12	16.92	79.77	24.56		7-05.45	639
638	16.76		7.76	35.32		24.96	3-16.86	638			79.80	24.53		7-05.67	638
637	16.77		7.75	35.33	3.67	24.93	3-16.96	637	13.13	16.94	79.84	24.50	2.14	7-05.89	637
636			7.74	35.35		24.89	3-17.08	636	13.15	16.95	79.87	24.46		7-06.11	636
635	16.78		7.73	35.37		24.86	3-17.18	635			79.90	24.43		7-06.33	635
634	16.79		7.72	35.38	3.66	24.82	3-17.28	634	13.16	16.96	79.94	24.40		7-06.54	634
633	16.80		7.71	35.39		24.79	3-17.38	633			79.97	24.37	2.13	7-06.76	633
632	16.81	1.10	7.70	35.42		24.76	3-17.50	632	13.17	16.97	80.01	24.34		7-06.98	632
631	16.82		7.69	35.43		24.73	3-17.60	631		16.99	80.05	24.31		7-07.20	631
630	16.83		7.68	35.44		24.69	3-17.70	630	13.18		80.07	24.28		7-07.43	630
629			7.67	35.45		24.65	3-17.82	629	13.20	17.00	80.11	24.24		7-07.65	629
628	16.84		7.66	35.48	3.65	24.62	3-17.92	628		17.01	80.14	24.21		7-07.87	628
627	16.85		7.65	35.49		24.59	3-18.03	627	13.21		80.18	24.18		7-08.09	627
626	16.86		7.64	35.51	3.64	24.55	3-18.13	626		17.02	80.22	24.15		7-08.31	626
625	16.87		7.63	35.53		24.52	3-18.24	625	13.22	17.03	80.24	24.11	2.12	7-08.54	625
624	16.88		7.62	35.54		24.49	3-18.35	624			80.28	24.08		7-08.76	624
623	16.89		7.61	35.56		24.45	3-18.45	623	13.23	17.05	80.32	24.04		7-08.98	623
622	16.90		7.60	35.57		24.41	3-18.56	622			80.34	24.01		7-09.20	622
621		1.09	7.59	35.59		24.38	3-18.67	621	13.25	17.06	80.38	23.98	2.11	7-09.43	621
620	16.91		7.58	35.61	3.63	24.35	3-18.77	620	13.26	17.07	80.42	23.95		7-09.65	620

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
619	16.92		7.57	35.62		24.32	3-18.89	619			80.45	23.92		7-09.87	619
618	16.93		7.56	35.63		24.28	3-18.99	618	13.27	17.08	80.49	23.89		7-10.10	618
617	16.94		7.55	35.66	3.62	24.25	3-19.09	617		17.10	80.51	23.85		7-10.32	617
616	16.95		7.54	35.67		24.21	3-19.21	616	13.29		80.55	23.82		7-10.54	616
615	16.96		7.53	35.68		24.18	3-19.31	615		17.11	80.59	23.79		7-10.77	615
614	16.97		7.52	35.71		24.15	3-19.42	614	13.30		80.62	23.76		7-10.99	614
613			7.51	35.72		24.11	3-19.52	613	13.31	17.12	80.66	23.73	2.10	7-11.21	613
612	16.98		7.50	35.73	3.61	24.08	3-19.64	612		17.13	80.69	23.69		7-11.44	612
611	16.99		7.49	35.75		24.04	3-19.74	611	13.32		80.72	23.66		7-11.66	611
610	17.00		7.48	35.77		24.01	3-19.85	610		17.14	80.76	23.63		7-11.89	610
609	17.01		7.47	35.78	3.60	23.98	3-19.96	609	13.34	17.16	80.80	23.59	2.09	7-12.11	609
608	17.02		7.46	35.80		23.94	3-20.07	608			80.82	23.56		7-12.33	608
607	17.03		7.45	35.82		23.91	3-20.17	607	13.35	17.17	80.86	23.53		7-12.56	607
606	17.04		7.44	35.83		23.88	3-20.29	606	13.36	17.18	80.90	23.50		7-12.78	606
605			7.43	35.85		23.84	3-20.39	605			80.93	23.46		7-13.01	605
604	17.05		7.42	35.87		23.80	3-20.50	604	13.37	17.19	80.97	23.43		7-13.23	604
603	17.06		7.41	35.88	3.59	23.77	3-20.61	603			81.01	23.40		7-13.47	603
602	17.07		7.40	35.90		23.74	3-20.72	602	13.39	17.21	81.03	23.37	2.08	7-13.68	602
601	17.08		7.39	35.91	3.58	23.71	3-20.82	601	13.40	17.22	81.07	23.34		7-13.92	601
600	17.09		7.38	35.94		23.67	3-20.94	600			81.11	23.31		7-14.15	600
599	17.11	1.08	7.37	35.95		23.64	3-21.04	599	13.41	17.23	81.14	23.27		7-14.37	599
598	17.12		7.36	35.96	3.57	23.60	3-21.15	598		17.24	81.17	23.24	2.07	7-14.60	598
597			7.35	35.99		23.57	3-21.26	597	13.42		81.21	23.21		7-14.82	597
596	17.13		7.34	36.00		23.53	3-21.37	596		17.26	81.24	23.17		7-15.05	596
595	17.14		7.33	36.01		23.50	3-21.47	595	13.44	17.27	81.28	23.14		7-15.28	595
594	17.15		7.32	36.04		23.47	3-21.59	594	13.45		81.32	23.11		7-15.50	594
593	17.16		7.31	36.05		23.43	3-21.70	593		17.28	81.36	23.07		7-15.73	593
592	17.17		7.30	36.06	3.56	23.40	3-21.80	592	13.46	17.29	81.38	23.04		7-15.95	592
591	17.18		7.28	36.07		23.36	3-21.92	591			81.42	23.01		7-16.19	591
590	17.19			36.10		23.33	3-22.02	590	13.47	17.30	81.46	22.98	2.06	7-16.42	590
589	17.20		7.26	36.11	3.55	23.30	3-22.14	589	13.49	17.32	81.49	22.94		7-16.65	589
588		1.07		36.13		23.27	3-22.25	588			81.52	22.91		7-16.87	588
587	17.21		7.24	36.15		23.23	3-22.35	587	13.50	17.33	81.56	22.88		7-17.10	587
586	17.22			36.16		23.19	3-22.47	586			81.59	22.85	2.05	7-17.33	586
585	17.23		7.22	36.18		23.16	3-22.57	585	13.51	17.34	81.63	22.82		7-17.56	585
584	17.24			36.20	3.54	23.13	3-22.68	584		17.35	81.67	22.79		7-17.78	584
583	17.25		7.20	36.21		23.09	3-22.80	583	13.53		81.71	22.75		7-18.02	583
582	17.26			36.23		23.06	3-22.90	582	13.54	17.37	81.73	22.72		7-18.25	582
581	17.27		7.18	36.25	3.53	23.03	3-23.01	581		17.38	81.77	22.69		7-18.48	581
580	17.28			36.26		22.99	3-23.13	580	13.55		81.81	22.65		7-18.71	580
579	17.29		7.16	36.28		22.95	3-23.23	579		17.39	81.84	22.62	2.04	7-18.93	579
578				36.29		22.92	3-23.35	578	13.56	17.40	81.87	22.59		7-19.16	578
577	17.30	1.06	7.14	36.31		22.89	3-23.46	577	13.58		81.91	22.55		7-19.39	577
576	17.31			36.33	3.52	22.86	3-23.56	576		17.42	81.95	22.52		7-19.63	576
575	17.32		7.12	36.34		22.82	3-23.68	575	13.59	17.43	81.98	22.49	2.03	7-19.86	575
574	17.33			36.37		22.79	3-23.79	574			82.02	22.46		7-20.09	574
573	17.34		7.10	36.38	3.51	22.75	3-23.91	573	13.60	17.44	82.06	22.42		7-20.32	573
572	17.35			36.39		22.72	3-24.01	572		17.45	82.09	22.39		7-20.55	572
571	17.36		7.08	36.42		22.68	3-24.12	571	13.61		82.12	22.36		7-20.79	571
570	17.37			36.43	3.50	22.65	3-24.24	570	13.63	17.46	82.16	22.33		7-21.02	570
569	17.38		7.06	36.44		22.62	3-24.35	569		17.48	82.20	22.30		7-21.25	569
568				36.47		22.58	3-24.45	568	13.64		82.24	22.26		7-21.48	568
567	17.39		7.04	36.48		22.55	3-24.57	567		17.49	82.26	22.23	2.02	7-21.71	567
566	17.40		7.03	36.49		22.51	3-24.68	566	13.65	17.50	82.30	22.20		7-21.95	566
565	17.41		7.02	36.52	3.49	22.48	3-24.80	565	13.66		82.34	22.17		7-22.18	565
564	17.42		7.01	36.53		22.45	3-24.90	564		17.51	82.38	22.13		7-22.41	564
563	17.43		7.00	36.54		22.42	3-25.02	563	13.68	17.53	82.41	22.10	2.01	7-22.64	563
562	17.44		6.99	36.57	3.48	22.38	3-25.13	562			82.44	22.07		7-22.87	562
561	17.45		6.98	36.58		22.34	3-25.24	561	13.69	17.54	82.48	22.03		7-23.11	561
560	17.46		6.97	36.59		22.31	3-25.36	560	13.70		82.52	22.00		7-23.34	560
559	17.47		6.96	36.62		22.28	3-25.46	559		17.55	82.55	21.96		7-23.58	559
558	17.48		6.95	36.63		22.24	3-25.58	558	13.71	17.56	82.59	21.93		7-23.82	558
557			6.94	36.64	3.47	22.21	3-25.69	557			82.63	21.90		7-24.05	557
556	17.49		6.93	36.67		22.18	3-25.81	556	13.73	17.57	82.67	21.87	2.00	7-24.28	556
555	17.50	1.05	6.92	36.68		22.14	3-25.92	555	13.74	17.59	82.69	21.84		7-24.51	555
554	17.51		6.91	36.69	3.46	22.10	3-26.03	554			82.73	21.80		7-24.76	554
553	17.52		6.90	36.72		22.07	3-26.15	553	13.75	17.60	82.77	21.77		7-24.99	553
552	17.53		6.89	36.73		22.04	3-26.25	552		17.61	82.81	21.74	1.99	7-25.22	552
551	17.54		6.88	36.76		22.01	3-26.37	551	13.77		82.85	21.71		7-25.45	551

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
550	17.55		6.87	36.77		21.97	3-26.48	550	13.78	17.62	82.87	21.68		7-25.70	550
549	17.56		6.86	36.78		21.94	3-26.60	549		17.64	82.91	21.64		7-25.93	549
548	17.57		6.85	36.81	3.45	21.90	3-26.71	548	13.79		82.95	21.61		7-26.16	548
547	17.58		6.84	36.82		21.87	3-26.82	547		17.65	82.99	21.58		7-26.41	547
546	17.59		6.83	36.83	3.44	21.83	3-26.94	546	13.80	17.66	83.03	21.54		7-26.64	546
545			6.82	36.86		21.80	3-27.05	545	13.82		83.05	21.51		7-26.87	545
544	17.60	1.04	6.81	36.87		21.77	3-27.17	544		17.67	83.09	21.48	1.98	7-27.11	544
543	17.61		6.80	36.88		21.73	3-27.28	543	13.83	17.69	83.13	21.44		7-27.35	543
542	17.62		6.79	36.91		21.70	3-27.40	542			83.17	21.41		7-27.59	542
541	17.63		6.78	36.92		21.66	3-27.51	541	13.84	17.70	83.21	21.38	1.97	7-27.82	541
540	17.64		6.77	36.94	3.43	21.63	3-27.61	540	13.85	17.71	83.24	21.34		7-28.06	540
539	17.65		6.76	36.96		21.60	3-27.73	539		17.72	83.27	21.31		7-28.30	539
538	17.66		6.75	36.97	3.42	21.56	3-27.84	538	13.87		83.31	21.28		7-28.53	538
537	17.67		6.74	37.00		21.53	3-27.96	537	13.88	17.73	83.35	21.25		7-28.78	537
536	17.68		6.73	37.01		21.49	3-28.07	536		17.75	83.39	21.21		7-29.01	536
535	17.69		6.72	37.02	3.41	21.45	3-28.19	535	13.89		83.42	21.18		7-29.25	535
534	17.70		6.71	37.05		21.42	3-28.30	534		17.76	83.46	21.15		7-29.49	534
533	17.71		6.70	37.06		21.39	3-28.42	533	13.90	17.77	83.49	21.12	1.96	7-29.73	533
532	17.72		6.69	37.07		21.36	3-28.53	532	13.92		83.53	21.08		7-29.98	532
531			6.68	37.10		21.32	3-28.66	531		17.78	83.57	21.05		7-30.21	531
530	17.73		6.67	37.11	3.40	21.29	3-28.77	530	13.93	17.80	83.61	21.02		7-30.45	530
529	17.74		6.66	37.12		21.25	3-28.89	529			83.64	20.99	1.95	7-30.68	529
528	17.75		6.65	37.15		21.22	3-29.00	528	13.94	17.81	83.68	20.95		7-30.93	528
527	17.76		6.64	37.16	3.39	21.18	3-29.12	527	13.95	17.82	83.72	20.92		7-31.17	527
526	17.77		6.63	37.19		21.15	3-29.23	526			83.75	20.89		7-31.41	526
525	17.78		6.62	37.20		21.12	3-29.35	525	13.97	17.83	83.79	20.86		7-31.65	525
524	17.79		6.61	37.21		21.08	3-29.46	524		17.85	83.83	20.82		7-31.90	524
523	17.80	1.03	6.60	37.24		21.05	3-29.58	523	13.98		83.87	20.79		7-32.13	523
522	17.81		6.59	37.25	3.38	21.01	3-29.69	522	13.99	17.86	83.90	20.76	1.94	7-32.37	522
521	17.82		6.58	37.26		20.98	3-29.81	521		17.87	83.94	20.72		7-32.62	521
520	17.83		6.57	37.29		20.95	3-29.92	520	14.00		83.97	20.69		7-32.86	520
519	17.84		6.56	37.30	3.37	20.91	3-30.05	519	14.02	17.88	84.01	20.66		7-33.11	519
518	17.85		6.55	37.33		20.88	3-30.16	518		17.89	84.05	20.62	1.93	7-33.34	518
517	17.86		6.54	37.34		20.84	3-30.28	517	14.03		84.09	20.59		7-33.58	517
516	17.87		6.53	37.35		20.81	3-30.39	516		17.91	84.13	20.56		7-33.83	516
515	17.88		6.52	37.38		20.77	3-30.51	515	14.04	17.92	84.16	20.52		7-34.07	515
514			6.51	37.39	3.36	20.74	3-30.62	514	14.06	17.93	84.19	20.49		7-34.32	514
513	17.89		6.50	37.42		20.71	3-30.75	513			84.23	20.46		7-34.56	513
512	17.90	1.02	6.49	37.43		20.67	3-30.86	512	14.07	17.94	84.27	20.43		7-34.81	512
511	17.91		6.48	37.44	3.35	20.64	3-30.98	511	14.08	17.96	84.31	20.39	1.92	7-35.04	511
510	17.92		6.47	37.47		20.60	3-31.09	510			84.35	20.36		7-35.29	510
509	17.93		6.45	37.48		20.57	3-31.21	509	14.09	17.97	84.39	20.33		7-35.53	509
508	17.94			37.50		20.53	3-31.34	508		17.98	84.43	20.30		7-35.78	508
507	17.95		6.43	37.52		20.50	3-31.45	507	14.11		84.45	20.26	1.91	7-36.02	507
506	17.96			37.53	3.34	20.47	3-31.56	506	14.12	17.99	84.49	20.23		7-36.27	506
505	17.97		6.41	37.56		20.44	3-31.68	505		18.00	84.53	20.20		7-36.51	505
504	17.98			37.57		20.40	3-31.81	504	14.13		84.57	20.16		7-36.75	504
503	17.99		6.39	37.59	3.33	20.36	3-31.92	503	14.14	18.02	84.61	20.13		7-37.01	503
502	18.00	1.01		37.61		20.33	3-32.04	502		18.03	84.65	20.10		7-37.26	502
501	18.01		6.37	37.62		20.30	3-32.15	501	14.16	18.04	84.69	20.07		7-37.50	501
500	18.02			37.64	3.32	20.26	3-32.28	500			84.73	20.03	1.90	7-37.75	500
499	18.03		6.35	37.66		20.23	3-32.39	499	14.17	18.05	84.76	20.00		7-37.99	499
498	18.04			37.68		20.20	3-32.51	498	14.18	18.07	84.80	19.97		7-38.24	498
497	18.05		6.33	37.69		20.16	3-32.64	497			84.83	19.93		7-38.48	497
496	18.06			37.71		20.12	3-32.75	496	14.19	18.08	84.87	19.90	1.89	7-38.74	496
495	18.07		6.31	37.73	3.31	20.09	3-32.86	495	14.21	18.09	84.91	19.87		7-38.98	495
494	18.08		6.30	37.74		20.06	3-32.99	494			84.95	19.83		7-39.23	494
493	18.09		6.29	37.77		20.02	3-33.11	493	14.22	18.10	84.99	19.80		7-39.47	493
492	18.10		6.28	37.78	3.30	19.99	3-33.22	492		18.12	85.02	19.77		7-39.72	492
491	18.11		6.27	37.81		19.96	3-33.35	491	14.23	18.13	85.06	19.73		7-39.98	491
490			6.26	37.82		19.92	3-33.46	490	14.24		85.10	19.70		7-40.22	490
489	18.12		6.25	37.83		19.88	3-33.58	489		18.14	85.14	19.67		7-40.47	489
488	18.13		6.24	37.86		19.85	3-33.71	488	14.26	18.15	85.18	19.63	1.88	7-40.72	488
487	18.14		6.23	37.87	3.29	19.82	3-33.82	487	14.27		85.22	19.60		7-40.97	487
486	18.15		6.22	37.90		19.78	3-33.95	486		18.16	85.26	19.57		7-41.21	486
485	18.16		6.21	37.91	3.28	19.75	3-34.06	485	14.28	18.18	85.30	19.53	1.87	7-41.47	485
484	18.17		6.20	37.92		19.72	3-34.19	484	14.30		85.34	19.50		7-41.72	484
483	18.18		6.19	37.95		19.68	3-34.30	483		18.19	85.37	19.47		7-41.97	483
482	18.19		6.18	37.96		19.64	3-34.42	482	14.31	18.20	85.41	19.44		7-42.22	482

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
481	18.20	1.00	6.17	37.99		19.61	3-34.55	481		18.21	85.44	19.40		7-42.48	481
480	18.21		6.16	38.00		19.58	3-34.66	480	14.32		85.48	19.37		7-42.72	480
479	18.22		6.15	38.02	3.27	19.54	3-34.79	479	14.33	18.23	85.52	19.34		7-42.98	479
478	18.23		6.14	38.04		19.51	3-34.90	478		18.24	85.56	19.30	1.86	7-43.22	478
477	18.24		6.13	38.06	3.26	19.48	3-35.03	477	14.35		85.59	19.27		7-43.48	477
476	18.25		6.12	38.07		19.44	3-35.15	476	14.36	18.25	85.63	19.24		7-43.73	476
475	18.26		6.11	38.09		19.40	3-35.27	475		18.26	85.67	19.20		7-43.99	475
474	18.27		6.10	38.11	3.25	19.37	3-35.39	474	14.37	18.28	85.71	19.17	1.85	7-44.23	474
473	18.28		6.09	38.12		19.34	3-35.51	473	14.38		85.75	19.14		7-44.49	473
472	18.29		6.08	38.15		19.31	3-35.64	472		18.29	85.79	19.11		7-44.75	472
471	18.30		6.07	38.16		19.27	3-35.76	471	14.40	18.30	85.83	19.07		7-44.99	471
470	18.31	0.99	6.06	38.19		19.24	3-35.88	470	14.41		85.87	19.04		7-45.25	470
469	18.32		6.05	38.20	3.24	19.20	3-36.00	469		18.31	85.91	19.01		7-45.51	469
468	18.33		6.04	38.23		19.16	3-36.13	468	14.42	18.32	85.94	18.97		7-45.75	468
467	18.34		6.03	38.24		19.13	3-36.24	467		18.34	85.98	18.94	1.84	7-46.01	467
466	18.35		6.02	38.25	3.23	19.10	3-36.37	466	14.43		86.02	18.91		7-46.27	466
465	18.36		6.01	38.28		19.07	3-36.50	465	14.45	18.35	86.06	18.88		7-46.52	465
464	18.37		5.99	38.29		19.03	3-36.61	464		18.36	86.10	18.84		7-46.78	464
463	18.38			38.31		19.00	3-36.74	463	14.46		86.14	18.81	1.83	7-47.03	463
462	18.39		5.97	38.33		18.96	3-36.87	462	14.47	18.37	86.18	18.78		7-47.28	462
461	18.40			38.35	3.22	18.92	3-36.98	461		18.39	86.22	18.74		7-47.54	461
460	18.42	0.98	5.95	38.37		18.89	3-37.11	460	14.48	18.40	86.26	18.71		7-47.80	460
459	18.43			38.39	3.21	18.86	3-37.24	459	14.50		86.29	18.68		7-48.06	459
458	18.44		5.93	38.40		18.83	3-37.35	458		18.41	86.33	18.64		7-48.32	458
457	18.45			38.43		18.79	3-37.48	457	14.51	18.42	86.37	18.61		7-48.57	457
456	18.46		5.91	38.44		18.75	3-37.60	456	14.52		86.41	18.58	1.82	7-48.83	456
455	18.47			38.47		18.72	3-37.72	455		18.43	86.45	18.54		7-49.09	455
454	18.48		5.89	38.48	3.20	18.68	3-37.85	454	14.53	18.45	86.49	18.51		7-49.35	454
453	18.49			38.49		18.65	3-37.97	453	14.55	18.46	86.53	18.48		7-49.60	453
452	18.50		5.87	38.52		18.62	3-38.10	452			86.58	18.44	1.81	7-49.86	452
451	18.51		5.86	38.53	3.19	18.58	3-38.22	451	14.56	18.47	86.62	18.41		7-50.12	451
450	18.52		5.85	38.55		18.55	3-38.34	450	14.57	18.48	86.66	18.37		7-50.38	450
449	18.53		5.84	38.57		18.51	3-38.47	449		18.50	86.70	18.34		7-50.64	449
448	18.54		5.83	38.59		18.48	3-38.60	448	14.59		86.74	18.31		7-50.89	448
447	18.55		5.82	38.61		18.44	3-38.71	447	14.60	18.51	86.77	18.27		7-51.15	447
446	18.56		5.81	38.63	3.18	18.41	3-38.84	446		18.52	86.81	18.24		7-51.41	446
445	18.57		5.80	38.64		18.38	3-38.97	445	14.61	18.53	86.85	18.21	1.80	7-51.68	445
444	18.58		5.79	38.67		18.34	3-39.10	444	14.62		86.89	18.17		7-51.94	444
443	18.59		5.78	38.68	3.17	18.31	3-39.22	443		18.55	86.93	18.14		7-52.20	443
442	18.60		5.77	38.71		18.27	3-39.34	442	14.64	18.56	86.97	18.11		7-52.45	442
441	18.61		5.76	38.72	3.16	18.24	3-39.46	441	14.65		87.01	18.07	1.79	7-52.72	441
440	18.62		5.75	38.74		18.20	3-39.59	440		18.57	87.05	18.04		7-52.98	440
439	18.63	0.97	5.74	38.76		18.17	3-39.72	439	14.66	18.58	87.09	18.01		7-53.24	439
438	18.64		5.73	38.78		18.14	3-39.85	438	14.67	18.59	87.12	17.97		7-53.51	438
437	18.65		5.72	38.80		18.10	3-39.97	437			87.18	17.94		7-53.77	437
436	18.66		5.71	38.82	3.15	18.07	3-40.10	436	14.69	18.61	87.21	17.90		7-54.03	436
435	18.67		5.70	38.83		18.03	3-40.23	435	14.70	18.62	87.25	17.87		7-54.30	435
434	18.68		5.69	38.86		18.00	3-40.36	434		18.63	87.29	17.84	1.78	7-54.55	434
433	18.69		5.68	38.87	3.14	17.96	3-40.48	433	14.71		87.33	17.80		7-54.82	433
432	18.70		5.67	38.90		17.93	3-40.61	432	14.72	18.64	87.37	17.77		7-55.08	432
431	18.71		5.66	38.91		17.90	3-40.73	431		18.66	87.41	17.74	1.77	7-55.35	431
430	18.72		5.65	38.93		17.86	3-40.85	430	14.74	18.67	87.45	17.70		7-55.61	430
429	18.73	0.96	5.64	38.95		17.83	3-40.98	429	14.75		87.49	17.67		7-55.88	429
428	18.74		5.63	38.97	3.13	17.79	3-41.11	428		18.68	87.53	17.64		7-56.14	428
427	18.75		5.61	38.99		17.76	3-41.24	427	14.76	18.69	87.58	17.60		7-56.41	427
426	18.76			39.01	3.12	17.72	3-41.36	426	14.77	18.71	87.62	17.57		7-56.67	426
425	18.77		5.59	39.02		17.69	3-41.49	425			87.66	17.54		7-56.94	425
424	18.79			39.05		17.65	3-41.63	424	14.79	18.72	87.69	17.50	1.76	7-57.21	424
423	18.80		5.57	39.06		17.62	3-41.76	423	14.80	18.73	87.73	17.47		7-57.47	423
422	18.81			39.09		17.59	3-41.89	422		18.74	87.77	17.44		7-57.74	422
421	18.82		5.55	39.10	3.11	17.55	3-42.01	421	14.81		87.81	17.40		7-58.01	421
420	18.83			39.12		17.52	3-42.14	420	14.83	18.75	87.86	17.37	1.75	7-58.28	420
419	18.84		5.53	39.14		17.48	3-42.27	419		18.77	87.90	17.34		7-58.54	419
418	18.85			39.16	3.10	17.45	3-42.40	418	14.84	18.78	87.94	17.30		7-58.81	418
417	18.86		5.51	39.17		17.41	3-42.52	417	14.85		87.98	17.27		7-59.08	417
416	18.87		5.50	39.20		17.38	3-42.65	416		18.79	88.02	17.24		7-59.35	416
415	18.88		5.49	39.21		17.35	3-42.78	415	14.86	18.80	88.06	17.20		7-59.62	415
414	18.89		5.48	39.24		17.31	3-42.92	414	14.88	18.82	88.10	17.17		7-59.89	414
413	18.90		5.47	39.26	3.09	17.28	3-43.05	413			88.15	17.13	1.74	8-00.15	413

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
412	18.91		5.46	39.28		17.24	3-43.17	412	14.89	18.83	88.19	17.10		8-00.42	412
411	18.92		5.45	39.30	3.08	17.20	3-43.30	411	14.90	18.84	88.23	17.07		8-00.69	411
410	18.93		5.44	39.31		17.17	3-43.43	410	14.91	18.85	88.26	17.03	1.73	8-00.96	410
409	18.94	0.95	5.43	39.34		17.14	3-43.56	409			88.30	17.00		8-01.23	409
408	18.95		5.42	39.35	3.07	17.11	3-43.70	408	14.93	18.86	88.36	16.97		8-01.50	408
407	18.96		5.41	39.38		17.07	3-43.82	407	14.94	18.88	88.39	16.93		8-01.77	407
406	18.97		5.40	39.39		17.04	3-43.95	406		18.89	88.43	16.90		8-02.04	406
405	18.98		5.39	39.42		17.00	3-44.08	405	14.95		88.47	16.87		8-02.33	405
404	18.99		5.38	39.43		16.96	3-44.22	404	14.96	18.90	88.51	16.83		8-02.60	404
403	19.00		5.37	39.45	3.06	16.93	3-44.35	403		18.91	88.55	16.80	1.72	8-02.87	403
402	19.02		5.36	39.48		16.90	3-44.47	402	14.98	18.93	88.60	16.76		8-03.14	402
401	19.03		5.35	39.49	3.05	16.86	3-44.61	401	14.99	18.94	88.64	16.73		8-03.41	401
400	19.04		5.34	39.52		16.83	3-44.74	400			88.68	16.70		8-03.68	400
399	19.05	0.94	5.33	39.53		16.79	3-44.87	399	15.00	18.95	88.72	16.66	1.71	8-03.96	399
398	19.06		5.32	39.55		16.76	3-45.01	398	15.01	18.96	88.77	16.63		8-04.23	398
397	19.07		5.31	39.57		16.72	3-45.14	397	15.03	18.98	88.81	16.60		8-04.50	397
396	19.08		5.30	39.59	3.04	16.69	3-45.26	396			88.85	16.56		8-04.79	396
395	19.09		5.29	39.61		16.65	3-45.40	395	15.04	18.99	88.89	16.53		8-05.06	395
394	19.10		5.27	39.63		16.62	3-45.53	394	15.05	19.00	88.93	16.50		8-05.33	394
393	19.11			39.66	3.03	16.59	3-45.66	393		19.01	88.98	16.46		8-05.61	393
392	19.12		5.25	39.67		16.55	3-45.80	392	15.07	19.02	89.02	16.43	1.70	8-05.88	392
391	19.13			39.69		16.52	3-45.93	391	15.08		89.06	16.39		8-06.17	391
390	19.14		5.23	39.71		16.48	3-46.07	390		19.04	89.09	16.36		8-06.44	390
389	19.15	0.93		39.73		16.44	3-46.19	389	15.09	19.05	89.15	16.33	1.69	8-06.72	389
388	19.17		5.21	39.74	3.02	16.41	3-46.33	388	15.10	19.06	89.18	16.29		8-06.99	388
387	19.18			39.77		16.38	3-46.46	387	15.12		89.22	16.26		8-07.27	387
386	19.19		5.19	39.80	3.01	16.35	3-46.60	386		19.07	89.26	16.23		8-07.54	386
385	19.20		5.18	39.81		16.31	3-46.73	385	15.13	19.09	89.31	16.19		8-07.83	385
384	19.21		5.17	39.83	3.00	16.28	3-46.87	384	15.14	19.10	89.35	16.16		8-08.10	384
383	19.22		5.16	39.85		16.24	3-47.00	383		19.11	89.39	16.13		8-08.38	383
382	19.23		5.15	39.87		16.20	3-47.14	382	15.15		89.44	16.09	1.68	8-08.67	382
381	19.24		5.14	39.90		16.17	3-47.26	381	15.17	19.12	89.48	16.06		8-08.95	381
380	19.25		5.13	39.91		16.14	3-47.40	380	15.18	19.14	89.52	16.03		8-09.22	380
379	19.26		5.12	39.93	2.99	16.10	3-47.53	379		19.15	89.56	15.99		8-09.50	379
378	19.27		5.11	39.95		16.07	3-47.67	378	15.19		89.61	15.96	1.67	8-09.79	378
377	19.28		5.10	39.97		16.04	3-47.81	377	15.20	19.16	89.65	15.93		8-10.07	377
376	19.30		5.09	40.00	2.98	16.00	3-47.94	376		19.17	89.69	15.89		8-10.35	376
375	19.31		5.08	40.01		15.96	3-48.08	375	15.22	19.18	89.74	15.86		8-10.63	375
374	19.32		5.07	40.04		15.93	3-48.21	374	15.23	19.20	89.78	15.82		8-10.91	374
373	19.33		5.06	40.05		15.89	3-48.35	373	15.24		89.82	15.79		8-11.19	373
372	19.34		5.05	40.07		15.86	3-48.49	372		19.21	89.87	15.76	1.66	8-11.48	372
371	19.35		5.04	40.10	2.97	15.83	3-48.61	371	15.25	19.22	89.91	15.72		8-11.76	371
370	19.36		5.03	40.11		15.79	3-48.75	370	15.27	19.23	89.95	15.69		8-12.04	370
369	19.37	0.92	5.02	40.14	2.96	15.76	3-48.89	369		19.25	90.00	15.66		8-12.33	369
368	19.38		5.01	40.15		15.72	3-49.03	368	15.28		90.04	15.62	1.65	8-12.61	368
367	19.39		5.00	40.17		15.69	3-49.16	367	15.29	19.26	90.08	15.59		8-12.89	367
366	19.41		4.99	40.20		15.65	3-49.30	366	15.30	19.27	90.13	15.55		8-13.19	366
365	19.42		4.97	40.21		15.62	3-49.44	365		19.28	90.17	15.52		8-13.47	365
364	19.43			40.24	2.95	15.58	3-49.58	364	15.32	19.29	90.21	15.48		8-13.76	364
363	19.44		4.95	40.25		15.55	3-49.71	363	15.33		90.26	15.45		8-14.04	363
362	19.45			40.28	2.94	15.52	3-49.85	362	15.34	19.31	90.30	15.42		8-14.32	362
361	19.46		4.93	40.30		15.48	3-49.99	361		19.32	90.34	15.38	1.64	8-14.62	361
360	19.47			40.31		15.45	3-50.13	360	15.36	19.33	90.39	15.35		8-14.90	360
359	19.48	0.91	4.91	40.34		15.41	3-50.27	359	15.37	19.34	90.43	15.31		8-15.19	359
358	19.49			40.36		15.37	3-50.41	358			90.47	15.28	1.63	8-15.48	358
357	19.51		4.89	40.38	2.93	15.34	3-50.54	357	15.38	19.36	90.52	15.25		8-15.77	357
356	19.52		4.88	40.40		15.31	3-50.68	356	15.39	19.37	90.56	15.21		8-16.05	356
355	19.53		4.87	40.43	2.92	15.27	3-50.82	355	15.41	19.38	90.61	15.18		8-16.35	355
354	19.54		4.86	40.44		15.24	3-50.96	354		19.39	90.65	15.14		8-16.63	354
353	19.55		4.85	40.47		15.20	3-51.10	353	15.42		90.69	15.11		8-16.93	353
352	19.56		4.84	40.48	2.91	15.17	3-51.24	352	15.43	19.41	90.74	15.07		8-17.21	352
351	19.57		4.83	40.50		15.13	3-51.38	351	15.44	19.42	90.78	15.04	1.62	8-17.51	351
350	19.58	0.90	4.82	40.53		15.10	3-51.52	350		19.43	90.83	15.00		8-17.79	350
349	19.60		4.81	40.54		15.06	3-51.66	349	15.46	19.44	90.87	14.97		8-18.09	349
348	19.61		4.80	40.57		15.03	3-51.80	348	15.47	19.45	90.91	14.94	1.61	8-18.38	348
347	19.62		4.79	40.59	2.90	14.99	3-51.94	347	15.48		90.96	14.90		8-18.67	347
346	19.63		4.78	40.60		14.96	3-52.08	346		19.47	91.00	14.87		8-18.96	346
345	19.64		4.77	40.63	2.89	14.93	3-52.22	345	15.49	19.48	91.05	14.83		8-19.26	345
344	19.65		4.76	40.66		14.89	3-52.36	344	15.51	19.49	91.09	14.80		8-19.56	344

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
343	19.66		4.75	40.67		14.85	3-52.50	343	15.52	19.50	91.14	14.77		8-19.84	343
342	19.67		4.74	40.69		14.82	3-52.64	342		19.52	91.18	14.73		8-20.14	342
341	19.69		4.73	40.72		14.78	3-52.79	341	15.53		91.23	14.70	1.60	8-20.43	341
340	19.70		4.71	40.73	2.88	14.75	3-52.93	340	15.54	19.53	91.27	14.67		8-20.73	340
339	19.71			40.76		14.72	3-53.07	339	15.56	19.54	91.31	14.63		8-21.03	339
338	19.72		4.69	40.78	2.87	14.68	3-53.21	338		19.55	91.36	14.60	1.59	8-21.32	338
337	19.74			40.79		14.65	3-53.35	337	15.57	19.57	91.40	14.57		8-21.62	337
336	19.75		4.67	40.82		14.61	3-53.49	336	15.58		91.45	14.53		8-21.92	336
335	19.77			40.85		14.58	3-53.65	335	15.60	19.58	91.49	14.50		8-22.21	335
334	19.78		4.65	40.86		14.54	3-53.79	334		19.59	91.54	14.46		8-22.51	334
333	19.79			40.88	2.86	14.51	3-53.93	333	15.61	19.60	91.58	14.43		8-22.80	333
332	19.80		4.63	40.91		14.47	3-54.07	332	15.62	19.61	91.63	14.39		8-23.10	332
331	19.81	0.89	4.62	40.93	2.85	14.44	3-54.21	331	15.63	19.63	91.67	14.36	1.58	8-23.41	331
330	19.82		4.61	40.95		14.41	3-54.36	330		19.64	91.73	14.32		8-23.71	330
329	19.83		4.60	40.97		14.37	3-54.50	329	15.65		91.76	14.29		8-24.00	329
328	19.85		4.59	41.00		14.34	3-54.64	328	15.66	19.65	91.82	14.25	1.57	8-24.30	328
327	19.86		4.58	41.01		14.30	3-54.79	327	15.67	19.66	91.86	14.22		8-24.61	327
326	19.87		4.57	41.04	2.84	14.26	3-54.93	326		19.68	91.91	14.19		8-24.91	326
325	19.88		4.56	41.06		14.23	3-55.07	325	15.68	19.69	91.95	14.15		8-25.20	325
324	19.89		4.55	41.07	2.83	14.19	3-55.23	324	15.70	19.70	92.00	14.12		8-25.51	324
323	19.90		4.54	41.10		14.16	3-55.37	323	15.71		92.04	14.08		8-25.81	323
322	19.92		4.53	41.12	2.82	14.13	3-55.52	322		19.71	92.09	14.05		8-26.12	322
321	19.93	0.88	4.52	41.15		14.09	3-55.66	321	15.72	19.72	92.14	14.01	1.56	8-26.41	321
320	19.94		4.51	41.16		14.06	3-55.81	320	15.73	19.74	92.18	13.98		8-26.72	320
319	19.95		4.50	41.19		14.02	3-55.95	319	15.75	19.75	92.23	13.95		8-27.02	319
318	19.96		4.49	41.21		13.98	3-56.09	318	15.76	19.76	92.27	13.91	1.55	8-27.33	318
317	19.97		4.48	41.24	2.81	13.95	3-56.25	317		19.77	92.32	13.88		8-27.64	317
316	19.99		4.47	41.25		13.91	3-56.40	316	15.77		92.36	13.84		8-27.93	316
315	20.00		4.45	41.28	2.80	13.88	3-56.54	315	15.78	19.79	92.41	13.81		8-28.24	315
314	20.01			41.30		13.85	3-56.69	314	15.80	19.80	92.45	13.78		8-28.55	314
313	20.02		4.43	41.31		13.81	3-56.83	313		19.81	92.50	13.74		8-28.86	313
312	20.03			41.34		13.78	3-56.99	312	15.81	19.82	92.55	13.71		8-29.17	312
311	20.05		4.41	41.36		13.74	3-57.13	311	15.82	19.84	92.59	13.67	1.54	8-29.47	311
310	20.06			41.39	2.79	13.71	3-57.28	310	15.83	19.85	92.65	13.64		8-29.78	310
309	20.07		4.39	41.40		13.67	3-57.43	309	15.85		92.68	13.60		8-30.09	309
308	20.08		4.38	41.43	2.78	13.64	3-57.57	308		19.86	92.74	13.57	1.53	8-30.40	308
307	20.09		4.37	41.45		13.60	3-57.72	307	15.86	19.87	92.79	13.53		8-30.71	307
306	20.11		4.36	41.48		13.57	3-57.88	306	15.87	19.88	92.83	13.50		8-31.01	306
305	20.12		4.35	41.49		13.53	3-58.02	305	15.89	19.90	92.88	13.46		8-31.32	305
304	20.13		4.34	41.52		13.50	3-58.17	304		19.91	92.93	13.43		8-31.65	304
303	20.14		4.33	41.54	2.77	13.47	3-58.32	303	15.90	19.92	92.97	13.39		8-31.96	303
302	20.15	0.87	4.32	41.57		13.43	3-58.48	302	15.91		93.02	13.36	1.52	8-32.26	302
301	20.17		4.31	41.58	2.76	13.39	3-58.62	301	15.92	19.93	93.06	13.32		8-32.57	301
300	20.18		4.30	41.60		13.36	3-58.77	300	15.94	19.95	93.11	13.29		8-32.88	300
299	20.19		4.29	41.63	2.75	13.32	3-58.92	299		19.96	93.16	13.26		8-33.21	299
298	20.20		4.28	41.66		13.29	3-59.08	298	15.95	19.97	93.20	13.22	1.51	8-33.51	298
297	20.21		4.27	41.68		13.25	3-59.23	297	15.96	19.98	93.25	13.19		8-33.83	297
296	20.23		4.26	41.69		13.22	3-59.38	296	15.97	20.00	93.31	13.16		8-34.15	296
295	20.24		4.25	41.72		13.19	3-59.52	295	15.99	20.01	93.35	13.12		8-34.46	295
294	20.25		4.23	41.74	2.74	13.15	3-59.67	294			93.40	13.09		8-34.78	294
293	20.26	0.86		41.77		13.12	3-59.83	293	16.00	20.02	93.45	13.05		8-35.08	293
292	20.28		4.21	41.78	2.73	13.08	3-59.98	292	16.01	20.03	93.50	13.01	1.50	8-35.41	292
291	20.29			41.81		13.04	4-00.13	291	16.02	20.04	93.54	12.98		8-35.73	291
290	20.30		4.19	41.83		13.01	4-00.29	290	16.04	20.06	93.59	12.94		8-36.04	290
289	20.31			41.86		12.97	4-00.44	289		20.07	93.64	12.91	1.49	8-36.35	289
288	20.32		4.17	41.88		12.94	4-00.59	288	16.05	20.08	93.68	12.87		8-36.69	288
287	20.34		4.16	41.90	2.72	12.91	4-00.74	287	16.06	20.09	93.73	12.84		8-37.01	287
286	20.35		4.15	41.92		12.87	4-00.90	286	16.07	20.11	93.79	12.80		8-37.32	286
285	20.36		4.14	41.95	2.71	12.84	4-01.05	285	16.09		93.84	12.77		8-37.64	285
284	20.37	0.85	4.13	41.97		12.80	4-01.22	284		20.12	93.88	12.74		8-37.96	284
283	20.39		4.12	42.00		12.76	4-01.37	283	16.10	20.13	93.93	12.70		8-38.28	283
282	20.40		4.11	42.02		12.73	4-01.52	282	16.11	20.14	93.98	12.67	1.48	8-38.60	282
281	20.41		4.10	42.04	2.70	12.69	4-01.67	281	16.13	20.15	94.03	12.64		8-38.93	281
280	20.42		4.09	42.06		12.66	4-01.83	280	16.14	20.17	94.07	12.60		8-39.25	280
279	20.44		4.08	42.09	2.69	12.63	4-01.98	279	16.15	20.18	94.12	12.56	1.47	8-39.57	279
278	20.45		4.07	42.11		12.59	4-02.15	278		20.19	94.18	12.53		8-39.91	278
277	20.46		4.06	42.14		12.56	4-02.30	277	16.16	20.20	94.23	12.49		8-40.23	277
276	20.47		4.05	42.16		12.52	4-02.45	276	16.18	20.22	94.28	12.46	1.46	8-40.55	276
275	20.49		4.04	42.17		12.49	4-02.60	275	16.19	20.23	94.32	12.42		8-40.86	275

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
274	20.50		4.03	42.20	2.68	12.45	4-02.77	274	16.20		94.37	12.39		8-41.21	274
273	20.51		4.01	42.22		12.41	4-02.92	273	16.21	20.24	94.42	12.35		8-41.53	273
272	20.52			42.25	2.67	12.38	4-03.08	272		20.25	94.47	12.32		8-41.84	272
271	20.54		3.99	42.28		12.34	4-03.24	271	16.23	20.27	94.53	12.28		8-42.19	271
270	20.55			42.30	2.66	12.31	4-03.39	270	16.24	20.28	94.56	12.25	1.45	8-42.51	270
269	20.56		3.97	42.31		12.28	4-03.56	269	16.25	20.29	94.62	12.22		8-42.84	269
268	20.58			42.34		12.24	4-03.71	268	16.26	20.30	94.67	12.18		8-43.17	268
267	20.59		3.95	42.36		12.21	4-03.87	267	16.28	20.31	94.72	12.15	1.44	8-43.50	267
266	20.60	0.84	3.94	42.39		12.17	4-04.03	266		20.33	94.77	12.11		8-43.83	266
265	20.61		3.93	42.41	2.65	12.14	4-04.18	265	16.29	20.34	94.82	12.08		8-44.17	265
264	20.63		3.92	42.44		12.10	4-04.35	264	16.30	20.35	94.88	12.04		8-44.50	264
263	20.64		3.91	42.47	2.64	12.06	4-04.52	263	16.31	20.36	94.91	12.00		8-44.82	263
262	20.65		3.90	42.49		12.03	4-04.67	262	16.33		94.97	11.97		8-45.17	262
261	20.67		3.89	42.50		11.99	4-04.83	261	16.34	20.38	95.02	11.93		8-45.50	261
260	20.68		3.88	42.53		11.96	4-04.99	260		20.39	95.07	11.90	1.43	8-45.83	260
259	20.69		3.87	42.55	2.63	11.93	4-05.15	259	16.35	20.40	95.12	11.87		8-46.17	259
258	20.70		3.86	42.58		11.89	4-05.32	258	16.37	20.41	95.17	11.83		8-46.51	258
257	20.72	0.83	3.85	42.60	2.62	11.86	4-05.47	257	16.38	20.42	95.23	11.80	1.42	8-46.83	257
256	20.73		3.84	42.63		11.82	4-05.64	256	16.39	20.44	95.28	11.76		8-47.18	256
255	20.74		3.83	42.66		11.78	4-05.80	255	16.40	20.45	95.33	11.73		8-47.51	255
254	20.76		3.81	42.68		11.75	4-05.96	254	16.42	20.46	95.38	11.69		8-47.85	254
253	20.77			42.71		11.71	4-06.12	253		20.47	95.43	11.65		8-48.19	253
252	20.78		3.79	42.73	2.61	11.68	4-06.29	252	16.43	20.49	95.47	11.62		8-48.53	252
251	20.80			42.74		11.64	4-06.45	251	16.44	20.50	95.52	11.58	1.41	8-48.88	251
250	20.81		3.77	42.77	2.60	11.61	4-06.62	250	16.45	20.51	95.58	11.55		8-49.21	250
249	20.82		3.76	42.79		11.57	4-06.78	249	16.47	20.52	95.63	11.51		8-49.56	249
248	20.84		3.75	42.82		11.54	4-06.95	248	16.48	20.54	95.68	11.48	1.40	8-49.90	248
247	20.85		3.74	42.84		11.51	4-07.10	247	16.49	20.55	95.73	11.45		8-50.24	247
246	20.86		3.73	42.87	2.59	11.47	4-07.27	246		20.56	95.78	11.41		8-50.57	246
245	20.87		3.72	42.90		11.43	4-07.43	245	16.50	20.57	95.83	11.38		8-50.93	245
244	20.89		3.71	42.92	2.58	11.40	4-07.60	244	16.52		95.89	11.34		8-51.27	244
243	20.90		3.70	42.95		11.36	4-07.77	243	16.53	20.58	95.94	11.30		8-51.61	243
242	20.91		3.69	42.97	2.57	11.33	4-07.93	242	16.54	20.60	95.99	11.27	1.39	8-51.96	242
241	20.93		3.68	43.00		11.29	4-08.10	241	16.55	20.61	96.04	11.23		8-52.31	241
240	20.94		3.67	43.02		11.26	4-08.27	240	16.57	20.62	96.09	11.19		8-52.65	240
239	20.96	0.82	3.66	43.05		11.22	4-08.44	239	16.58	20.63	96.15	11.16	1.38	8-53.00	239
238	20.97		3.65	43.07		11.19	4-08.61	238		20.65	96.21	11.13		8-53.34	238
237	20.98		3.63	43.10	2.56	11.15	4-08.77	237	16.59	20.66	96.26	11.09		8-53.70	237
236	21.00			43.12		11.12	4-08.94	236	16.60	20.67	96.31	11.06		8-54.06	236
235	21.01		3.61	43.15	2.55	11.08	4-09.10	235	16.62	20.68	96.37	11.02		8-54.41	235
234	21.02			43.17		11.04	4-09.28	234	16.63	20.70	96.42	10.99		8-54.75	234
233	21.04		3.59	43.20		11.01	4-09.45	233	16.64	20.71	96.47	10.95	1.37	8-55.09	233
232	21.06			43.21		10.97	4-09.61	232	16.66	20.72	96.52	10.91		8-55.46	232
231	21.07	0.81	3.57	43.24	2.54	10.94	4-09.79	231	16.67	20.73	96.57	10.88		8-55.81	231
230	21.09		3.56	43.26		10.90	4-09.96	230	16.68	20.74	96.62	10.84	1.36	8-56.17	230
229	21.10		3.55	43.29	2.53	10.87	4-10.12	229		20.76	96.68	10.81		8-56.52	229
228	21.11		3.54	43.31		10.84	4-10.30	228	16.69	20.77	96.73	10.77		8-56.88	228
227	21.13		3.53	43.34		10.80	4-10.47	227	16.71	20.78	96.79	10.74		8-57.23	227
226	21.14		3.52	43.36		10.77	4-10.64	226	16.72	20.79	96.85	10.70		8-57.58	226
225	21.16		3.51	43.39	2.52	10.73	4-10.81	225	16.73	20.81	96.90	10.67		8-57.95	225
224	21.17		3.50	43.43		10.69	4-10.99	224	16.74	20.82	96.95	10.63	1.35	8-58.31	224
223	21.18		3.49	43.45	2.51	10.66	4-11.15	223	16.76	20.83	97.00	10.59		8-58.67	223
222	21.20	0.80	3.48	43.48		10.62	4-11.33	222	16.77	20.84	97.05	10.56		8-59.03	222
221	21.21		3.47	43.50		10.59	4-11.50	221	16.78	20.85	97.12	10.52	1.34	8-59.39	221
220	21.22		3.45	43.53	2.50	10.55	4-11.68	220	16.79	20.87	97.17	10.49		8-59.76	220
219	21.24			43.55		10.52	4-11.86	219		20.88	97.22	10.46		9-00.11	219
218	21.25		3.43	43.58		10.48	4-12.02	218	16.81	20.89	97.27	10.42		9-00.48	218
217	21.27			43.60		10.45	4-12.20	217	16.82	20.90	97.32	10.38		9-00.83	217
216	21.28		3.41	43.63	2.49	10.41	4-12.38	216	16.83	20.92	97.39	10.35		9-01.20	216
215	21.30		3.40	43.65		10.38	4-12.56	215	16.84	20.93	97.44	10.31	1.33	9-01.57	215
214	21.31		3.39	43.68	2.48	10.34	4-12.73	214	16.86	20.94	97.49	10.27		9-01.93	214
213	21.32		3.38	43.71		10.30	4-12.90	213	16.87	20.95	97.55	10.24		9-02.31	213
212	21.34		3.37	43.73		10.27	4-13.08	212	16.88	20.97	97.61	10.20	1.32	9-02.67	212
211	21.35		3.36	43.76		10.23	4-13.26	211	16.90	20.98	97.66	10.17		9-03.04	211
210	21.37		3.35	43.78	2.47	10.20	4-13.44	210	16.91	20.99	97.71	10.14		9-03.42	210
209	21.38		3.34	43.81		10.16	4-13.61	209	16.92	21.00	97.78	10.10		9-03.78	209
208	21.39		3.33	43.83	2.46	10.13	4-13.79	208	16.93	21.01	97.83	10.06		9-04.15	208
207	21.41		3.32	43.86		10.09	4-13.97	207	16.95	21.03	97.88	10.02		9-04.52	207
206	21.42		3.31	43.90		10.06	4-14.15	206	16.96	21.04	97.93	9.99	1.31	9-04.90	206

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
205	21.44	0.79	3.30	43.92		10.02	4-14.33	205		21.05	98.00	9.95		9-05.27	205
204	21.45		3.29	43.95	2.45	9.99	4-14.51	204	16.97	21.06	98.05	9.92		9-05.65	204
203	21.47		3.28	43.97		9.95	4-14.70	203	16.98	21.08	98.10	9.89	1.30	9-06.02	203
202	21.48		3.27	44.00	2.44	9.92	4-14.88	202	17.00	21.09	98.17	9.85		9-06.39	202
201	21.50		3.26	44.02		9.88	4-15.05	201	17.01	21.11	98.22	9.81		9-06.78	201
200	21.51		3.25	44.05		9.84	4-15.23	200	17.02	21.13	98.28	9.77		9-07.15	200
199	21.52		3.24	44.07		9.81	4-15.42	199	17.03	21.14	98.34	9.74		9-07.53	199
198	21.54		3.22	44.10	2.43	9.77	4-15.60	198	17.05	21.15	98.39	9.70		9-07.91	198
197	21.55	0.78		44.14		9.74	4-15.78	197	17.06	21.16	98.45	9.67	1.29	9-08.29	197
196	21.57		3.20	44.16	2.42	9.70	4-15.97	196	17.07	21.17	98.50	9.63		9-08.67	196
195	21.58			44.19		9.67	4-16.15	195	17.08	21.19	98.57	9.60		9-09.06	195
194	21.60		3.18	44.21	2.41	9.63	4-16.34	194	17.10	21.20	98.62	9.56	1.28	9-09.45	194
193	21.61		3.17	44.24		9.60	4-16.52	193	17.11	21.21	98.69	9.52		9-09.82	193
192	21.63		3.16	44.26		9.56	4-16.71	192	17.12	21.22	98.74	9.49		9-10.21	192
191	21.64		3.15	44.29		9.53	4-16.89	191	17.13	21.24	98.79	9.45		9-10.58	191
190	21.66		3.14	44.33	2.40	9.49	4-17.08	190	17.15	21.25	98.85	9.42		9-10.98	190
189	21.67		3.13	44.35		9.45	4-17.26	189	17.16	21.26	98.91	9.38		9-11.36	189
188	21.69	0.77	3.12	44.38	2.39	9.42	4-17.45	188	17.17	21.27	98.97	9.35	1.27	9-11.77	188
187	21.70		3.11	44.40		9.38	4-17.64	187	17.19	21.28	99.02	9.31		9-12.15	187
186	21.72		3.10	44.43		9.35	4-17.83	186	17.20	21.31	99.09	9.27	1.26	9-12.54	186
185	21.73		3.08	44.46		9.31	4-18.01	185	17.21	21.32	99.14	9.23		9-12.94	185
184	21.75			44.49	2.38	9.28	4-18.20	184	17.22	21.33	99.20	9.20		9-13.32	184
183	21.76		3.06	44.52		9.24	4-18.39	183	17.24	21.35	99.27	9.16		9-13.73	183
182	21.78			44.54	2.37	9.21	4-18.58	182	17.25	21.36	99.32	9.13		9-14.10	182
181	21.79		3.04	44.57		9.17	4-18.77	181	17.26	21.37	99.39	9.09		9-14.51	181
180	21.81		3.03	44.60		9.14	4-18.97	180	17.27	21.38	99.44	9.06	1.25	9-14.91	180
179	21.82		3.02	44.63		9.10	4-19.16	179	17.29	21.40	99.50	9.02		9-15.31	179
178	21.84		3.01	44.65	2.36	9.07	4-19.35	178	17.30	21.41	99.57	8.98		9-15.71	178
177	21.85		3.00	44.68		9.03	4-19.53	177	17.31	21.42	99.62	8.95	1.24	9-16.10	177
176	21.87		2.99	44.72	2.35	8.99	4-19.73	176	17.32	21.43	99.68	8.91		9-16.51	176
175	21.89		2.98	44.74		8.95	4-19.91	175	17.34	21.46	99.74	8.88		9-16.91	175
174	21.90		2.97	44.77		8.92	4-20.12	174	17.35	21.47	99.80	8.84		9-17.32	174
173	21.92		2.96	44.79		8.88	4-20.32	173	17.36	21.48	99.87	8.80		9-17.72	173
172	21.93	0.76	2.95	44.83	2.34	8.85	4-20.51	172	17.37	21.49	99.92	8.76		9-18.13	172
171	21.95		2.94	44.86		8.81	4-20.70	171	17.39	21.51	99.98	8.73	1.23	9-18.53	171
170	21.96		2.92	44.88	2.33	8.78	4-20.90	170	17.40	21.52	100.05	8.69		9-18.95	170
169	21.98			44.91		8.74	4-21.09	169	17.41	21.53	100.11	8.66	1.22	9-19.35	169
168	21.99		2.90	44.95	2.32	8.71	4-21.29	168	17.43	21.54	100.16	8.62		9-19.76	168
167	22.01		2.89	44.97		8.67	4-21.49	167	17.44	21.57	100.23	8.58		9-20.17	167
166	22.03		2.88	45.00		8.64	4-21.69	166	17.45	21.58	100.29	8.54		9-20.57	166
165	22.04		2.87	45.03	2.31	8.60	4-21.88	165	17.46	21.59	100.36	8.51		9-21.00	165
164	22.06	0.75	2.86	45.06		8.57	4-22.09	164	17.48	21.60	100.41	8.48		9-21.42	164
163	22.07		2.85	45.08	2.30	8.53	4-22.28	163	17.49	21.62	100.47	8.44	1.21	9-21.82	163
162	22.09		2.84	45.12		8.49	4-22.48	162	17.50	21.63	100.54	8.40		9-22.25	162
161	22.11		2.83	45.15		8.46	4-22.69	161	17.51	21.64	100.60	8.36		9-22.67	161
160	22.12		2.82	45.17		8.42	4-22.89	160	17.53	21.67	100.67	8.33	1.20	9-23.07	160
159	22.14		2.81	45.21	2.29	8.38	4-23.09	159	17.54	21.68	100.72	8.29		9-23.51	159
158	22.15		2.80	45.24		8.35	4-23.29	158	17.55	21.69	100.79	8.26		9-23.93	158
157	22.17		2.78	45.26	2.28	8.31	4-23.50	157	17.58	21.70	100.85	8.22		9-24.35	157
156	22.19			45.30		8.28	4-23.71	156	17.59	21.71	100.92	8.18		9-24.77	156
155	22.20		2.76	45.33		8.24	4-23.91	155	17.60	21.73	100.98	8.14	1.19	9-25.21	155
154	22.22		2.75	45.35		8.21	4-24.11	154	17.61	21.75	101.04	8.11		9-25.63	154
153	22.24		2.74	45.39	2.27	8.17	4-24.32	153	17.63	21.76	101.11	8.07		9-26.06	153
152	22.25		2.73	45.41		8.14	4-24.52	152	17.64	21.78	101.17	8.04	1.18	9-26.49	152
151	22.27		2.72	45.45	2.26	8.10	4-24.74	151	17.65	21.79	101.24	8.00		9-26.92	151
150	22.29		2.71	45.48	2.25	8.07	4-24.94	150	17.67	21.80	101.30	7.96		9-27.34	150
149	22.30	0.74	2.70	45.50		8.03	4-25.15	149	17.68	21.83	101.37	7.92		9-27.79	149
148	22.32		2.69	45.54		7.99	4-25.36	148	17.69	21.84	101.43	7.89		9-28.23	148
147	22.34		2.68	45.57		7.96	4-25.57	147	17.70	21.85	101.50	7.85	1.17	9-28.66	147
146	22.35		2.66	45.60	2.24	7.92	4-25.78	146	17.72	21.86	101.56	7.81		9-29.09	146
145	22.38			45.63		7.88	4-25.99	145	17.74	21.87	101.63	7.77		9-29.54	145
144	22.40		2.64	45.67	2.23	7.85	4-26.20	144	17.75	21.90	101.69	7.74	1.16	9-29.98	144
143	22.41			45.69		7.81	4-26.41	143	17.77	21.91	101.76	7.71		9-30.42	143
142	22.43		2.62	45.73		7.77	4-26.62	142	17.78	21.92	101.82	7.67		9-30.86	142
141	22.45	0.73	2.61	45.76		7.74	4-26.84	141	17.79	21.94	101.89	7.63		9-31.31	141
140	22.46		2.60	45.79	2.22	7.70	4-27.05	140	17.80	21.96	101.95	7.59		9-31.76	140
139	22.48		2.59	45.82	2.21	7.67	4-27.27	139	17.82	21.97	102.03	7.55	1.15	9-32.21	139
138	22.50		2.58	45.86		7.63	4-27.49	138	17.83	21.99	102.09	7.52		9-32.65	138
137	22.52		2.57	45.88		7.60	4-27.71	137	17.84	22.00	102.16	7.48		9-33.09	137

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
136	22.53		2.56	45.92		7.56	4-27.91	136	17.87	22.01	102.22	7.44	1.14	9-33.56	136
135	22.55		2.55	45.95	2.20	7.53	4-28.14	135	17.88	22.03	102.29	7.40		9-34.01	135
134	22.57		2.54	45.98		7.49	4-28.36	134	17.89	22.05	102.37	7.37		9-34.46	134
133	22.59	0.72	2.52	46.01	2.19	7.46	4-28.57	133	17.90	22.06	102.43	7.33		9-34.93	133
132	22.60			46.05		7.42	4-28.79	132	17.92	22.08	102.50	7.29		9-35.38	132
131	22.62		2.50	46.07		7.38	4-29.02	131	17.93	22.10	102.56	7.25	1.13	9-35.83	131
130	22.64		2.49	46.11	2.18	7.35	4-29.25	130	17.96	22.11	102.64	7.22		9-36.31	130
129	22.66		2.48	46.14		7.31	4-29.46	129	17.97	22.12	102.70	7.18		9-36.77	129
128	22.67		2.47	46.17	2.17	7.27	4-29.69	128	17.98	22.14	102.77	7.15	1.12	9-37.23	128
127	22.69		2.46	46.21		7.24	4-29.91	127	17.99	22.16	102.85	7.11		9-37.70	127
126	22.71		2.45	46.24	2.16	7.20	4-30.14	126	18.01	22.17	102.91	7.07		9-38.18	126
125	22.73		2.44	46.27		7.16	4-30.37	125	18.02	22.18	102.99	7.03		9-38.64	125
124	22.75		2.43	46.30		7.13	4-30.60	124	18.04	22.21	103.05	7.00		9-39.11	124
123	22.76		2.42	46.34		7.09	4-30.82	123	18.06	22.22	103.12	6.96	1.11	9-39.58	123
122	22.78		2.40	46.38	2.15	7.06	4-31.03	122	18.07	22.23	103.20	6.92		9-40.07	122
121	22.80			46.40	2.14	7.02	4-31.27	121	18.08	22.26	103.26	6.88	1.10	9-40.55	121
120	22.82		2.38	46.44		6.98	4-31.52	120	18.09	22.27	103.34	6.85		9-41.02	120
119	22.84	0.71	2.37	46.48		6.95	4-31.75	119	18.12	22.28	103.40	6.81		9-41.50	119
118	22.86		2.36	46.50		6.91	4-31.98	118	18.13	22.30	103.48	6.77		9-41.99	118
117	22.87		2.35	46.54	2.13	6.88	4-32.20	117	18.14	22.32	103.55	6.73		9-42.48	117
116	22.89		2.34	46.58	2.12	6.84	4-32.45	116	18.16	22.33	103.62	6.70		9-42.97	116
115	22.91		2.33	46.62		6.81	4-32.67	115	18.17	22.35	103.70	6.66	1.09	9-43.45	115
114	22.93		2.32	46.64		6.77	4-32.91	114	18.20	22.37	103.77	6.62		9-43.95	114
113	22.95		2.31	46.68		6.73	4-33.15	113	18.21	22.38	103.84	6.58	1.08	9-44.44	113
112	22.97		2.30	46.72	2.11	6.70	4-33.39	112	18.22	22.40	103.92	6.55		9-44.93	112
111	22.99	0.70	2.28	46.76		6.66	4-33.63	111	18.23	22.42	103.99	6.51		9-45.43	111
110	23.01			46.78	2.10	6.62	4-33.87	110	18.26	22.43	104.07	6.47		9-45.93	110
109	23.03		2.26	46.82		6.59	4-34.10	109	18.27	22.45	104.14	6.43		9-46.44	109
108	23.04		2.25	46.86		6.55	4-34.35	108	18.28	22.46	104.21	6.40	1.07	9-46.94	108
107	23.06		2.24	46.89	2.09	6.51	4-34.60	107	18.30	22.49	104.29	6.35		9-47.44	107
106	23.08		2.23	46.92		6.48	4-34.84	106	18.32	22.50	104.36	6.31	1.06	9-47.96	106
105	23.10		2.22	46.96	2.08	6.44	4-35.08	105	18.33	22.51	104.44	6.28		9-48.46	105
104	23.12	0.69	2.21	47.00	2.07	6.40	4-35.33	104	18.35	22.54	104.52	6.24		9-48.98	104
103	23.14		2.20	47.03		6.37	4-35.58	103	18.37	22.55	104.60	6.20		9-49.49	103
102	23.16		2.18	47.07		6.33	4-35.82	102	18.38	22.57	104.67	6.16		9-50.01	102
101	23.18			47.11		6.29	4-36.08	101	18.40	22.59	104.75	6.13	1.05	9-50.54	101
100	23.20		2.16	47.15	2.06	6.26	4-36.33	100	18.41	22.60	104.82	6.09		9-51.05	100
99	23.22		2.15	47.19	2.05	6.22	4-36.58	99	18.43	22.62	104.89	6.05		9-51.57	99
98	23.24		2.14	47.21		6.18	4-36.83	98	18.45	22.64	104.97	6.01	1.04	9-52.10	98
97	23.26		2.13	47.25		6.15	4-37.08	97	18.46	22.66	105.06	5.98		9-52.64	97
96	23.28		2.12	47.29		6.11	4-37.34	96	18.49	22.67	105.14	5.94		9-53.16	96
95	23.30		2.11	47.32	2.04	6.08	4-37.61	95	18.50	22.70	105.22	5.89		9-53.71	95
94	23.32		2.10	47.36	2.03	6.04	4-37.86	94	18.51	22.71	105.30	5.86		9-54.23	94
93	23.34		2.09	47.40		6.00	4-38.12	93	18.54	22.73	105.37	5.82	1.03	9-54.78	93
92	23.36		2.08	47.44		5.97	4-38.38	92	18.55	22.75	105.45	5.78		9-55.32	92
91	23.38		2.06	47.48	2.02	5.93	4-38.64	91	18.56	22.77	105.53	5.74	1.02	9-55.86	91
90	23.41	0.68		47.51		5.89	4-38.91	90	18.59	22.78	105.62	5.71		9-56.41	90
89	23.43		2.04	47.55	2.01	5.86	4-39.16	89	18.60	22.81	105.70	5.67		9-56.97	89
88	23.45		2.03	47.59		5.82	4-39.44	88	18.62	22.82	105.78	5.62		9-57.52	88
87	23.47		2.02	47.63	2.00	5.79	4-39.71	87	18.64	22.85	105.87	5.59		9-58.08	87
86	23.49		2.01	47.67		5.75	4-39.98	86	18.65	22.86	105.94	5.55	1.01	9-58.64	86
85	23.51		2.00	47.72		5.71	4-40.24	85	18.67	22.88	106.02	5.51		9-59.21	85
84	23.53	0.67	1.99	47.76	1.99	5.68	4-40.51	84	18.69	22.89	106.11	5.47	1.00	9-59.78	84
83	23.56		1.98	47.79	1.98	5.64	4-40.78	83	18.71	22.92	106.19	5.43		10-00.33	83
82	23.58		1.96	47.83		5.60	4-41.07	82	18.73	22.93	106.28	5.39		10-00.91	82
81	23.60			47.87		5.57	4-41.34	81	18.74	22.96	106.36	5.36		10-01.49	81
80	23.62		1.94	47.91	1.97	5.53	4-41.62	80	18.76	22.98	106.45	5.32		10-02.07	80
79	23.64		1.93	47.96		5.49	4-41.90	79	18.78	22.99	106.54	5.28	0.99	10-02.65	79
78	23.67		1.92	48.00	1.96	5.46	4-42.17	78	18.80	23.02	106.62	5.24		10-03.24	78
77	23.70		1.91	48.03		5.42	4-42.47	77	18.81	23.03	106.71	5.20	0.98	10-03.83	77
76	23.72		1.90	48.07		5.38	4-42.75	76	18.84	23.05	106.80	5.16		10-04.43	76
75	23.74		1.89	48.12	1.95	5.35	4-43.03	75	18.85	23.08	106.88	5.12		10-05.02	75
74	23.77		1.88	48.16		5.31	4-43.33	74	18.88	23.09	106.97	5.08		10-05.63	74
73	23.79		1.86	48.20	1.94	5.27	4-43.62	73	18.89	23.12	107.06	5.04	0.97	10-06.23	73
72	23.81		1.85	48.25		5.24	4-43.91	72	18.91	23.13	107.15	5.00		10-06.83	72
71	23.84	0.66	1.84	48.29		5.20	4-44.21	71	18.93	23.15	107.24	4.97		10-07.44	71
70	23.86		1.83	48.32	1.93	5.16	4-44.50	70	18.95	23.18	107.33	4.92	0.96	10-08.06	70
69	23.88		1.82	48.38	1.92	5.13	4-44.80	69	18.97	23.19	107.42	4.89		10-08.68	69
68	23.91		1.81	48.41		5.09	4-45.10	68	18.99	23.21	107.51	4.85		10-09.31	68

Hand timing * add 0.24 sec. " add 0.14 sec.

W60Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
67	23.93		1.80	48.46	1.91	5.05	4-45.41	67	19.00	23.24	107.60	4.80		10-09.94	67
66	23.95		1.78	48.50		5.02	4-45.71	66	19.03	23.26	107.69	4.77	0.95	10-10.57	66
65	23.98			48.55	1.90	4.98	4-46.02	65	19.05	23.28	107.80	4.73		10-11.21	65
64	24.00	0.65	1.76	48.59		4.94	4-46.32	64	19.07	23.30	107.89	4.69	0.94	10-11.84	64
63	24.03		1.75	48.64	1.89	4.90	4-46.64	63	19.09	23.32	107.98	4.65		10-12.51	63
62	24.05		1.74	48.68		4.87	4-46.95	62	19.10	23.35	108.08	4.61		10-13.15	62
61	24.08		1.73	48.73		4.83	4-47.27	61	19.13	23.36	108.17	4.57		10-13.81	61
60	24.10		1.72	48.77	1.88	4.79	4-47.58	60	19.15	23.39	108.28	4.53		10-14.48	60
59	24.13		1.71	48.82	1.87	4.76	4-47.90	59	19.17	23.41	108.37	4.48	0.93	10-15.15	59
58	24.15	0.64	1.70	48.87		4.72	4-48.23	58	19.19	23.43	108.47	4.45		10-15.82	58
57	24.18		1.68	48.91		4.68	4-48.54	57	19.22	23.46	108.56	4.41	0.92	10-16.49	57
56	24.20		1.67	48.96	1.86	4.64	4-48.88	56	19.23	23.47	108.67	4.37		10-17.18	56
55	24.23		1.66	49.01	1.85	4.61	4-49.22	55	19.26	23.50	108.77	4.33		10-17.86	55
54	24.26		1.65	49.06		4.57	4-49.54	54	19.28	23.52	108.87	4.28		10-18.57	54
53	24.28		1.64	49.11		4.53	4-49.89	53	19.31	23.55	108.98	4.25	0.91	10-19.26	53
52	24.31		1.63	49.15	1.84	4.49	4-50.22	52	19.32	23.57	109.08	4.20		10-19.97	52
51	24.34		1.62	49.20		4.46	4-50.57	51	19.34	23.59	109.18	4.17	0.90	10-20.69	51
50	24.36		1.60	49.25	1.83	4.42	4-50.91	50	19.37	23.62	109.29	4.13		10-21.42	50
49	24.39			49.30	1.82	4.38	4-51.27	49	19.39	23.64	109.39	4.08		10-22.14	49
48	24.42		1.58	49.35		4.34	4-51.62	48	19.42	23.67	109.50	4.05		10-22.86	48
47	24.45		1.57	49.40		4.31	4-51.98	47	19.43	23.69	109.61	4.00	0.89	10-23.61	47
46	24.48	0.63	1.56	49.45	1.81	4.27	4-52.34	46	19.46	23.72	109.72	3.96		10-24.36	46
45	24.50		1.55	49.50	1.80	4.23	4-52.71	45	19.48	23.74	109.82	3.92	0.88	10-25.13	45
44	24.53		1.54	49.56		4.19	4-53.05	44	19.51	23.77	109.94	3.88		10-25.89	44
43	24.56		1.52	49.62	1.79	4.16	4-53.45	43	19.53	23.79	110.05	3.84		10-26.66	43
42	24.59			49.67		4.12	4-53.82	42	19.56	23.82	110.16	3.80		10-27.45	42
41	24.62	0.62	1.50	49.72	1.78	4.08	4-54.20	41	19.58	23.84	110.27	3.76	0.87	10-28.23	41
40	24.65		1.49	49.78		4.04	4-54.58	40	19.61	23.86	110.39	3.71		10-29.03	40
39	24.68		1.48	49.83	1.77	4.00	4-54.96	39	19.63	23.90	110.51	3.67	0.86	10-29.83	39
38	24.71		1.47	49.89		3.97	4-55.36	38	19.66	23.93	110.64	3.63		10-30.66	38
37	24.74		1.46	49.94	1.76	3.93	4-55.76	37	19.68	23.95	110.75	3.59		10-31.49	37
36	24.78		1.44	50.01	1.75	3.89	4-56.16	36	19.71	23.98	110.87	3.54		10-32.32	36
35	24.81	0.61	1.43	50.06		3.85	4-56.57	35	19.74	24.00	111.00	3.51	0.85	10-33.18	35
34	24.84		1.42	50.12	1.74	3.81	4-56.99	34	19.76	24.04	111.12	3.46	0.84	10-34.05	34
33	24.87		1.41	50.18	1.73	3.78	4-57.41	33	19.79	24.06	111.25	3.42		10-34.92	33
32	24.91		1.40	50.24		3.74	4-57.83	32	19.81	24.09	111.38	3.38		10-35.80	32
31	24.94		1.38	50.30		3.70	4-58.26	31	19.85	24.12	111.51	3.34		10-36.70	31
30	24.97			50.36	1.72	3.67	4-58.71	30	19.87	24.15	111.63	3.29	0.83	10-37.61	30
29	25.02		1.36	50.43	1.71	3.63	4-59.15	29	19.90	24.18	111.76	3.25		10-38.54	29
28	25.05		1.35	50.49		3.59	4-59.60	28	19.94	24.21	111.91	3.21	0.82	10-39.48	28
27	25.09		1.34	50.55	1.70	3.55	5-00.05	27	19.96	24.25	112.05	3.16		10-40.44	27
26	25.13		1.33	50.63	1.69	3.51	5-00.53	26	19.99	24.27	112.18	3.13		10-41.42	26
25	25.16	0.60	1.32	50.69		3.47	5-01.00	25	20.03	24.31	112.32	3.08	0.81	10-42.41	25
24	25.20		1.30	50.75		3.43	5-01.50	24	20.05	24.34	112.48	3.04		10-43.43	24
23	25.24		1.29	50.83	1.68	3.39	5-01.98	23	20.09	24.37	112.62	2.99	0.80	10-44.46	23
22	25.28		1.28	50.91	1.67	3.35	5-02.49	22	20.11	24.41	112.78	2.95		10-45.50	22
21	25.32		1.27	50.97	1.66	3.32	5-03.01	21	20.15	24.44	112.93	2.91		10-46.58	21
20	25.36	0.59	1.26	51.05		3.28	5-03.53	20	20.19	24.48	113.09	2.86	0.79	10-47.68	20
19	25.40		1.24	51.12	1.65	3.24	5-04.09	19	20.21	24.52	113.24	2.82		10-48.80	19
18	25.45		1.23	51.20	1.64	3.20	5-04.63	18	20.25	24.55	113.41	2.77	0.78	10-49.96	18
17	25.49		1.22	51.29		3.17	5-05.21	17	20.29	24.59	113.58	2.72		10-51.15	17
16	25.54		1.21	51.36	1.63	3.13	5-05.78	16	20.33	24.63	113.75	2.68		10-52.35	16
15	25.58		1.20	51.45	1.62	3.09	5-06.39	15	20.37	24.68	113.93	2.64	0.77	10-53.61	15
14	25.63		1.18	51.54		3.05	5-07.02	14	20.40	24.71	114.11	2.59	0.76	10-54.91	14
13	25.68		1.17	51.63	1.61	3.00	5-07.65	13	20.45	24.76	114.30	2.54		10-56.25	13
12	25.73		1.16	51.72	1.60	2.96	5-08.32	12	20.49	24.80	114.50	2.50		10-57.63	12
11	25.78	0.58	1.15	51.82	1.59	2.93	5-09.02	11	20.53	24.85	114.71	2.45	0.75	10-59.07	11
10	25.84		1.14	51.92	1.58	2.89	5-09.74	10	20.58	24.90	114.91	2.40		11-00.58	10
9	25.90		1.12	52.02	1.57	2.85	5-10.49	9	20.63	24.95	115.13	2.36	0.74	11-02.16	9
8	25.96	0.57	1.11	52.13		2.81	5-11.29	8	20.68	25.00	115.37	2.31	0.73	11-03.82	8
7	26.02		1.10	52.25	1.55	2.77	5-12.14	7	20.73	25.06	115.63	2.26		11-05.58	7
6	26.09		1.08	52.37		2.72	5-13.03	6	20.80	25.12	115.89	2.21	0.72	11-07.47	6
5	26.17			52.50	1.54	2.69	5-14.02	5	20.86	25.18	116.17	2.17		11-09.50	5
4	26.25	0.56	1.06	52.65	1.53	2.65	5-15.09	4	20.92	25.25	116.48	2.11	0.71	11-11.74	4
3	26.35		1.05	52.82	1.52	2.61	5-16.32	3	21.00	25.33	116.83	2.06		11-14.26	3
2	26.46		1.04	53.01	1.50	2.56	5-17.73	2	21.09	25.42	117.23	2.01	0.70	11-17.22	2
1	26.60		1.02	53.25	1.49	2.52	5-19.54	1	21.20	25.54	117.75	1.95	0.69	11-21.01	1