

W65Hept, Pent Deca

Hurd*		HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
1102	14.60		11.19		4.37			1102	10.74						1102
1101				30.20		36.10	2-44.80	1101		14.44	70.78	34.79			1101
1100	14.61		11.17	30.21		36.07	2-44.88	1100	10.75		70.82	34.76			1100
1099	14.62			30.23	4.36	36.04	2-44.96	1099		14.45	70.85	34.73	2.65		1099
1098			11.16	30.24		36.01	2-45.06	1098	10.76		70.87	34.71			1098
1097	14.63		11.15	30.25		35.98	2-45.14	1097		14.47	70.90	34.68			1097
1096	14.64		11.14	30.27		35.95	2-45.24	1096			70.93	34.65			1096
1095			11.13	30.28		35.92	2-45.32	1095	10.78	14.48	70.96	34.62			1095
1094	14.66			30.29		35.89	2-45.41	1094			70.99	34.60			1094
1093	14.67	1.29	11.11	30.31		35.86	2-45.49	1093	10.79	14.49	71.01	34.57			1093
1092				30.32	4.35	35.83	2-45.58	1092			71.04	34.55			1092
1091	14.68		11.10	30.33		35.80	2-45.67	1091	10.80	14.50	71.07	34.52			1091
1090	14.69		11.09	30.35		35.78	2-45.75	1090			71.10	34.49	2.64		1090
1089	14.70		11.08	30.36	4.34	35.75	2-45.85	1089		14.52	71.12	34.46			1089
1088			11.07	30.37		35.72	2-45.93	1088	10.82		71.15	34.43			1088
1087	14.71		11.06	30.38		35.69	2-46.03	1087		14.53	71.18	34.41			1087
1086	14.72		11.05	30.40		35.65	2-46.11	1086	10.83		71.21	34.38			1086
1085			11.04	30.41		35.63	2-46.20	1085		14.54	71.24	34.35	2.63		1085
1084	14.73			30.42		35.60	2-46.28	1084	10.84		71.26	34.32			1084
1083	14.74		11.02	30.44		35.57	2-46.38	1083			71.29	34.30			1083
1082				30.45	4.33	35.54	2-46.46	1082	10.85	14.56	71.32	34.27			1082
1081	14.76		11.00	30.46		35.51	2-46.56	1081			71.35	34.24			1081
1080	14.77	1.28		30.48		35.48	2-46.64	1080		14.57	71.39	34.22			1080
1079			10.99	30.49	4.32	35.45	2-46.73	1079	10.87		71.42	34.19			1079
1078	14.78		10.98	30.50		35.42	2-46.82	1078		14.58	71.44	34.16			1078
1077	14.79		10.97	30.52		35.39	2-46.91	1077	10.88		71.47	34.13			1077
1076			10.96	30.53		35.36	2-46.99	1076		14.59	71.50	34.10	2.62		1076
1075	14.80			30.54		35.33	2-47.09	1075	10.89		71.53	34.08			1075
1074	14.81		10.94	30.56		35.30	2-47.17	1074		14.61	71.55	34.05			1074
1073				30.57		35.27	2-47.27	1073	10.91		71.58	34.02			1073
1072	14.82		10.93	30.58	4.31	35.24	2-47.35	1072		14.62	71.61	33.99			1072
1071	14.83		10.92	30.60		35.21	2-47.44	1071			71.64	33.97			1071
1070			10.91	30.61		35.19	2-47.52	1070	10.92	14.63	71.67	33.94			1070
1069	14.84		10.90	30.62		35.15	2-47.62	1069			71.69	33.91			1069
1068	14.86		10.89	30.64		35.12	2-47.70	1068	10.93	14.65	71.72	33.89			1068
1067			10.88	30.65		35.09	2-47.80	1067			71.75	33.86	2.61		1067
1066	14.87		10.87	30.66	4.30	35.06	2-47.88	1066	10.95	14.66	71.78	33.83			1066
1065	14.88			30.68		35.03	2-47.97	1065			71.82	33.80			1065
1064			10.85	30.69		35.01	2-48.06	1064	10.96	14.67	71.85	33.78			1064
1063	14.89			30.70		34.98	2-48.15	1063			71.87	33.75	2.60		1063
1062	14.90		10.84	30.72	4.29	34.95	2-48.23	1062		14.68	71.90	33.72			1062
1061			10.83	30.73		34.92	2-48.33	1061	10.97		71.93	33.69			1061
1060	14.91		10.82	30.74		34.88	2-48.41	1060		14.70	71.96	33.67			1060
1059	14.92		10.81	30.76		34.86	2-48.50	1059	10.99		71.99	33.64			1059
1058	14.93		10.80	30.77		34.83	2-48.59	1058		14.71	72.01	33.61			1058
1057			10.79	30.78		34.80	2-48.68	1057	11.00		72.04	33.59			1057
1056	14.94			30.80	4.28	34.77	2-48.76	1056		14.72	72.07	33.56			1056
1055	14.96		10.78	30.81		34.74	2-48.86	1055	11.01		72.10	33.53			1055
1054		1.27	10.77	30.82		34.71	2-48.95	1054		14.74	72.12	33.50	2.59		1054
1053	14.97		10.76	30.84	4.27	34.68	2-49.04	1053			72.17	33.47			1053
1052	14.98		10.75	30.85		34.65	2-49.13	1052	11.03	14.75	72.19	33.45			1052
1051			10.74	30.86		34.62	2-49.21	1051			72.22	33.42			1051
1050	14.99		10.73	30.88		34.59	2-49.31	1050	11.04	14.76	72.25	33.39			1050
1049	15.00		10.72	30.89		34.56	2-49.39	1049			72.28	33.36			1049
1048				30.90		34.53	2-49.49	1048	11.05	14.77	72.30	33.33			1048
1047	15.01		10.70	30.92		34.50	2-49.58	1047			72.33	33.31			1047
1046	15.02			30.93	4.26	34.47	2-49.66	1046	11.07	14.79	72.36	33.28			1046
1045			10.69	30.94		34.44	2-49.76	1045			72.39	33.26	2.58		1045
1044	15.03		10.68	30.95		34.41	2-49.84	1044	11.08	14.80	72.42	33.23			1044
1043	15.04		10.67	30.97	4.25	34.38	2-49.94	1043			72.44	33.20			1043
1042			10.66	30.98		34.35	2-50.02	1042		14.81	72.48	33.17			1042
1041	15.05	1.26	10.65	30.99		34.32	2-50.11	1041	11.09		72.51	33.14			1041
1040	15.07		10.64	31.01		34.29	2-50.21	1040		14.83	72.54	33.12	2.57		1040
1039	15.08		10.63	31.02		34.26	2-50.29	1039	11.11		72.57	33.09			1039
1038				31.03		34.24	2-50.38	1038		14.84	72.60	33.06			1038
1037	15.09		10.61	31.05		34.21	2-50.47	1037	11.12		72.62	33.03			1037
1036	15.10			31.06	4.24	34.17	2-50.56	1036		14.85	72.65	33.01			1036
1035			10.60	31.07		34.14	2-50.66	1035	11.13		72.68	32.98			1035
1034	15.11		10.59	31.09		34.11	2-50.74	1034		14.86	72.71	32.96			1034

W65Hept, Pent Deca

Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
1033	15.12		10.58	31.10	4.23	34.09	2-50.83	1033			72.73	32.93		1033
1032			10.57	31.11		34.06	2-50.93	1032	11.15	14.88	72.76	32.90		1032
1031	15.13			31.13		34.03	2-51.01	1031			72.80	32.87	2.56	1031
1030	15.14		10.55	31.14		34.00	2-51.11	1030	11.16	14.89	72.83	32.84		1030
1029				31.15		33.97	2-51.19	1029			72.86	32.82		1029
1028	15.15		10.54	31.17		33.93	2-51.28	1028	11.17	14.90	72.89	32.79		1028
1027	15.17		10.53	31.18	4.22	33.91	2-51.38	1027			72.92	32.76	2.55	1027
1026	15.18		10.52	31.19		33.88	2-51.46	1026	11.19	14.92	72.94	32.73		1026
1025			10.51	31.21		33.85	2-51.56	1025			72.97	32.70		1025
1024	15.19		10.50	31.22		33.82	2-51.65	1024	11.20	14.93	73.00	32.68		1024
1023	15.20		10.49	31.23		33.79	2-51.73	1023			73.03	32.65		1023
1022			10.48	31.25		33.76	2-51.83	1022		14.94	73.07	32.62		1022
1021	15.21		10.47	31.26		33.73	2-51.92	1021	11.21		73.10	32.59		1021
1020	15.22		10.46	31.27	4.21	33.70	2-52.01	1020		14.95	73.12	32.56		1020
1019				31.29		33.67	2-52.10	1019	11.23		73.15	32.54		1019
1018	15.23		10.44	31.30		33.64	2-52.20	1018		14.97	73.18	32.51	2.54	1018
1017	15.24			31.33	4.20	33.61	2-52.28	1017	11.24		73.21	32.49		1017
1016		1.25	10.43	31.34		33.58	2-52.37	1016		14.98	73.23	32.46		1016
1015	15.25		10.42	31.35		33.55	2-52.47	1015	11.25		73.26	32.43		1015
1014	15.27		10.41	31.37		33.52	2-52.55	1014		14.99	73.30	32.40		1014
1013	15.28		10.40	31.38		33.49	2-52.65	1013	11.26		73.33	32.38		1013
1012			10.39	31.39		33.46	2-52.74	1012		15.01	73.36	32.35		1012
1011	15.29		10.38	31.41		33.43	2-52.82	1011		15.02	73.39	32.32		1011
1010	15.30		10.37	31.42	4.19	33.40	2-52.92	1010	11.28		73.42	32.29		1010
1009				31.43		33.37	2-53.01	1009		15.03	73.44	32.26	2.53	1009
1008	15.31		10.35	31.45		33.34	2-53.09	1008	11.29		73.47	32.24		1008
1007	15.32			31.46	4.18	33.32	2-53.19	1007		15.04	73.50	32.21		1007
1006			10.34	31.47		33.29	2-53.29	1006	11.30		73.53	32.18		1006
1005	15.33		10.33	31.49		33.25	2-53.38	1005		15.06	73.57	32.15	2.52	1005
1004	15.34		10.32	31.50		33.22	2-53.46	1004	11.32		73.60	32.12		1004
1003	15.35	1.24	10.31	31.51		33.19	2-53.56	1003		15.07	73.62	32.10		1003
1002				31.53		33.16	2-53.65	1002	11.33		73.65	32.07		1002
1001	15.37		10.29	31.54	4.17	33.14	2-53.74	1001		15.08	73.68	32.05		1001
1000	15.38			31.55		33.11	2-53.83	1000	11.34		73.71	32.02		1000
999			10.28	31.56		33.08	2-53.93	999		15.10	73.73	31.99		999
998	15.39		10.27	31.58		33.05	2-54.02	998			73.78	31.96		998
997	15.40		10.26	31.59	4.16	33.01	2-54.10	997	11.36	15.11	73.80	31.93		997
996			10.25	31.60		32.99	2-54.20	996			73.83	31.91	2.51	996
995	15.41		10.24	31.62		32.96	2-54.29	995	11.37	15.12	73.86	31.88		995
994	15.42		10.23	31.63		32.93	2-54.38	994			73.89	31.85		994
993	15.43		10.22	31.64		32.90	2-54.47	993	11.38	15.13	73.92	31.82		993
992				31.66		32.87	2-54.57	992			73.94	31.80	2.50	992
991	15.44		10.20	31.67	4.15	32.84	2-54.66	991	11.40	15.15	73.98	31.77		991
990	15.45			31.68		32.81	2-54.74	990			74.01	31.74		990
989			10.19	31.70		32.78	2-54.84	989	11.41	15.16	74.04	31.71		989
988	15.47		10.18	31.71	4.14	32.75	2-54.93	988			74.07	31.68		988
987	15.48		10.17	31.72		32.72	2-55.03	987	11.42	15.17	74.10	31.66		987
986			10.16	31.75		32.69	2-55.11	986			74.12	31.63		986
985	15.49		10.15	31.76		32.66	2-55.21	985		15.19	74.15	31.60		985
984	15.50		10.14	31.78		32.63	2-55.30	984	11.44		74.19	31.58		984
983	15.51		10.13	31.79		32.60	2-55.40	983		15.20	74.22	31.55	2.49	983
982				31.80		32.57	2-55.49	982	11.45		74.25	31.52		982
981	15.52		10.11	31.82	4.13	32.54	2-55.57	981		15.21	74.28	31.49		981
980	15.53			31.83		32.51	2-55.67	980	11.46		74.30	31.47		980
979			10.10	31.84		32.48	2-55.76	979		15.22	74.33	31.44		979
978	15.54	1.23	10.09	31.86		32.45	2-55.86	978	11.48		74.36	31.41		978
977	15.55		10.08	31.87		32.42	2-55.96	977		15.24	74.40	31.38		977
976	15.57		10.07	31.88		32.39	2-56.04	976	11.49		74.43	31.35		976
975				31.90	4.12	32.36	2-56.13	975		15.25	74.46	31.33		975
974	15.58		10.05	31.91		32.33	2-56.23	974	11.50		74.48	31.30	2.48	974
973	15.59			31.92		32.30	2-56.32	973		15.26	74.51	31.27		973
972			10.04	31.94	4.11	32.27	2-56.42	972		15.27	74.54	31.24		972
971	15.60		10.03	31.95		32.24	2-56.50	971	11.52		74.58	31.21		971
970	15.61		10.02	31.96		32.22	2-56.60	970		15.29	74.61	31.19	2.47	970
969			10.01	31.98		32.19	2-56.69	969	11.53		74.64	31.16		969
968	15.62		10.00	31.99		32.15	2-56.79	968		15.30	74.67	31.13		968
967	15.63		9.99	32.00		32.12	2-56.88	967	11.54		74.69	31.10		967
966	15.64	1.22	9.98	32.02		32.09	2-56.96	966		15.31	74.72	31.08		966
965			9.97	32.03	4.10	32.06	2-57.06	965	11.56		74.76	31.05		965

Hand timing * add 0.24 sec. " add 0.14 sec.

W65Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
964	15.65		9.96	32.04		32.04	2-57.15	964		15.33	74.79	31.02			964
963	15.67			32.07		32.01	2-57.25	963	11.57		74.82	30.99			963
962			9.94	32.08	4.09	31.98	2-57.34	962		15.34	74.85	30.96			962
961	15.68			32.10		31.95	2-57.44	961	11.58		74.87	30.94	2.46		961
960	15.69		9.93	32.11		31.91	2-57.54	960		15.35	74.90	30.91			960
959	15.70		9.92	32.12		31.89	2-57.62	959	11.60		74.94	30.89			959
958			9.91	32.14		31.86	2-57.71	958		15.36	74.97	30.86			958
957	15.71		9.90	32.15		31.83	2-57.81	957			75.00	30.83			957
956	15.72		9.89	32.16	4.08	31.80	2-57.90	956	11.61	15.38	75.03	30.80			956
955			9.88	32.17		31.77	2-58.00	955			75.05	30.77			955
954	15.73		9.87	32.19		31.74	2-58.09	954	11.62	15.39	75.08	30.75			954
953	15.74			32.20	4.07	31.71	2-58.19	953			75.12	30.72			953
952	15.75		9.85	32.21		31.68	2-58.27	952	11.64	15.40	75.15	30.69	2.45		952
951				32.23		31.65	2-58.37	951			75.18	30.66			951
950	15.77		9.84	32.24		31.62	2-58.46	950	11.65	15.42	75.21	30.63			950
949	15.78		9.83	32.25		31.59	2-58.56	949			75.23	30.61			949
948			9.82	32.27		31.56	2-58.65	948	11.66	15.43	75.28	30.58	2.44		948
947	15.79		9.81	32.28		31.53	2-58.75	947		15.44	75.30	30.55			947
946	15.80		9.80	32.29	4.06	31.50	2-58.84	946	11.67		75.33	30.52			946
945	15.81		9.79	32.32		31.47	2-58.94	945		15.45	75.36	30.50			945
944				32.33		31.44	2-59.03	944	11.69		75.39	30.47			944
943	15.82		9.78	32.35	4.05	31.41	2-59.12	943		15.47	75.42	30.44			943
942	15.83		9.77	32.36		31.38	2-59.21	942			75.46	30.41			942
941	15.84	1.21	9.76	32.37		31.35	2-59.31	941	11.70	15.48	75.48	30.38			941
940			9.75	32.39		31.32	2-59.40	940			75.51	30.36			940
939	15.85		9.74	32.40		31.29	2-59.50	939	11.71	15.49	75.54	30.33	2.43		939
938	15.87		9.73	32.41		31.26	2-59.59	938			75.57	30.30			938
937			9.72	32.43	4.04	31.23	2-59.69	937	11.73	15.51	75.61	30.27			937
936	15.88			32.44		31.20	2-59.78	936			75.64	30.24			936
935	15.89		9.70	32.45		31.17	2-59.88	935	11.74	15.52	75.67	30.22	2.42		935
934	15.90			32.47		31.14	2-59.97	934			75.69	30.19			934
933			9.69	32.48		31.12	3-00.07	933	11.75	15.53	75.72	30.16			933
932	15.91		9.68	32.49		31.08	3-00.16	932			75.76	30.13			932
931	15.92		9.67	32.51		31.05	3-00.26	931	11.77	15.54	75.79	30.10			931
930			9.66	32.52	4.03	31.02	3-00.35	930			75.82	30.08			930
929	15.93		9.65	32.55		30.99	3-00.45	929	11.78	15.56	75.85	30.05			929
928	15.94	1.20	9.64	32.56		30.96	3-00.53	928		15.57	75.87	30.03			928
927	15.95		9.63	32.57	4.02	30.94	3-00.63	927	11.79		75.92	30.00			927
926				32.59		30.90	3-00.72	926		15.58	75.94	29.97	2.41		926
925	15.97		9.61	32.60		30.87	3-00.82	925	11.81		75.97	29.94			925
924	15.98			32.61		30.84	3-00.91	924		15.60	76.00	29.92			924
923	15.99		9.60	32.63		30.81	3-01.01	923			76.03	29.89			923
922			9.59	32.64		30.79	3-01.10	922	11.82	15.61	76.07	29.86			922
921	16.00		9.58	32.65	4.01	30.76	3-01.20	921			76.10	29.83			921
920	16.01		9.57	32.67		30.73	3-01.29	920	11.83	15.62	76.12	29.80			920
919			9.56	32.68		30.69	3-01.39	919			76.15	29.78			919
918	16.02		9.55	32.69	4.00	30.66	3-01.49	918	11.85	15.63	76.19	29.75			918
917	16.03		9.54	32.71		30.63	3-01.58	917			76.22	29.72	2.40		917
916	16.04	1.19		32.72		30.61	3-01.68	916	11.86	15.65	76.25	29.69			916
915			9.52	32.74		30.58	3-01.77	915			76.28	29.66			915
914	16.05			32.76		30.55	3-01.87	914	11.87	15.66	76.30	29.64			914
913	16.07		9.50	32.77		30.52	3-01.96	913			76.35	29.61	2.39		913
912	16.08			32.78	3.99	30.48	3-02.06	912	11.89	15.67	76.37	29.58			912
911			9.49	32.80		30.46	3-02.15	911		15.69	76.40	29.55			911
910	16.09		9.48	32.81		30.43	3-02.25	910	11.90		76.43	29.52			910
909	16.10		9.47	32.82		30.40	3-02.34	909		15.70	76.47	29.50			909
908			9.46	32.84	3.98	30.37	3-02.44	908	11.91		76.50	29.47			908
907	16.11		9.45	32.85		30.34	3-02.53	907		15.71	76.53	29.44			907
906	16.12		9.44	32.86		30.30	3-02.63	906	11.93		76.55	29.41			906
905	16.13			32.88		30.28	3-02.74	905		15.72	76.58	29.39	2.38		905
904			9.43	32.89		30.25	3-02.83	904	11.94		76.62	29.36			904
903	16.14		9.42	32.90		30.22	3-02.93	903		15.74	76.65	29.33			903
902	16.15		9.41	32.93	3.97	30.19	3-03.02	902	11.95		76.68	29.30			902
901	16.17		9.40	32.94		30.16	3-03.12	901		15.75	76.71	29.27			901
900			9.39	32.96		30.13	3-03.21	900	11.97		76.75	29.25			900
899	16.18		9.38	32.97	3.96	30.10	3-03.31	899		15.76	76.78	29.22			899
898	16.19		9.37	32.98		30.07	3-03.41	898			76.80	29.19			898
897	16.20			33.00		30.04	3-03.50	897	11.98	15.78	76.83	29.16			897
896			9.35	33.01		30.01	3-03.60	896		15.79	76.87	29.13	2.37		896

Hurd*		HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
895	16.21			33.02		29.98	3-03.69	895	11.99		76.90	29.11			895
894	16.22		9.34	33.04		29.95	3-03.79	894		15.80	76.93	29.08			894
893			9.33	33.05	3.95	29.92	3-03.88	893	12.01		76.96	29.05			893
892	16.23		9.32	33.06		29.89	3-03.98	892		15.81	77.00	29.02	2.36		892
891	16.24	1.18	9.31	33.08		29.86	3-04.07	891	12.02		77.03	28.99			891
890	16.25		9.30	33.10		29.83	3-04.18	890		15.83	77.05	28.97			890
889			9.29	33.12		29.80	3-04.28	889	12.03		77.08	28.94			889
888	16.27		9.28	33.13		29.77	3-04.37	888		15.84	77.12	28.91			888
887	16.28			33.14	3.94	29.74	3-04.47	887	12.05		77.15	28.88			887
886	16.29		9.26	33.16		29.71	3-04.56	886		15.85	77.18	28.86			886
885				33.17		29.68	3-04.66	885	12.06		77.21	28.83			885
884	16.30		9.25	33.18		29.65	3-04.75	884		15.87	77.25	28.80			884
883	16.31		9.24	33.20	3.93	29.62	3-04.85	883	12.07	15.88	77.28	28.77	2.35		883
882	16.32		9.23	33.21		29.59	3-04.94	882			77.30	28.74			882
881			9.22	33.22		29.56	3-05.05	881	12.08	15.89	77.33	28.72			881
880	16.33		9.21	33.24		29.53	3-05.15	880			77.37	28.69			880
879	16.34	1.17	9.20	33.26		29.50	3-05.24	879	12.10	15.90	77.40	28.66	2.34		879
878	16.35		9.19	33.28		29.47	3-05.34	878			77.43	28.63			878
877				33.29	3.92	29.44	3-05.43	877	12.11	15.92	77.46	28.60			877
876	16.37		9.17	33.30		29.41	3-05.53	876			77.50	28.58			876
875	16.38			33.32		29.38	3-05.63	875	12.12	15.93	77.53	28.55			875
874	16.39		9.16	33.33	3.91	29.36	3-05.73	874			77.55	28.52			874
873			9.15	33.34		29.32	3-05.83	873	12.14	15.94	77.58	28.49			873
872	16.40		9.14	33.35		29.29	3-05.93	872			77.62	28.46			872
871	16.41		9.13	33.37		29.26	3-06.02	871	12.15	15.96	77.65	28.44			871
870	16.42		9.12	33.38		29.23	3-06.12	870		15.97	77.68	28.41	2.33		870
869			9.11	33.41		29.20	3-06.21	869	12.16		77.71	28.38			869
868	16.43		9.10	33.42	3.90	29.18	3-06.32	868		15.98	77.75	28.35			868
867	16.44			33.43		29.14	3-06.42	867	12.18		77.78	28.33			867
866	16.45		9.08	33.45		29.11	3-06.51	866		15.99	77.80	28.30			866
865				33.46	3.89	29.08	3-06.61	865	12.19		77.85	28.27			865
864	16.47		9.07	33.47		29.05	3-06.70	864		16.01	77.87	28.24			864
863	16.48		9.06	33.49		29.03	3-06.81	863			77.90	28.21			863
862	16.49		9.05	33.50		29.00	3-06.91	862	12.20	16.02	77.93	28.19	2.32		862
861			9.04	33.51		28.96	3-07.00	861			77.97	28.16			861
860	16.50		9.03	33.53		28.93	3-07.10	860	12.22	16.03	78.00	28.13			860
859	16.51		9.02	33.55	3.88	28.90	3-07.19	859		16.05	78.03	28.10			859
858	16.52		9.01	33.57		28.87	3-07.30	858	12.23		78.07	28.07	2.31		858
857			9.00	33.58		28.85	3-07.40	857		16.06	78.10	28.05			857
856	16.53		8.99	33.59	3.87	28.82	3-07.49	856	12.24		78.12	28.02			856
855	16.54	1.16		33.61		28.78	3-07.59	855		16.07	78.15	27.99			855
854	16.55		8.97	33.62		28.75	3-07.70	854	12.26		78.19	27.96			854
853				33.63		28.72	3-07.79	853		16.08	78.22	27.93			853
852	16.57		8.96	33.65		28.70	3-07.89	852	12.27		78.25	27.91			852
851	16.58		8.95	33.66		28.67	3-07.98	851		16.10	78.29	27.88			851
850	16.59		8.94	33.69	3.86	28.64	3-08.09	850	12.28	16.11	78.32	27.85			850
849			8.93	33.70		28.60	3-08.19	849			78.35	27.82	2.30		849
848	16.60		8.92	33.71		28.57	3-08.28	848	12.30	16.12	78.37	27.80			848
847	16.61		8.91	33.73		28.54	3-08.38	847			78.41	27.77			847
846	16.62			33.74		28.52	3-08.49	846	12.31	16.14	78.44	27.74			846
845			8.90	33.75		28.49	3-08.58	845			78.47	27.71	2.29		845
844	16.63		8.89	33.77		28.46	3-08.68	844	12.32	16.15	78.51	27.68			844
843	16.64		8.88	33.78	3.85	28.43	3-08.77	843			78.54	27.66			843
842	16.65	1.15	8.87	33.79		28.39	3-08.88	842	12.34	16.16	78.57	27.63			842
841			8.86	33.82		28.37	3-08.98	841			78.61	27.60			841
840	16.67		8.85	33.83	3.84	28.34	3-09.07	840	12.35	16.17	78.64	27.57			840
839	16.68		8.84	33.85		28.31	3-09.18	839		16.19	78.66	27.54			839
838	16.69			33.86		28.28	3-09.28	838	12.36		78.69	27.51			838
837			8.82	33.87		28.25	3-09.37	837		16.20	78.73	27.48			837
836	16.70			33.89		28.22	3-09.47	836	12.38		78.76	27.46	2.28		836
835	16.71		8.81	33.90		28.19	3-09.58	835		16.21	78.79	27.43			835
834	16.72		8.80	33.91	3.83	28.16	3-09.67	834	12.39		78.83	27.40			834
833			8.79	33.94		28.13	3-09.77	833		16.23	78.86	27.37			833
832	16.73		8.78	33.95		28.10	3-09.88	832	12.40		78.89	27.34			832
831	16.74		8.77	33.96	3.82	28.06	3-09.97	831		16.24	78.93	27.32			831
830	16.75		8.76	33.98		28.04	3-10.07	830	12.42	16.25	78.96	27.29			830
829			8.75	33.99		28.01	3-10.17	829			78.98	27.26			829
828	16.77			34.00		27.98	3-10.27	828	12.43	16.26	79.03	27.23	2.27		828
827	16.78		8.73	34.02		27.95	3-10.37	827			79.05	27.20			827

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
826	16.79			34.03		27.92	3-10.47	826	12.44	16.28	79.08	27.18		826	
825	16.80		8.72	34.04	3.81	27.89	3-10.57	825			79.12	27.15		825	
824			8.71	34.07		27.86	3-10.68	824	12.46	16.29	79.15	27.12	2.26	824	
823	16.81		8.70	34.08		27.83	3-10.77	823			79.18	27.09		823	
822	16.82		8.69	34.10	3.80	27.80	3-10.87	822	12.47	16.30	79.22	27.06		822	
821	16.83		8.68	34.11		27.77	3-10.98	821		16.31	79.25	27.04		821	
820			8.67	34.12		27.74	3-11.07	820	12.48		79.28	27.01		820	
819	16.84		8.66	34.14		27.71	3-11.17	819		16.33	79.32	26.98		819	
818	16.85	1.14		34.15		27.68	3-11.28	818	12.50		79.35	26.95		818	
817	16.87		8.64	34.18		27.65	3-11.37	817		16.34	79.37	26.93		817	
816				34.19	3.79	27.62	3-11.48	816	12.51		79.41	26.90		816	
815	16.88		8.63	34.20		27.59	3-11.58	815		16.35	79.44	26.87	2.25	815	
814	16.89		8.62	34.22		27.56	3-11.67	814	12.52		79.47	26.84		814	
813	16.90		8.61	34.23	3.78	27.53	3-11.78	813		16.37	79.51	26.81		813	
812			8.60	34.24		27.50	3-11.88	812	12.53	16.38	79.54	26.79		812	
811	16.91		8.59	34.26		27.47	3-11.99	811			79.57	26.76		811	
810	16.92		8.58	34.27		27.44	3-12.08	810	12.55	16.39	79.61	26.73		810	
809	16.93		8.57	34.30		27.41	3-12.18	809			79.64	26.70		809	
808	16.94			34.31		27.38	3-12.29	808	12.56	16.40	79.66	26.67		808	
807			8.55	34.32	3.77	27.35	3-12.38	807			79.71	26.64	2.24	807	
806	16.95	1.13		34.34		27.32	3-12.49	806	12.57	16.42	79.73	26.61		806	
805	16.97		8.54	34.35		27.29	3-12.59	805		16.43	79.76	26.59		805	
804	16.98		8.53	34.36		27.26	3-12.69	804	12.59		79.80	26.56		804	
803			8.52	34.38		27.23	3-12.79	803		16.44	79.83	26.53	2.23	803	
802	16.99		8.51	34.40		27.20	3-12.89	802	12.60		79.86	26.50		802	
801	17.00		8.50	34.42	3.76	27.17	3-12.99	801		16.46	79.90	26.47		801	
800	17.01		8.49	34.43		27.14	3-13.09	800	12.61		79.93	26.45		800	
799	17.02		8.48	34.44		27.11	3-13.20	799		16.47	79.96	26.42		799	
798			8.47	34.46	3.75	27.08	3-13.29	798	12.63		80.00	26.39		798	
797	17.03		8.46	34.47		27.05	3-13.40	797		16.48	80.03	26.36		797	
796	17.04			34.48		27.02	3-13.50	796	12.64	16.49	80.07	26.33		796	
795	17.05		8.44	34.51		26.99	3-13.61	795			80.09	26.31	2.22	795	
794				34.52		26.96	3-13.70	794	12.65	16.51	80.12	26.28		794	
793	17.07		8.43	34.53		26.93	3-13.81	793			80.16	26.25		793	
792	17.08		8.42	34.55	3.74	26.90	3-13.91	792	12.67	16.52	80.19	26.22		792	
791	17.09		8.41	34.56		26.87	3-14.02	791	12.68		80.22	26.19		791	
790	17.10		8.40	34.57		26.84	3-14.11	790		16.53	80.26	26.17	2.21	790	
789			8.39	34.59	3.73	26.81	3-14.22	789	12.69	16.55	80.29	26.14		789	
788	17.11		8.38	34.61		26.78	3-14.32	788			80.33	26.11		788	
787	17.12		8.37	34.63		26.75	3-14.42	787	12.71	16.56	80.36	26.08		787	
786	17.13			34.64		26.72	3-14.52	786			80.39	26.06		786	
785			8.35	34.65		26.69	3-14.63	785	12.72	16.57	80.43	26.02		785	
784	17.14			34.67		26.66	3-14.72	784			80.46	25.99		784	
783	17.15	1.12	8.34	34.68	3.72	26.63	3-14.83	783	12.73	16.58	80.48	25.97		783	
782	17.17		8.33	34.69		26.60	3-14.93	782		16.60	80.53	25.94	2.20	782	
781	17.18		8.32	34.72		26.57	3-15.04	781	12.75		80.55	25.91		781	
780			8.31	34.73	3.71	26.54	3-15.13	780		16.61	80.59	25.88		780	
779	17.19		8.30	34.75		26.51	3-15.24	779	12.76		80.62	25.85		779	
778	17.20		8.29	34.76		26.48	3-15.35	778		16.62	80.65	25.83		778	
777	17.21		8.28	34.77		26.45	3-15.45	777	12.77		80.69	25.80		777	
776				34.79		26.42	3-15.55	776		16.64	80.72	25.77		776	
775	17.22		8.26	34.81		26.39	3-15.65	775	12.79	16.65	80.75	25.74		775	
774	17.23			34.83	3.70	26.36	3-15.76	774			80.79	25.71	2.19	774	
773	17.24		8.25	34.84		26.33	3-15.85	773	12.80	16.66	80.82	25.69		773	
772	17.25		8.24	34.85		26.30	3-15.96	772			80.86	25.66		772	
771		1.11	8.23	34.87	3.69	26.27	3-16.07	771	12.81	16.67	80.89	25.63		771	
770	17.27		8.22	34.88		26.24	3-16.17	770			80.91	25.60	2.18	770	
769	17.28		8.21	34.91		26.21	3-16.28	769	12.83	16.69	80.96	25.58		769	
768	17.29		8.20	34.92		26.18	3-16.37	768		16.70	80.98	25.54		768	
767	17.30		8.19	34.93		26.15	3-16.48	767	12.84		81.03	25.51		767	
766				34.95		26.12	3-16.59	766		16.71	81.05	25.49		766	
765	17.31		8.17	34.96	3.68	26.09	3-16.69	765	12.85		81.08	25.46		765	
764	17.32			34.97		26.06	3-16.79	764		16.73	81.12	25.43		764	
763	17.33		8.16	35.00		26.03	3-16.89	763	12.87		81.15	25.40		763	
762	17.34		8.15	35.01		26.00	3-17.00	762		16.74	81.19	25.37		762	
761			8.14	35.03		25.97	3-17.11	761	12.88	16.75	81.22	25.35	2.17	761	
760	17.35		8.13	35.04		25.94	3-17.20	760			81.26	25.32		760	
759	17.37		8.12	35.05	3.67	25.91	3-17.31	759	12.89	16.76	81.29	25.29		759	
758	17.38		8.11	35.07		25.88	3-17.42	758	12.91		81.32	25.26		758	

W65Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
757			8.10	35.09		25.85	3-17.52	757		16.78	81.36	25.24	2.16	757	
756	17.39			35.11	3.66	25.82	3-17.63	756	12.92		81.39	25.21		756	
755	17.40		8.08	35.12		25.79	3-17.73	755		16.79	81.43	25.18		755	
754	17.41			35.13		25.76	3-17.83	754	12.93	16.80	81.46	25.15		754	
753	17.42		8.07	35.14		25.73	3-17.94	753			81.48	25.12		753	
752			8.06	35.16		25.70	3-18.05	752	12.94	16.82	81.53	25.09		752	
751	17.43		8.05	35.18		25.67	3-18.14	751			81.55	25.06		751	
750	17.44		8.04	35.20	3.65	25.64	3-18.25	750	12.96	16.83	81.59	25.03		750	
749	17.45		8.03	35.21		25.61	3-18.36	749		16.84	81.62	25.01	2.15	749	
748	17.47		8.02	35.22		25.58	3-18.46	748	12.97		81.66	24.98		748	
747		1.10	8.01	35.24	3.64	25.55	3-18.56	747		16.85	81.69	24.95		747	
746	17.48		8.00	35.25		25.52	3-18.67	746	12.98		81.72	24.92		746	
745	17.49		7.99	35.28		25.49	3-18.78	745		16.87	81.76	24.89		745	
744	17.50			35.29		25.46	3-18.88	744	13.00		81.79	24.87		744	
743	17.51		7.97	35.30		25.43	3-18.99	743		16.88	81.83	24.84		743	
742				35.32		25.40	3-19.10	742	13.01	16.89	81.86	24.81		742	
741	17.52		7.96	35.33	3.63	25.37	3-19.19	741			81.90	24.78	2.14	741	
740	17.53		7.95	35.36		25.34	3-19.30	740	13.02	16.91	81.93	24.75		740	
739	17.54		7.94	35.37		25.31	3-19.41	739			81.96	24.72		739	
738	17.55		7.93	35.38	3.62	25.28	3-19.52	738	13.04	16.92	82.00	24.69		738	
737			7.92	35.40		25.25	3-19.61	737	13.05	16.93	82.03	24.67	2.13	737	
736	17.56	1.09	7.91	35.41		25.22	3-19.72	736			82.07	24.64		736	
735	17.58		7.90	35.42		25.19	3-19.83	735	13.06	16.94	82.09	24.61		735	
734	17.59			35.45		25.16	3-19.94	734			82.14	24.58		734	
733	17.60		7.88	35.46		25.13	3-20.04	733	13.08	16.96	82.16	24.55		733	
732	17.61			35.48	3.61	25.10	3-20.14	732			82.21	24.53		732	
731			7.87	35.49		25.07	3-20.25	731	13.09	16.97	82.23	24.50		731	
730	17.62		7.86	35.50		25.04	3-20.36	730		16.98	82.28	24.47		730	
729	17.63		7.85	35.53	3.60	25.01	3-20.47	729	13.10		82.30	24.44	2.12	729	
728	17.64		7.84	35.54		24.98	3-20.57	728		17.00	82.33	24.41		728	
727	17.65		7.83	35.56		24.95	3-20.68	727	13.12		82.37	24.38		727	
726			7.82	35.57		24.92	3-20.78	726		17.01	82.40	24.35		726	
725	17.66		7.81	35.58		24.89	3-20.89	725	13.13	17.02	82.44	24.33		725	
724	17.68			35.61		24.86	3-21.00	724			82.47	24.30		724	
723	17.69		7.79	35.62	3.59	24.83	3-21.10	723	13.14	17.03	82.51	24.27		723	
722	17.70			35.64		24.80	3-21.21	722			82.54	24.24		722	
721			7.78	35.65		24.76	3-21.32	721	13.16	17.05	82.58	24.21	2.11	721	
720	17.71		7.77	35.66		24.74	3-21.43	720	13.17	17.06	82.61	24.19		720	
719	17.72		7.76	35.68		24.71	3-21.53	719			82.65	24.16		719	
718	17.73		7.75	35.70		24.68	3-21.64	718	13.18	17.07	82.68	24.13		718	
717	17.74		7.74	35.71	3.58	24.65	3-21.75	717			82.72	24.10	2.10	717	
716			7.73	35.73		24.61	3-21.85	716	13.20	17.09	82.75	24.07		716	
715	17.75		7.72	35.74	3.57	24.59	3-21.96	715		17.10	82.79	24.04		715	
714	17.76			35.75		24.56	3-22.07	714	13.21		82.82	24.01		714	
713	17.78		7.70	35.78		24.53	3-22.17	713		17.11	82.84	23.99		713	
712	17.79	1.08		35.79		24.50	3-22.28	712	13.22		82.89	23.96		712	
711	17.80		7.69	35.81		24.46	3-22.39	711		17.12	82.91	23.93		711	
710			7.68	35.82		24.43	3-22.50	710	13.24		82.96	23.90		710	
709	17.81		7.67	35.83	3.56	24.41	3-22.61	709		17.14	82.98	23.87		709	
708	17.82		7.66	35.86		24.38	3-22.71	708	13.25	17.15	83.03	23.85	2.09	708	
707	17.83		7.65	35.87		24.35	3-22.81	707			83.05	23.81		707	
706	17.84		7.64	35.89	3.55	24.31	3-22.92	706	13.26	17.16	83.09	23.78		706	
705			7.63	35.90		24.28	3-23.03	705	13.28		83.12	23.76		705	
704	17.85		7.62	35.93		24.26	3-23.14	704		17.18	83.16	23.73	2.08	704	
703	17.86		7.61	35.94		24.23	3-23.25	703	13.29	17.19	83.19	23.70		703	
702	17.88		7.60	35.95		24.20	3-23.36	702			83.23	23.67		702	
701	17.89	1.07		35.97		24.16	3-23.47	701	13.30	17.20	83.26	23.65		701	
700	17.90		7.58	35.98	3.54	24.13	3-23.58	700			83.30	23.62		700	
699				36.01		24.10	3-23.69	699	13.32	17.21	83.33	23.59		699	
698	17.91		7.57	36.02		24.08	3-23.80	698		17.23	83.37	23.56		698	
697	17.92		7.56	36.03	3.53	24.05	3-23.90	697	13.33		83.40	23.53		697	
696	17.93		7.55	36.05		24.01	3-24.01	696		17.24	83.44	23.50	2.07	696	
695	17.94		7.54	36.06		23.98	3-24.12	695	13.34		83.47	23.47		695	
694	17.95		7.53	36.09		23.95	3-24.23	694		17.25	83.51	23.44		694	
693			7.52	36.10		23.93	3-24.34	693	13.35	17.27	83.54	23.42		693	
692	17.96		7.51	36.11		23.90	3-24.44	692	13.37		83.58	23.39		692	
691	17.98		7.50	36.13	3.52	23.86	3-24.54	691		17.28	83.61	23.36		691	
690	17.99		7.49	36.15		23.83	3-24.65	690	13.38		83.65	23.33		690	
689	18.00			36.17		23.80	3-24.76	689		17.29	83.69	23.30		689	

Hand timing * add 0.24 sec. " add 0.14 sec.

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
688	18.01		7.47	36.18	3.51	23.77	3-24.87	688	13.39	17.30	83.72	23.27	2.06	688	
687				36.19		23.75	3-24.98	687			83.76	23.24		687	
686	18.02		7.46	36.21		23.71	3-25.09	686	13.41	17.32	83.79	23.22		686	
685	18.03		7.45	36.23		23.68	3-25.21	685			83.83	23.19		685	
684	18.04		7.44	36.25		23.65	3-25.32	684	13.42	17.33	83.86	23.16	2.05	684	
683	18.05		7.43	36.26	3.50	23.62	3-25.43	683		17.34	83.90	23.13		683	
682	18.06		7.42	36.27		23.60	3-25.54	682	13.43		83.93	23.10		682	
681			7.41	36.30		23.56	3-25.65	681	13.45	17.36	83.97	23.08		681	
680	18.08		7.40	36.31		23.53	3-25.76	680		17.37	84.00	23.04		680	
679	18.09			36.32		23.50	3-25.87	679	13.46		84.04	23.01		679	
678	18.10	1.06	7.38	36.34		23.47	3-25.97	678		17.38	84.07	22.99		678	
677	18.11			36.35	3.49	23.44	3-26.08	677	13.47		84.11	22.96		677	
676	18.12		7.37	36.38		23.41	3-26.19	676		17.39	84.14	22.93	2.04	676	
675			7.36	36.39		23.38	3-26.30	675	13.49	17.41	84.18	22.90		675	
674	18.13		7.35	36.40	3.48	23.35	3-26.41	674			84.21	22.88		674	
673	18.14		7.34	36.42		23.32	3-26.52	673	13.50	17.42	84.25	22.85		673	
672	18.15		7.33	36.44		23.29	3-26.63	672	13.51		84.29	22.81	2.03	672	
671	18.16		7.32	36.46		23.26	3-26.74	671		17.43	84.32	22.79		671	
670	18.18		7.31	36.47		23.23	3-26.86	670	13.53	17.44	84.36	22.76		670	
669				36.48		23.20	3-26.97	669			84.39	22.73		669	
668	18.19		7.29	36.51	3.47	23.17	3-27.08	668	13.54	17.46	84.43	22.70		668	
667	18.20			36.52		23.14	3-27.19	667			84.46	22.67		667	
666	18.21	1.05	7.28	36.54		23.11	3-27.30	666	13.55	17.47	84.50	22.65		666	
665	18.22		7.27	36.55	3.46	23.08	3-27.40	665		17.48	84.52	22.62		665	
664	18.23		7.26	36.58		23.05	3-27.51	664	13.57		84.57	22.59	2.02	664	
663			7.25	36.59		23.02	3-27.62	663		17.50	84.61	22.56		663	
662	18.24		7.24	36.60		22.99	3-27.74	662	13.58		84.64	22.53		662	
661	18.25		7.23	36.62		22.96	3-27.85	661	13.59	17.51	84.68	22.50		661	
660	18.26		7.22	36.63	3.45	22.93	3-27.96	660		17.52	84.71	22.47		660	
659	18.28			36.66		22.90	3-28.07	659	13.61		84.75	22.45		659	
658	18.29		7.20	36.67		22.87	3-28.18	658		17.53	84.77	22.42		658	
657	18.30			36.68	3.44	22.84	3-28.29	657	13.62	17.55	84.82	22.38		657	
656			7.19	36.70		22.81	3-28.41	656			84.86	22.36	2.01	656	
655	18.31		7.18	36.72		22.78	3-28.52	655	13.63	17.56	84.89	22.33		655	
654	18.32		7.17	36.74		22.75	3-28.63	654			84.93	22.30		654	
653	18.33		7.16	36.75		22.72	3-28.74	653	13.65	17.57	84.96	22.27		653	
652	18.34		7.15	36.76		22.69	3-28.85	652	13.66	17.59	85.00	22.25	2.00	652	
651	18.35		7.14	36.79	3.43	22.66	3-28.97	651			85.02	22.22		651	
650			7.13	36.80		22.63	3-29.08	650	13.67	17.60	85.07	22.18		650	
649	18.36		7.12	36.82		22.59	3-29.19	649		17.61	85.11	22.16		649	
648	18.38		7.11	36.83	3.42	22.56	3-29.30	648	13.69		85.14	22.13		648	
647	18.39		7.10	36.86		22.54	3-29.41	647		17.62	85.18	22.10		647	
646	18.40			36.87		22.51	3-29.53	646	13.70		85.21	22.07		646	
645	18.41		7.08	36.88		22.48	3-29.64	645		17.64	85.25	22.04	1.99	645	
644	18.42	1.04		36.90		22.44	3-29.75	644	13.71	17.65	85.29	22.02		644	
643			7.07	36.92	3.41	22.41	3-29.87	643	13.73		85.32	21.98		643	
642	18.43		7.06	36.93		22.39	3-29.98	642		17.66	85.36	21.96		642	
641	18.44		7.05	36.95		22.36	3-30.09	641	13.74		85.39	21.93		641	
640	18.45		7.04	36.97		22.33	3-30.20	640		17.68	85.43	21.90		640	
639	18.46		7.03	36.99		22.29	3-30.32	639	13.75	17.69	85.47	21.87		639	
638	18.48		7.02	37.00		22.26	3-30.43	638			85.50	21.84		638	
637	18.49		7.01	37.01	3.40	22.23	3-30.54	637	13.76	17.70	85.54	21.82	1.98	637	
636			7.00	37.04		22.21	3-30.66	636	13.78	17.71	85.57	21.78		636	
635	18.50		6.99	37.05		22.17	3-30.77	635			85.61	21.75		635	
634	18.51			37.07	3.39	22.14	3-30.88	634	13.79	17.73	85.65	21.73		634	
633	18.52		6.97	37.08		22.11	3-30.99	633			85.68	21.70	1.97	633	
632	18.53	1.03		37.11		22.08	3-31.11	632	13.80	17.74	85.72	21.67		632	
631	18.54		6.96	37.12		22.06	3-31.22	631		17.75	85.76	21.64		631	
630	18.55		6.95	37.13		22.02	3-31.33	630	13.82		85.79	21.61		630	
629			6.94	37.15		21.99	3-31.45	629	13.83	17.77	85.83	21.58		629	
628	18.56		6.93	37.17	3.38	21.96	3-31.56	628		17.78	85.86	21.55		628	
627	18.58		6.92	37.19		21.93	3-31.68	627	13.84		85.90	21.53		627	
626	18.59		6.91	37.20	3.37	21.90	3-31.79	626		17.79	85.94	21.50		626	
625	18.60		6.90	37.23		21.87	3-31.90	625	13.86	17.80	85.97	21.47	1.96	625	
624	18.61			37.24		21.84	3-32.02	624			86.01	21.44		624	
623	18.62		6.88	37.25		21.81	3-32.13	623	13.87	17.82	86.05	21.41		623	
622	18.63			37.27		21.78	3-32.24	622			86.08	21.38		622	
621		1.02	6.87	37.29		21.75	3-32.36	621	13.88	17.83	86.12	21.35	1.95	621	
620	18.64		6.86	37.31	3.36	21.72	3-32.47	620	13.90	17.84	86.16	21.32		620	

W65Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
619	18.65		6.85	37.32		21.69	3-32.59	619			86.19	21.30		619	
618	18.66		6.84	37.33		21.66	3-32.70	618	13.91	17.86	86.23	21.27		618	
617	18.68		6.83	37.36	3.35	21.63	3-32.81	617		17.87	86.26	21.24		617	
616	18.69		6.82	37.37		21.60	3-32.93	616	13.92		86.30	21.21		616	
615	18.70		6.81	37.39		21.57	3-33.04	615		17.88	86.34	21.18		615	
614	18.71		6.80	37.41		21.54	3-33.17	614	13.94		86.37	21.15		614	
613			6.79	37.43		21.51	3-33.27	613	13.95	17.89	86.41	21.12	1.94	613	
612	18.72		6.78	37.44	3.34	21.48	3-33.40	612		17.91	86.46	21.10		612	
611	18.73			37.45		21.45	3-33.51	611	13.96		86.48	21.06		611	
610	18.74		6.76	37.48		21.42	3-33.63	610		17.92	86.52	21.03		610	
609	18.75			37.49	3.33	21.39	3-33.74	609	13.98	17.93	86.57	21.01		609	
608	18.76		6.75	37.50		21.35	3-33.86	608			86.59	20.98		608	
607	18.78		6.74	37.53		21.33	3-33.97	607	13.99	17.95	86.64	20.95		607	
606	18.79		6.73	37.54		21.30	3-34.09	606	14.00	17.96	86.68	20.92		606	
605			6.72	37.56		21.27	3-34.20	605			86.71	20.89	1.93	605	
604	18.80		6.71	37.58		21.23	3-34.32	604	14.02	17.97	86.75	20.86		604	
603	18.81		6.70	37.60	3.32	21.20	3-34.43	603			86.79	20.83		603	
602	18.82		6.69	37.61		21.18	3-34.56	602	14.03	17.98	86.82	20.81	1.92	602	
601	18.83			37.62		21.15	3-34.66	601	14.04	18.00	86.86	20.78		601	
600	18.84		6.67	37.65		21.11	3-34.79	600			86.90	20.75		600	
599	18.85	1.01		37.66		21.08	3-34.90	599	14.06	18.01	86.93	20.72		599	
598	18.86		6.66	37.68	3.31	21.05	3-35.02	598		18.02	86.97	20.69		598	
597			6.65	37.70		21.03	3-35.13	597	14.07		87.01	20.66		597	
596	18.88		6.64	37.72		20.99	3-35.25	596		18.04	87.04	20.63		596	
595	18.89		6.63	37.73	3.30	20.96	3-35.36	595	14.08	18.05	87.08	20.61		595	
594	18.90		6.62	37.76		20.93	3-35.48	594	14.10		87.12	20.57	1.91	594	
593	18.91		6.61	37.77		20.90	3-35.60	593		18.06	87.16	20.54		593	
592	18.92		6.60	37.78		20.87	3-35.71	592	14.11	18.07	87.19	20.52		592	
591	18.93		6.59	37.80		20.84	3-35.84	591			87.23	20.49		591	
590	18.94		6.58	37.82		20.81	3-35.94	590	14.12	18.09	87.27	20.46	1.90	590	
589	18.95		6.57	37.84	3.29	20.78	3-36.07	589	14.14	18.10	87.30	20.43		589	
588		1.00		37.85		20.75	3-36.19	588			87.34	20.40		588	
587	18.96		6.55	37.88	3.28	20.72	3-36.30	587	14.15	18.11	87.39	20.37		587	
586	18.98			37.89		20.69	3-36.42	586			87.41	20.34		586	
585	18.99		6.54	37.90		20.66	3-36.53	585	14.16	18.13	87.46	20.32		585	
584	19.00		6.53	37.93		20.63	3-36.65	584		18.14	87.50	20.29		584	
583	19.01		6.52	37.94		20.60	3-36.78	583	14.17		87.54	20.25		583	
582	19.02		6.51	37.96		20.57	3-36.88	582	14.19	18.15	87.57	20.23	1.89	582	
581	19.03		6.50	37.98	3.27	20.54	3-37.01	581		18.16	87.61	20.20		581	
580	19.04		6.49	38.00		20.51	3-37.13	580	14.20		87.65	20.17		580	
579	19.05		6.48	38.01		20.48	3-37.24	579		18.18	87.68	20.14		579	
578			6.47	38.02	3.26	20.45	3-37.36	578	14.21	18.19	87.72	20.11		578	
577	19.06		6.46	38.05		20.42	3-37.48	577	14.23		87.76	20.08		577	
576	19.08			38.06		20.39	3-37.59	576		18.20	87.80	20.05		576	
575	19.09		6.44	38.08		20.35	3-37.71	575	14.24	18.22	87.83	20.03	1.88	575	
574	19.10			38.10		20.32	3-37.84	574			87.87	20.00		574	
573	19.11		6.43	38.11	3.25	20.30	3-37.96	573	14.25	18.23	87.91	19.96		573	
572	19.12		6.42	38.13		20.27	3-38.07	572		18.24	87.96	19.94		572	
571	19.13		6.41	38.15		20.23	3-38.19	571	14.27		87.98	19.91	1.87	571	
570	19.14		6.40	38.17	3.24	20.20	3-38.31	570	14.28	18.25	88.02	19.88		570	
569	19.15		6.39	38.18		20.17	3-38.44	569		18.27	88.07	19.85		569	
568			6.38	38.21		20.15	3-38.55	568	14.29		88.11	19.82		568	
567	19.16		6.37	38.22		20.12	3-38.67	567		18.28	88.14	19.79		567	
566	19.18	0.99	6.36	38.23		20.08	3-38.79	566	14.31	18.29	88.18	19.76		566	
565	19.19		6.35	38.26	3.23	20.05	3-38.91	565	14.32		88.22	19.74		565	
564	19.20		6.34	38.27		20.02	3-39.02	564		18.31	88.26	19.71		564	
563	19.21			38.29		19.99	3-39.15	563	14.33	18.32	88.29	19.67	1.86	563	
562	19.22		6.32	38.31		19.96	3-39.27	562			88.33	19.65		562	
561	19.23			38.33		19.93	3-39.39	561	14.35	18.33	88.37	19.62		561	
560	19.24		6.31	38.34		19.90	3-39.51	560	14.36		88.41	19.59		560	
559	19.25		6.30	38.37	3.22	19.87	3-39.62	559		18.34	88.44	19.56		559	
558	19.26		6.29	38.38		19.84	3-39.74	558	14.37	18.36	88.48	19.53		558	
557			6.28	38.39	3.21	19.81	3-39.87	557			88.52	19.50		557	
556	19.28		6.27	38.42		19.78	3-39.99	556	14.39	18.37	88.57	19.47	1.85	556	
555	19.29	0.98	6.26	38.43		19.75	3-40.11	555	14.40	18.38	88.59	19.44		555	
554	19.30		6.25	38.45		19.72	3-40.23	554			88.64	19.41		554	
553	19.31			38.47		19.69	3-40.36	553	14.41	18.40	88.68	19.38		553	
552	19.32		6.23	38.49		19.66	3-40.47	552		18.41	88.72	19.36	1.84	552	
551	19.33			38.51	3.20	19.63	3-40.59	551	14.43		88.76	19.33		551	

Hand timing * add 0.24 sec. " add 0.14 sec.

W65Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
550	19.34		6.22	38.53		19.60	3-40.71	550	14.44	18.42	88.79	19.30		550	
549	19.35		6.21	38.54		19.57	3-40.83	549		18.43	88.83	19.27		549	
548	19.36		6.20	38.57	3.19	19.54	3-40.96	548	14.45		88.87	19.24		548	
547	19.38		6.19	38.58		19.51	3-41.08	547		18.45	88.91	19.21		547	
546	19.39		6.18	38.59		19.47	3-41.20	546	14.47	18.46	88.95	19.18		546	
545			6.17	38.62		19.44	3-41.32	545	14.48		88.98	19.15		545	
544	19.40		6.16	38.63		19.42	3-41.45	544		18.47	89.02	19.12	1.83	544	
543	19.41		6.15	38.65	3.18	19.39	3-41.57	543	14.49	18.48	89.07	19.09		543	
542	19.42		6.14	38.67		19.35	3-41.69	542			89.11	19.07		542	
541	19.43		6.13	38.69		19.32	3-41.81	541	14.51	18.50	89.15	19.04	1.82	541	
540	19.44			38.70	3.17	19.29	3-41.92	540	14.52	18.51	89.18	19.00		540	
539	19.45		6.11	38.72		19.27	3-42.05	539		18.52	89.22	18.98		539	
538	19.46			38.74		19.23	3-42.17	538	14.53		89.26	18.95		538	
537	19.48		6.10	38.76		19.20	3-42.29	537	14.55	18.54	89.30	18.92		537	
536	19.49		6.09	38.78		19.17	3-42.41	536		18.55	89.34	18.89		536	
535	19.50		6.08	38.79	3.16	19.14	3-42.54	535	14.56		89.37	18.86		535	
534	19.51	0.97	6.07	38.82		19.11	3-42.66	534		18.56	89.41	18.83		534	
533	19.52		6.06	38.83		19.08	3-42.78	533	14.57	18.57	89.45	18.80	1.81	533	
532	19.53		6.05	38.84	3.15	19.05	3-42.90	532	14.58		89.50	18.77		532	
531			6.04	38.87		19.02	3-43.04	531		18.59	89.54	18.74		531	
530	19.54			38.88		18.99	3-43.16	530	14.60	18.60	89.58	18.71		530	
529	19.55		6.02	38.90		18.96	3-43.29	529			89.61	18.69		529	
528	19.56			38.92		18.93	3-43.41	528	14.61	18.61	89.65	18.65		528	
527	19.58		6.00	38.94	3.14	18.89	3-43.53	527	14.62	18.63	89.69	18.62		527	
526	19.59		5.99	38.96		18.87	3-43.65	526			89.73	18.60	1.80	526	
525	19.60			38.98		18.84	3-43.78	525	14.64	18.64	89.77	18.57		525	
524	19.61		5.97	38.99		18.81	3-43.90	524		18.65	89.82	18.54		524	
523	19.62	0.96		39.02		18.77	3-44.02	523	14.65		89.86	18.51		523	
522	19.63		5.96	39.03	3.13	18.74	3-44.14	522	14.66	18.66	89.89	18.48	1.79	522	
521	19.64		5.95	39.04		18.72	3-44.27	521		18.68	89.93	18.45		521	
520	19.65		5.94	39.07		18.69	3-44.39	520	14.68		89.97	18.42		520	
519	19.66		5.93	39.08	3.12	18.65	3-44.53	519	14.69	18.69	90.01	18.39		519	
518	19.68		5.92	39.11		18.62	3-44.65	518		18.70	90.05	18.36		518	
517	19.69		5.91	39.12		18.59	3-44.77	517	14.70		90.09	18.33		517	
516	19.70		5.90	39.14		18.56	3-44.89	516		18.72	90.14	18.31		516	
515	19.71			39.16		18.53	3-45.02	515	14.72	18.73	90.16	18.27		515	
514			5.88	39.18	3.11	18.50	3-45.14	514	14.73	18.74	90.20	18.25	1.78	514	
513	19.72			39.20		18.47	3-45.27	513			90.25	18.22		513	
512	19.73		5.87	39.22		18.44	3-45.40	512	14.74	18.75	90.29	18.19		512	
511	19.74		5.86	39.23	3.10	18.41	3-45.52	511	14.76	18.77	90.33	18.16	1.77	511	
510	19.75		5.85	39.26		18.38	3-45.64	510			90.37	18.13		510	
509	19.76		5.84	39.27		18.35	3-45.76	509	14.77	18.78	90.41	18.10		509	
508	19.78		5.83	39.29		18.32	3-45.90	508		18.79	90.45	18.07		508	
507	19.79		5.82	39.31		18.29	3-46.02	507	14.78		90.48	18.04		507	
506	19.80		5.81	39.32	3.09	18.26	3-46.15	506	14.80	18.81	90.52	18.01		506	
505	19.81		5.80	39.35		18.23	3-46.27	505		18.82	90.57	17.98		505	
504	19.82		5.79	39.36		18.19	3-46.40	504	14.81		90.61	17.95		504	
503	19.83		5.78	39.39	3.08	18.17	3-46.53	503	14.82	18.83	90.65	17.92	1.76	503	
502	19.84	0.95		39.40		18.14	3-46.65	502		18.84	90.69	17.89		502	
501	19.85		5.76	39.41		18.11	3-46.77	501	14.84	18.86	90.73	17.87		501	
500	19.86			39.44		18.07	3-46.91	500			90.77	17.83		500	
499	19.88		5.75	39.45		18.04	3-47.03	499	14.85	18.87	90.82	17.80		499	
498	19.89		5.74	39.48	3.07	18.01	3-47.15	498	14.86	18.88	90.86	17.78		498	
497	19.90		5.73	39.49		17.98	3-47.29	497			90.89	17.75		497	
496	19.91		5.72	39.51		17.95	3-47.41	496	14.88	18.90	90.93	17.72	1.75	496	
495	19.92		5.71	39.53	3.06	17.92	3-47.54	495	14.89	18.91	90.97	17.69		495	
494	19.93		5.70	39.55		17.89	3-47.67	494			91.01	17.66		494	
493	19.94		5.69	39.57		17.86	3-47.79	493	14.90	18.92	91.05	17.63		493	
492	19.95		5.68	39.59		17.83	3-47.92	492		18.93	91.09	17.60	1.74	492	
491	19.96	0.94	5.67	39.61		17.80	3-48.05	491	14.92	18.95	91.14	17.57		491	
490			5.66	39.63	3.05	17.77	3-48.18	490	14.93		91.18	17.54		490	
489	19.98			39.64		17.74	3-48.30	489		18.96	91.22	17.51		489	
488	19.99		5.64	39.67		17.71	3-48.43	488	14.94	18.97	91.26	17.48		488	
487	20.00			39.68		17.68	3-48.56	487	14.96		91.30	17.45		487	
486	20.01		5.63	39.71		17.64	3-48.69	486		18.99	91.34	17.43		486	
485	20.02		5.62	39.72	3.04	17.62	3-48.82	485	14.97	19.00	91.39	17.39	1.73	485	
484	20.03		5.61	39.73		17.59	3-48.95	484	14.98		91.43	17.36		484	
483	20.04		5.60	39.76		17.56	3-49.07	483		19.01	91.47	17.34		483	
482	20.05		5.59	39.77	3.03	17.52	3-49.20	482	15.00	19.02	91.51	17.31		482	

Hand timing * add 0.24 sec. " add 0.14 sec.

W65Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
481	20.06		5.58	39.80		17.49	3-49.33	481		19.04	91.54	17.28		481	
480	20.07		5.57	39.81		17.46	3-49.46	480	15.01		91.58	17.25		480	
479	20.09		5.56	39.84		17.43	3-49.59	479	15.02	19.05	91.62	17.22		479	
478	20.10		5.55	39.85		17.40	3-49.71	478		19.06	91.66	17.19	1.72	478	
477	20.11		5.54	39.88	3.02	17.37	3-49.85	477	15.03		91.70	17.16		477	
476	20.12			39.89		17.34	3-49.97	476	15.05	19.08	91.75	17.13		476	
475	20.13		5.52	39.90		17.31	3-50.11	475		19.09	91.79	17.10		475	
474	20.14			39.93	3.01	17.28	3-50.23	474	15.06	19.10	91.83	17.07	1.71	474	
473	20.15		5.50	39.94		17.25	3-50.37	473	15.07		91.87	17.04		473	
472	20.16			39.97		17.22	3-50.50	472		19.11	91.91	17.01		472	
471	20.17		5.49	39.98		17.19	3-50.63	471	15.09	19.13	91.95	16.98		471	
470	20.19	0.93	5.48	40.01		17.16	3-50.76	470	15.10		92.00	16.95		470	
469	20.20		5.47	40.02	3.00	17.13	3-50.89	469		19.14	92.04	16.92		469	
468	20.21		5.46	40.05		17.09	3-51.02	468	15.11	19.15	92.08	16.89		468	
467	20.22		5.45	40.06		17.07	3-51.14	467		19.17	92.12	16.86	1.70	467	
466	20.23		5.44	40.08	2.99	17.04	3-51.28	466	15.13		92.16	16.83		466	
465	20.24		5.43	40.10		17.01	3-51.42	465	15.14	19.18	92.20	16.81		465	
464	20.25		5.42	40.12		16.97	3-51.54	464		19.19	92.25	16.77		464	
463	20.26		5.41	40.14		16.94	3-51.68	463	15.15		92.29	16.75	1.69	463	
462	20.27		5.40	40.16		16.91	3-51.81	462	15.17	19.20	92.33	16.72		462	
461	20.29			40.18	2.98	16.88	3-51.93	461		19.22	92.37	16.68		461	
460	20.30	0.92	5.38	40.20		16.85	3-52.07	460	15.18	19.23	92.41	16.66		460	
459	20.31			40.22	2.97	16.82	3-52.21	459	15.19		92.45	16.63		459	
458	20.32		5.37	40.24		16.79	3-52.33	458		19.24	92.50	16.59		458	
457	20.33		5.36	40.26		16.76	3-52.47	457	15.21	19.26	92.54	16.57		457	
456	20.34		5.35	40.28		16.73	3-52.60	456	15.22		92.58	16.54	1.68	456	
455	20.35		5.34	40.30		16.70	3-52.72	455		19.27	92.62	16.51		455	
454	20.36		5.33	40.32	2.96	16.67	3-52.86	454	15.23	19.28	92.66	16.48		454	
453	20.37		5.32	40.33		16.64	3-53.00	453	15.25	19.29	92.70	16.45		453	
452	20.39		5.31	40.36		16.61	3-53.13	452			92.76	16.42		452	
451	20.40		5.30	40.37		16.57	3-53.26	451	15.26	19.31	92.80	16.39		451	
450	20.41		5.29	40.40		16.54	3-53.39	450	15.27	19.32	92.84	16.36		450	
449	20.42		5.28	40.41		16.52	3-53.53	449		19.33	92.88	16.33	1.67	449	
448	20.43			40.44	2.95	16.49	3-53.66	448	15.29		92.93	16.30		448	
447	20.44		5.26	40.45		16.45	3-53.79	447	15.30	19.35	92.97	16.27		447	
446	20.45			40.47	2.94	16.42	3-53.92	446		19.36	93.01	16.24		446	
445	20.46		5.25	40.49		16.39	3-54.06	445	15.31	19.37	93.05	16.21	1.66	445	
444	20.47		5.24	40.51		16.36	3-54.20	444	15.33		93.09	16.18		444	
443	20.49		5.23	40.53		16.33	3-54.33	443		19.38	93.13	16.15		443	
442	20.50		5.22	40.55		16.30	3-54.45	442	15.34	19.40	93.18	16.12		442	
441	20.51		5.21	40.57	2.93	16.27	3-54.59	441	15.35		93.22	16.09		441	
440	20.52		5.20	40.59		16.24	3-54.73	440		19.41	93.26	16.06		440	
439	20.53	0.91	5.19	40.61		16.21	3-54.86	439	15.37	19.42	93.30	16.03		439	
438	20.54		5.18	40.63	2.92	16.18	3-55.00	438	15.38	19.44	93.34	16.00	1.65	438	
437	20.55		5.17	40.65		16.14	3-55.14	437			93.40	15.98		437	
436	20.56		5.16	40.67		16.12	3-55.27	436	15.39	19.45	93.44	15.94		436	
435	20.57			40.69		16.09	3-55.41	435	15.41	19.46	93.48	15.91		435	
434	20.59		5.14	40.71		16.05	3-55.54	434		19.47	93.52	15.89	1.64	434	
433	20.60			40.73	2.91	16.02	3-55.68	433	15.42		93.57	15.85		433	
432	20.61		5.13	40.75		15.99	3-55.82	432	15.43	19.49	93.61	15.82		432	
431	20.62		5.12	40.77	2.90	15.97	3-55.94	431		19.50	93.65	15.80		431	
430	20.63		5.11	40.79		15.93	3-56.08	430	15.44	19.51	93.69	15.76		430	
429	20.64	0.90	5.10	40.81		15.90	3-56.21	429	15.46		93.73	15.74		429	
428	20.65		5.09	40.83		15.87	3-56.35	428		19.53	93.77	15.71		428	
427	20.66		5.08	40.85		15.84	3-56.48	427	15.47	19.54	93.83	15.67	1.63	427	
426	20.67		5.07	40.87	2.89	15.81	3-56.62	426	15.48	19.55	93.87	15.65		426	
425	20.69		5.06	40.89		15.78	3-56.76	425			93.91	15.62		425	
424	20.71		5.05	40.91		15.75	3-56.91	424	15.50	19.56	93.95	15.58		424	
423	20.72		5.04	40.93	2.88	15.72	3-57.04	423	15.51	19.58	94.00	15.56		423	
422	20.73			40.95		15.69	3-57.18	422		19.59	94.04	15.53		422	
421	20.74		5.02	40.97		15.66	3-57.31	421	15.52		94.08	15.50		421	
420	20.75			40.99		15.62	3-57.45	420	15.54	19.60	94.13	15.47	1.62	420	
419	20.76		5.00	41.01		15.59	3-57.59	419		19.61	94.18	15.44		419	
418	20.77			41.03	2.87	15.57	3-57.72	418	15.55	19.63	94.22	15.41		418	
417	20.79		4.99	41.05		15.53	3-57.86	417	15.56		94.26	15.38	1.61	417	
416	20.80		4.97	41.07		15.50	3-58.00	416		19.64	94.30	15.35		416	
415	20.81			41.08		15.47	3-58.13	415	15.58	19.65	94.34	15.32		415	
414	20.82		4.96	41.11		15.44	3-58.28	414	15.59	19.67	94.38	15.29		414	
413	20.83		4.95	41.14	2.86	15.41	3-58.42	413			94.44	15.26		413	

Hand timing * add 0.24 sec. " add 0.14 sec.

W65Hept, Pent Deca

Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
412	20.84		4.94	41.15		15.38	3-58.55	412	15.60	19.68	94.48	15.23		412
411	20.85		4.93	41.18	2.85	15.35	3-58.69	411	15.62	19.69	94.52	15.20		411
410	20.86		4.92	41.19		15.32	3-58.83	410	15.63	19.70	94.57	15.17	1.60	410
409	20.87	0.89	4.91	41.22		15.29	3-58.96	409			94.61	15.14		409
408	20.89		4.90	41.23		15.26	3-59.11	408	15.64	19.72	94.66	15.11		408
407	20.90			41.26		15.22	3-59.25	407	15.66	19.73	94.70	15.08		407
406	20.91		4.88	41.27	2.84	15.20	3-59.38	406		19.74	94.75	15.05		406
405	20.92		4.87	41.30		15.17	3-59.52	405	15.67		94.79	15.02		405
404	20.93			41.31		15.13	3-59.67	404	15.68	19.76	94.83	14.99		404
403	20.94		4.85	41.34	2.83	15.10	3-59.81	403		19.77	94.87	14.96	1.59	403
402	20.96			41.36		15.07	3-59.94	402	15.70	19.78	94.93	14.93		402
401	20.97		4.84	41.38		15.04	4-00.09	401	15.71	19.79	94.97	14.90		401
400	20.99		4.83	41.40		15.01	4-00.23	400			95.01	14.87		400
399	21.00	0.88	4.82	41.42		14.98	4-00.37	399	15.72	19.81	95.05	14.84	1.58	399
398	21.01		4.81	41.44	2.82	14.95	4-00.52	398	15.74	19.82	95.11	14.81		398
397	21.02		4.80	41.46		14.92	4-00.65	397	15.75	19.83	95.15	14.78		397
396	21.03		4.79	41.48	2.81	14.89	4-00.79	396			95.19	14.75		396
395	21.04		4.78	41.50		14.85	4-00.94	395	15.76	19.85	95.23	14.72		395
394	21.05		4.77	41.52		14.82	4-01.07	394	15.78	19.86	95.27	14.69		394
393	21.06		4.76	41.55		14.80	4-01.21	393		19.87	95.33	14.66		393
392	21.07		4.75	41.56		14.76	4-01.36	392	15.79	19.88	95.37	14.63	1.57	392
391	21.09			41.59	2.80	14.73	4-01.50	391	15.80		95.41	14.60		391
390	21.10		4.73	41.60		14.70	4-01.65	390		19.90	95.45	14.57		390
389	21.11			41.63		14.67	4-01.78	389	15.82	19.91	95.51	14.54	1.56	389
388	21.13		4.72	41.64	2.79	14.64	4-01.93	388	15.83	19.92	95.55	14.51		388
387	21.14		4.71	41.67		14.61	4-02.07	387	15.84		95.59	14.48		387
386	21.15		4.70	41.69		14.58	4-02.22	386		19.94	95.63	14.45		386
385	21.16		4.69	41.71		14.55	4-02.35	385	15.85	19.95	95.69	14.42		385
384	21.17		4.68	41.73	2.78	14.52	4-02.50	384	15.87	19.96	95.73	14.39		384
383	21.19		4.67	41.75		14.49	4-02.64	383		19.97	95.77	14.36		383
382	21.20		4.66	41.77		14.45	4-02.79	382	15.88		95.83	14.33	1.55	382
381	21.21		4.65	41.80		14.43	4-02.93	381	15.89	19.99	95.87	14.30		381
380	21.22		4.64	41.81		14.40	4-03.08	380	15.91	20.00	95.91	14.27		380
379	21.23	0.87	4.63	41.84	2.77	14.36	4-03.21	379		20.01	95.95	14.24		379
378	21.24			41.85		14.33	4-03.36	378	15.92		96.01	14.21		378
377	21.25		4.61	41.88		14.30	4-03.51	377	15.93	20.03	96.05	14.18		377
376	21.27			41.91	2.76	14.27	4-03.65	376		20.04	96.09	14.15		376
375	21.29		4.60	41.92		14.24	4-03.80	375	15.95	20.05	96.15	14.12	1.54	375
374	21.30		4.58	41.95		14.21	4-03.93	374	15.96	20.06	96.19	14.09		374
373	21.31			41.96		14.18	4-04.08	373	15.97		96.23	14.06		373
372	21.32		4.57	41.99		14.15	4-04.23	372		20.08	96.29	14.03	1.53	372
371	21.33		4.56	42.01	2.75	14.12	4-04.37	371	15.99	20.09	96.33	14.00		371
370	21.34		4.55	42.03		14.08	4-04.52	370	16.00	20.10	96.37	13.97		370
369	21.35	0.86	4.54	42.05	2.74	14.06	4-04.67	369		20.12	96.43	13.94		369
368	21.36		4.53	42.07		14.03	4-04.82	368	16.01		96.47	13.91		368
367	21.37		4.52	42.09		13.99	4-04.96	367	16.03	20.13	96.51	13.88		367
366	21.40		4.51	42.12		13.96	4-05.11	366	16.04	20.14	96.56	13.84		366
365	21.41		4.50	42.13		13.93	4-05.26	365		20.15	96.61	13.82	1.52	365
364	21.42		4.49	42.16	2.73	13.90	4-05.40	364	16.05	20.17	96.65	13.78		364
363	21.43		4.48	42.17		13.87	4-05.54	363	16.07		96.70	13.76		363
362	21.44		4.47	42.20	2.72	13.84	4-05.69	362	16.08	20.18	96.75	13.73		362
361	21.45		4.46	42.23		13.81	4-05.84	361		20.19	96.79	13.69	1.51	361
360	21.46			42.24		13.78	4-05.99	360	16.09	20.21	96.84	13.67		360
359	21.47	0.85	4.44	42.26		13.75	4-06.14	359	16.11	20.22	96.88	13.63		359
358	21.49			42.29		13.71	4-06.29	358			96.93	13.60		358
357	21.51		4.43	42.30	2.71	13.68	4-06.43	357	16.12	20.23	96.98	13.58		357
356	21.52		4.41	42.33		13.66	4-06.58	356	16.13	20.24	97.02	13.54		356
355	21.53			42.36	2.70	13.62	4-06.73	355	16.15	20.26	97.08	13.52	1.50	355
354	21.54		4.40	42.37		13.59	4-06.88	354		20.27	97.12	13.48		354
353	21.55		4.39	42.40		13.56	4-07.03	353	16.16		97.16	13.45		353
352	21.56		4.38	42.41		13.53	4-07.18	352	16.17	20.28	97.22	13.42		352
351	21.57		4.37	42.44		13.50	4-07.33	351	16.19	20.30	97.26	13.39		351
350	21.59		4.36	42.46	2.69	13.47	4-07.48	350		20.31	97.31	13.36		350
349	21.61		4.35	42.48		13.44	4-07.63	349	16.20	20.32	97.36	13.33		349
348	21.62		4.34	42.50		13.41	4-07.77	348	16.21	20.33	97.40	13.30	1.49	348
347	21.63		4.33	42.53		13.37	4-07.92	347	16.23		97.45	13.27		347
346	21.64		4.32	42.54		13.34	4-08.07	346		20.35	97.50	13.24		346
345	21.65		4.31	42.57	2.68	13.31	4-08.22	345	16.24	20.36	97.55	13.21		345
344	21.66			42.60		13.28	4-08.37	344	16.25	20.37	97.59	13.18	1.48	344

Hand timing * add 0.24 sec. " add 0.14 sec.

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
136	24.83		2.31	48.11		6.74	4-46.39	136	18.73	23.00	109.52	6.63		136	
135	24.85			48.14		6.71	4-46.62	135	18.74	23.03	109.59	6.59		135	
134	24.87		2.29	48.18		6.68	4-46.85	134	18.75	23.04	109.67	6.56	1.05	134	
133	24.90		2.28	48.21	2.03	6.65	4-47.08	133	18.76	23.06	109.74	6.53		133	
132	24.91			48.24		6.62	4-47.33	132	18.78	23.08	109.81	6.49		132	
131	24.93		2.26	48.27	2.02	6.59	4-47.55	131	18.79	23.09	109.88	6.46	1.04	131	
130	24.95		2.25	48.31		6.55	4-47.79	130	18.82	23.11	109.97	6.43		130	
129	24.97			48.34		6.52	4-48.03	129	18.83	23.12	110.04	6.40		129	
128	24.98		2.23	48.38	2.01	6.49	4-48.28	128	18.84	23.15	110.10	6.36		128	
127	25.01			48.42		6.45	4-48.51	127	18.86	23.16	110.19	6.33		127	
126	25.03	0.67	2.22	48.44	2.00	6.43	4-48.76	126	18.87	23.17	110.26	6.30	1.03	126	
125	25.05		2.20	48.48		6.39	4-49.00	125	18.88	23.18	110.34	6.26		125	
124	25.07			48.51		6.36	4-49.25	124	18.91	23.21	110.41	6.23		124	
123	25.08		2.19	48.55		6.33	4-49.48	123	18.92	23.22	110.48	6.20		123	
122	25.11		2.17	48.59	1.99	6.30	4-49.73	122	18.94	23.24	110.56	6.16		122	
121	25.13			48.62	1.98	6.26	4-49.97	121	18.95	23.26	110.63	6.13	1.02	121	
120	25.15		2.16	48.66		6.23	4-50.23	120	18.96	23.27	110.72	6.10		120	
119	25.17	0.66	2.14	48.70		6.20	4-50.47	119	18.99	23.29	110.79	6.06		119	
118	25.19			48.72		6.16	4-50.72	118	19.00	23.31	110.87	6.03	1.01	118	
117	25.21		2.13	48.76	1.97	6.14	4-50.96	117	19.02	23.33	110.94	6.00		117	
116	25.23		2.12	48.80		6.10	4-51.22	116	19.03	23.34	111.02	5.96		116	
115	25.25		2.11	48.84		6.07	4-51.47	115	19.04	23.36	111.10	5.93		115	
114	25.27		2.10	48.87	1.96	6.04	4-51.73	114	19.07	23.38	111.17	5.90		114	
113	25.29		2.09	48.91		6.00	4-51.97	113	19.08	23.39	111.26	5.86	1.00	113	
112	25.32		2.08	48.95	1.95	5.97	4-52.23	112	19.10	23.42	111.34	5.83		112	
111	25.34		2.07	48.99		5.94	4-52.49	111	19.11	23.43	111.41	5.80		111	
110	25.36		2.06	49.01		5.91	4-52.75	110	19.14	23.44	111.49	5.76		110	
109	25.38		2.05	49.05	1.94	5.88	4-52.99	109	19.15	23.47	111.58	5.73		109	
108	25.39		2.04	49.09		5.84	4-53.25	108	19.16	23.48	111.65	5.69	0.99	108	
107	25.42		2.03	49.13	1.93	5.81	4-53.53	107	19.17	23.51	111.73	5.66		107	
106	25.44		2.02	49.16		5.78	4-53.78	106	19.20	23.52	111.81	5.62	0.98	106	
105	25.46		2.00	49.20		5.75	4-54.03	105	19.21	23.53	111.90	5.59		105	
104	25.48	0.65		49.24	1.92	5.71	4-54.29	104	19.23	23.56	111.98	5.56		104	
103	25.51		1.99	49.28		5.68	4-54.57	103	19.25	23.57	112.06	5.52		103	
102	25.53		1.97	49.32	1.91	5.65	4-54.83	102	19.27	23.60	112.15	5.49		102	
101	25.55			49.36		5.61	4-55.11	101	19.28	23.61	112.23	5.45	0.97	101	
100	25.57		1.96	49.40		5.59	4-55.38	100	19.29	23.62	112.30	5.42		100	
99	25.59		1.94	49.44	1.90	5.55	4-55.64	99	19.32	23.65	112.38	5.39		99	
98	25.62			49.46		5.52	4-55.91	98	19.33	23.66	112.47	5.35	0.96	98	
97	25.64	0.64	1.93	49.50	1.89	5.49	4-56.17	97	19.35	23.69	112.56	5.32		97	
96	25.66		1.92	49.54		5.45	4-56.45	96	19.37	23.70	112.65	5.29		96	
95	25.68		1.91	49.58		5.42	4-56.74	95	19.39	23.72	112.73	5.25		95	
94	25.71		1.90	49.62	1.88	5.39	4-57.01	94	19.40	23.74	112.81	5.22		94	
93	25.73		1.89	49.66		5.35	4-57.28	93	19.43	23.76	112.90	5.18	0.95	93	
92	25.75		1.88	49.70		5.33	4-57.57	92	19.44	23.78	112.98	5.15		92	
91	25.77		1.87	49.74	1.87	5.29	4-57.84	91	19.45	23.80	113.06	5.11		91	
90	25.81		1.86	49.78		5.26	4-58.13	90	19.48	23.81	113.16	5.08		90	
89	25.83		1.85	49.82	1.86	5.23	4-58.41	89	19.49	23.84	113.24	5.05	0.94	89	
88	25.85		1.84	49.86		5.19	4-58.70	88	19.52	23.85	113.33	5.01		88	
87	25.87		1.83	49.90		5.16	4-58.99	87	19.53	23.88	113.42	4.98		87	
86	25.89		1.82	49.94	1.85	5.13	4-59.27	86	19.55	23.89	113.51	4.94	0.93	86	
85	25.92		1.81	50.00		5.09	4-59.55	85	19.57	23.92	113.59	4.91		85	
84	25.94	0.63	1.80	50.03	1.84	5.06	4-59.85	84	19.58	23.93	113.69	4.87		84	
83	25.97		1.79	50.07		5.03	5-00.14	83	19.61	23.95	113.77	4.84		83	
82	25.99		1.78	50.11		5.00	5-00.44	82	19.62	23.97	113.87	4.80	0.92	82	
81	26.02		1.77	50.15	1.83	4.97	5-00.73	81	19.64	23.99	113.95	4.77		81	
80	26.04		1.76	50.19	1.82	4.93	5-01.03	80	19.66	24.02	114.05	4.74		80	
79	26.06		1.75	50.25		4.90	5-01.33	79	19.68	24.03	114.15	4.70	0.91	79	
78	26.09		1.74	50.29		4.87	5-01.63	78	19.70	24.06	114.23	4.66		78	
77	26.12	0.62	1.73	50.33		4.83	5-01.94	77	19.72	24.07	114.33	4.63		77	
76	26.14		1.72	50.37	1.81	4.80	5-02.24	76	19.74	24.10	114.42	4.60		76	
75	26.16		1.71	50.42	1.80	4.77	5-02.53	75	19.76	24.12	114.51	4.56	0.90	75	
74	26.19		1.70	50.46		4.73	5-02.86	74	19.78	24.13	114.60	4.52		74	
73	26.22		1.69	50.50		4.70	5-03.16	73	19.80	24.16	114.70	4.49		73	
72	26.24		1.67	50.55	1.79	4.67	5-03.48	72	19.82	24.17	114.80	4.46		72	
71	26.27			50.59		4.64	5-03.79	71	19.84	24.20	114.90	4.42		71	
70	26.29		1.66	50.63		4.60	5-04.11	70	19.86	24.22	114.99	4.38	0.89	70	
69	26.32		1.64	50.68	1.78	4.57	5-04.44	69	19.88	24.24	115.09	4.35		69	
68	26.35			50.72		4.54	5-04.75	68	19.90	24.26	115.19	4.32	0.88	68	

W65Hept, Pent Deca

	Hurd*	HJ	SP	200*	LJ	JT	800	Points	60H	100	400	DT	PV	1500	Points
67	26.37		1.63	50.78	1.77	4.50	5-05.08	67	19.92	24.29	115.28	4.28		67	
66	26.39		1.61	50.82		4.47	5-05.40	66	19.94	24.31	115.38	4.24		66	
65	26.43			50.87	1.76	4.44	5-05.73	65	19.97	24.33	115.49	4.21		65	
64	26.45	0.61	1.60	50.91		4.40	5-06.05	64	19.98	24.35	115.59	4.17	0.87	64	
63	26.48		1.58	50.96	1.75	4.37	5-06.40	63	20.01	24.38	115.69	4.14		63	
62	26.51			51.00		4.34	5-06.72	62	20.02	24.40	115.80	4.10		62	
61	26.54		1.57	51.06		4.31	5-07.05	61	20.05	24.42	115.90	4.07		61	
60	26.56		1.55	51.10	1.74	4.27	5-07.40	60	20.07	24.44	116.01	4.03		60	
59	26.59			51.15	1.73	4.24	5-07.74	59	20.09	24.47	116.10	3.99	0.86	59	
58	26.62	0.60	1.54	51.20		4.21	5-08.10	58	20.11	24.49	116.21	3.96		58	
57	26.65		1.52	51.24		4.17	5-08.44	57	20.14	24.52	116.31	3.93	0.85	57	
56	26.67		1.51	51.29	1.72	4.14	5-08.78	56	20.15	24.53	116.42	3.89		56	
55	26.71		1.50	51.35	1.71	4.11	5-09.15	55	20.18	24.56	116.53	3.85		55	
54	26.74		1.49	51.40		4.07	5-09.50	54	20.21	24.58	116.65	3.81		54	
53	26.76		1.48	51.45		4.04	5-09.87	53	20.23	24.61	116.76	3.78	0.84	53	
52	26.79		1.47	51.49	1.70	4.01	5-10.22	52	20.25	24.64	116.87	3.74		52	
51	26.83		1.46	51.55		3.98	5-10.59	51	20.27	24.66	116.98	3.71	0.83	51	
50	26.85		1.45	51.60		3.94	5-10.97	50	20.30	24.69	117.09	3.68		50	
49	26.88		1.44	51.65	1.69	3.91	5-11.34	49	20.33	24.71	117.20	3.64		49	
48	26.92		1.43	51.71	1.68	3.87	5-11.72	48	20.35	24.74	117.31	3.60		48	
47	26.95		1.42	51.76		3.84	5-12.10	47	20.37	24.76	117.44	3.56	0.82	47	
46	26.98	0.59	1.41	51.81		3.81	5-12.48	46	20.39	24.79	117.55	3.52		46	
45	27.01		1.40	51.86	1.67	3.77	5-12.88	45	20.42	24.82	117.66	3.49		45	
44	27.04		1.39	51.93	1.66	3.74	5-13.26	44	20.44	24.84	117.78	3.45		44	
43	27.07		1.38	51.98		3.71	5-13.66	43	20.47	24.87	117.91	3.42	0.81	43	
42	27.11		1.37	52.04		3.68	5-14.05	42	20.50	24.89	118.02	3.38		42	
41	27.14	0.58	1.36	52.09	1.65	3.64	5-14.47	41	20.52	24.92	118.15	3.35	0.80	41	
40	27.17		1.35	52.16	1.64	3.61	5-14.88	40	20.55	24.94	118.27	3.31		40	
39	27.21		1.34	52.21		3.57	5-15.28	39	20.58	24.98	118.40	3.27		39	
38	27.24		1.33	52.28		3.54	5-15.71	38	20.60	25.01	118.53	3.23		38	
37	27.27		1.32	52.33	1.63	3.51	5-16.15	37	20.63	25.03	118.66	3.20	0.79	37	
36	27.32		1.31	52.39	1.62	3.47	5-16.57	36	20.66	25.06	118.78	3.16		36	
35	27.35		1.29	52.45		3.44	5-17.01	35	20.68	25.08	118.92	3.12	0.78	35	
34	27.38			52.51	1.61	3.40	5-17.46	34	20.71	25.12	119.05	3.08		34	
33	27.42		1.28	52.58		3.37	5-17.91	33	20.74	25.15	119.19	3.05		33	
32	27.46		1.26	52.63		3.33	5-18.36	32	20.76	25.17	119.33	3.01	0.77	32	
31	27.49		1.25	52.70	1.60	3.30	5-18.82	31	20.80	25.21	119.46	2.97		31	
30	27.53	0.57		52.77	1.59	3.27	5-19.28	30	20.83	25.24	119.60	2.93		30	
29	27.57		1.23	52.83		3.24	5-19.77	29	20.85	25.28	119.74	2.89		29	
28	27.60		1.22	52.90	1.58	3.20	5-20.25	28	20.89	25.30	119.90	2.86	0.76	28	
27	27.65		1.21	52.97	1.57	3.17	5-20.74	27	20.92	25.34	120.05	2.82		27	
26	27.69		1.20	53.04		3.13	5-21.24	26	20.95	25.37	120.19	2.78	0.75	26	
25	27.73	0.56	1.19	53.11	1.56	3.10	5-21.75	25	20.99	25.41	120.34	2.74		25	
24	27.77		1.18	53.18		3.06	5-22.28	24	21.01	25.44	120.51	2.70		24	
23	27.82		1.17	53.26	1.55	3.03	5-22.79	23	21.05	25.47	120.66	2.67	0.74	23	
22	27.86		1.16	53.34		2.99	5-23.34	22	21.08	25.51	120.83	2.63		22	
21	27.90		1.15	53.40	1.54	2.96	5-23.90	21	21.12	25.55	120.99	2.59		21	
20	27.95		1.14	53.48	1.53	2.93	5-24.46	20	21.16	25.59	121.16	2.55	0.73	20	
19	27.99		1.13	53.56		2.89	5-25.03	19	21.19	25.62	121.33	2.51		19	
18	28.05		1.11	53.64	1.52	2.86	5-25.63	18	21.23	25.66	121.51	2.47	0.72	18	
17	28.09			53.73		2.82	5-26.24	17	21.26	25.70	121.69	2.43		17	
16	28.15	0.55	1.10	53.81	1.51	2.79	5-26.87	16	21.30	25.74	121.87	2.39		16	
15	28.19		1.08	53.91	1.50	2.75	5-27.51	15	21.34	25.79	122.06	2.35	0.71	15	
14	28.25		1.07	54.00		2.72	5-28.18	14	21.38	25.83	122.26	2.31	0.70	14	
13	28.30		1.06	54.09	1.49	2.68	5-28.86	13	21.44	25.88	122.46	2.26		13	
12	28.36		1.05	54.18	1.48	2.64	5-29.56	12	21.48	25.92	122.67	2.23		12	
11	28.42	0.54	1.04	54.29	1.47	2.61	5-30.31	11	21.52	25.97	122.89	2.19	0.69	11	
10	28.48		1.03	54.40	1.46	2.58	5-31.09	10	21.57	26.02	123.12	2.14		10	
9	28.55		1.02	54.50		2.54	5-31.89	9	21.62	26.07	123.35	2.10		9	
8	28.62		1.00	54.62	1.45	2.51	5-32.75	8	21.67	26.12	123.60	2.06	0.68	8	
7	28.68		0.99	54.74	1.44	2.47	5-33.65	7	21.73	26.19	123.88	2.01	0.67	7	
6	28.76		0.98	54.87	1.43	2.43	5-34.62	6	21.79	26.25	124.16	1.97		6	
5	28.85		0.97	55.01		2.40	5-35.67	5	21.86	26.32	124.46	1.93		5	
4	28.94	0.53	0.96	55.17	1.41	2.36	5-36.81	4	21.93	26.39	124.80	1.88	0.66	4	
3	29.04		0.95	55.34		2.33	5-38.12	3	22.01	26.47	125.17	1.83	0.65	3	
2	29.16		0.94	55.54	1.39	2.29	5-39.63	2	22.10	26.57	125.60	1.79		2	
1	29.32	0.52	0.93	55.79	1.38	2.25	5-41.58	1	22.22	26.69	126.16	1.74	0.64	1	